

brick

Not just furniture, a statement. When you do not want much, but only the best? Then Brick is your thing. The world's first TV furniture with sound in the plinth is the most pared-down solution imaginable for the best home theater entertainment. Without visible loudspeakers and cables lying around. Your audio and video equipment disappears elegantly in the abundant storage space behind matt satin or brilliantly shiny glass fronts. Simplify your living room with Brick.

Made in Germany.

SPECTRAL



Brick System

Brick	 Brick is a solitary media lowboard. The system consists of several models in three widths. Characteristic is the design with indented plinth. The plinth can also accommodate a sound system. With glass flaps, fabric flaps and drawers, Brick is suitable for all living areas. With its scratch resistant glass surface in over 2,000 colours and many options, Brick can meet many individual needs. Like all Spectral furniture, Brick is manufactured in Pleidelsheim, southern Germany. 	Sound integration	Brick offers two varian Acoustic fabric flap. En acoustic fabric, which by 12,4 cm so that soun then omitted in the BR available as an access For the integration of s models with wall moun Sound plinth. The plin variants here: For Spect soundbar systems.
System & grid	Different variants with flaps or drawers in ready combinations. Width grid: 121 cm, 151 cm, 200 cm Height grid: 30,4 cm, 38,3 cm, 43,3 cm Depth grid: 52,5 cm	Lighting	Indirect LED lighting or planned at the top and remote control or app
Tailor-made options	Brick is available exclusively in the grid dimensions.	Wireless Charging	All current smartphone The charging element
Cabinet	Solid MDF cabinet miter glued for maximum stability. The cabinet surface Sand is black fine-textured, exceptionally robust and easy to clean. The scratch resistant glass surface is available in over 2,000 colours, glossy or satin.	Cable management	A discreet marking sho A cable opening can b a cover. In the back w
Shelves	Glass shelves are included in BR1201, BR1501, BR2000 and BR2001 models.		the TV swivel mount, t
Top plates	Glass top plates and side panels are included with each lowboard element.	Surfaces	Colour glass. Colour g to the underside. The There are 5 base colo
Mechanics & function	Pull mechanism with integrated handle. Drawer mechanism with soft-close and flap dampers of the highest quality.		This can be selected f are available on reque
Installation types	Plinth, sound plinth, wall mounting or Edge foot.		Metallic glass. Metallic in 6 chic metallic colo
	Base colour is black. Edge feet can be painted in desired colour.		Acoustic fabric flaps.
Room divider	Brick can also be placed freely in the room. In this case, the same glass surface is also mounted on the back.		
TV integration	TVs can be elegantly integrated with the rotating TV mount. The cable is routed invisibly in the column. There are two TV adapters to choose from: VESA adapter (for TV with VESA standard up to 400 x 400 mm) and Universal TV adapter, with which any TV can be mounted. Alternatively, TVs with feet can be placed on the top plate, the cable routing can be done with a cable opening in the cabinet. With a TV wall mount from Spectral, the TV can also be mounted on the wall, in this case, an on-site cable routing in the wall is recommended.		

164

ap. Each flap can be selected as a fabric flap. The flap is covered with hich allows the sound to escape unhindered. The center bar is set back t soundbars can be placed behind the fabric flap (the glass shelves are ne BR1201, BR1501 and BR2001 models). A universal soundbar shelf is also ccessory. With this, the soundbar can be optimally adjusted for height. n of subwoofers, a subwoofer opening in the base can be selected for mounting or Edge feet.

e plinth can also be selected for sound integration. There are two Spectral sound systems or as a universal sound plinth for most

ng on the rear edge of the furniture. The LED strips can be individually p and the sides. The LED lighting is dimmable and can be operated by app. The light colour is warm white (3200 Kelvin).

hones with Qi standard can be charged wirelessly with Smart Charge. ment is invisibly integrated under the surface. g shows the area on which charging is possible.

can be selected in the top plate, the opening can be closed with ck wall of the cabinet there are openings to route the cables. With unt, the cables are led invisibly through the column into the cabinet.

our glass consists of a 4 mm safety glass plate. The paint finish is applied The glass surface is very hard, scratch resistant and easy to clean. colours to choose from as well as over 2,000 custom colours. ted from the NCS or Sikkens 5051 colour chart (most RAL colours equest]. The glass surface can be selected in gloss or satin (matt).

etallic glass has the same properties as colour glass and is available colours. The glass surface can be selected gloss or satin (matt).


aps. Flaps can also be selected with acoustic fabric.

1. Lowboards

Brick is individually configurable. There are three different widths to choose from, different heights as well as different combinations of drawer and flap. All lowboards have a cable opening in the bottom plate as a standard feature and are delivered including the side panels in glass.

Options such as TV mount, subwoofer opening or LED illumination see section 6 and 7.

Elements with drawer or pull-out shelf must be fixed to the wall (mounting kit is supplied).



Options and accessories at a glance

	with flap	with drawer
TV mount	•	•
Cable opening in the top plate	•	•
Smart Charge	•	•
Subwoofer opening (not for plinth)	•	
Room divider panel	•	
Fabric flap	•	
Smart Light	•	•

.2	Lowboards	with	a	wid

Image	Article		Ext. dim inc	ension: I. side p	• •	Function	Int. dim	ensions	s (cm)
			Width	Height	Depth	SL = Drawer KL = Flap	Width H	leight	Depth
	BR1501	А	150,9	30,4	52,5	a = KL	47,8	26,7	47,5
a a a						a = SL	43,6	22,7	27,4
	BR1502	A	150,9	38,3	52,5	a = KL	47,8	14,7	47,5
a a a b b b		B C	150,9 150,9	18,0 18,0	52,5 52,5	a = SL b = KL	43,6	10,7 14,7	27,4 47,5
D D						b = SL	43,6	10,7	27,4
	BR1503	А	150,9	43,3	52,5	a = KL	47,8	14,7	47,5
a a a		В	150,9	18,0	52,5	a = SL	43,6	10,7	27,4
b b b		С	150,9	23,0	52,5	b = KL	47,8	19,7	47,5
						b = SL	43,6	15,7	27,4

1.1 Lowboards with a width of 120,0 cm

mage	Article Ext. dimensions (cm) incl. side panels		Function	Int. dim	ensions	(cm)			
			Width	Height	Depth	SL = Drawer KL = Flap	Width H	leight	Depth
	BR1201	A	121,1	30,4	52,5	a = KL	57,6	26,7	47,5
aa						a = SL	53,4	22,7	27,4
	BR1202	A	121,1	38,3	52,5	a = KL	57,6	14,7	47,5
aa		В	121,1	18,0	52,5	a = SL	53,4	10,7	27,4
b b		С	121,1	18,0	52,5	b = KL	57,6	14,7	47,5
						$\mathbf{b} = SL$	53,4	10,7	27,4
			121,1	43,3	52,5	a = KL	57,6	14,7	47,5
	BR1203	Α	121,1	- 7 -					
aa	BR1203	A 	121,1	18,0	52,5	a = SL	53,4	10,7	27,4
a a b b	BR1203				52,5 52,5	a = SL b = KL	53,4 57,6	10,7 19,7	27,4 47,5

1.3 Lowboards with a width of 200,0 cm

Image	Article		Ext. dimensions (cm) incl. side panels		Function	Int. dimensions (cm)		
		Widt	n Height	Depth	SL = Drawer KL = Flap	Width I	Height	Depth
	BR2000	A 200,	30,4	52,5	a = KL	47,8	26,7	47,5
a b b					a = SL	43,6	22,7	27,4
C C a					b	47,8	13,4	47,5
					$\mathbf{c} = SL$	43,6	7,7	27,4
	BR2001	A 200,3	30,4	52,5	a = KL	47,8	26,7	47,5
					a = SL	43,6	22,7	27,4

idth of 150,0 cm

2. Tailor-made options



With Brick you have options for customization. Tailor-made according to your ideas, custom carpentry for your home. Popular changes are in the table below.

Type of change	Remarks	
Exchange the available element heights		
Dimension change sound plinth		
Special glass	For example: cable outlet at rear edge glass top plate	
Change interior layout S	Small change, e.g. shorten center bar	
Change interior layout L	Major change, such as customization or division	
Modification TV-column	Change height, add drill holes etc.	
Cable outlet / cutout in the wooden cabinet $D = 6.0$ cm, position according to sketch	Price per additional cutout or omission of a cutout	
Cable outlet / cutout in the wooden cabinet individual according to sketch	Price per cutout	
Reposition wall mount bracket		
No dimension changes possible		

3. Installation types

All types of installation are included in the basic price of the furniture element. The standard colour of Edge feet is black matt, they can be optionally painted in desired colour from NCS or Sikkens 5051 colour chart. Fabric cover of sound plinth is black. Sound plinths for Spectral sound systems are only available in combination with a Spectral sound system or a Spectral loudspeaker. An amplifier is required for the BRP1 passive speaker. We recommend using a Sonos Amp. For prices and technical data on sound systems and speakers, see sound systems chapter.

Image	Function
	Universal plinth Height 12,0 cm, witho
	Plinth for models w= Plinth for models w=
	Plinth for models w=






Plinth for models w=200,0 cm

Туре



Image

Туре



spectral**brick**

Function			
	Width	Height	Depth
Universal plinth Height 12,0 cm, without sound integration			
Plinth for models w=120,0 cm	80,0	12,0	40,5
Plinth for models w=150,0 cm	110,0	12,0	40,5
Plinth for models w=200,0 cm	160,0	12,0	40,5
Universal sound plinth With black fabric cover and height-adjustable universal soundbar shelf to accommodate soundbar systems from different manufacturers Plinth for models w=120,0 and 150,0 cm	109,9	20,3	41,8
Max soundbar	104.7	15.0	12.0
Plinth for models w=200,0 cm	159,9	20,3	41,8
Max. soundbar	154,7	15,0	12,0
Sound plinth for Spectral sound systems With black fabric cover (Only available with Spectral sound system SCA3 or BRA3 or Spectral speaker BRP1) Plinth for models w=120,0 cm	94,1	17,3	41,8
Plinth for models w=150,0 cm	109,9	17,3	41,8

Dimensions (cm)

Height

159,9 17,3 41,8

13,0 - 13,5

 Dimensions (cm)
 Height
optional

4. Options and accessories

4. Options and accessories

Image	Article	Function	Image	Article	Function
	Option	TV mount TX Aluminium or black TV mount TX in colour of your choice Available with adapter for VESA 200 x 200 to 400 x 400 or universal adapter for any TV up to VESA 600 x 4000		ADX02	Universa Height a soundba with fabr
VESA 200 × 200 - 400 × 400 VESA 100 × 100 - 400 × 600	SPMEX1	Extension kit VESA 600 x 600 for universal adapter		Option *	Drawer
	ZU2093	Universal media mount For any media components, mounting on the rear of the TV mount			For elem Drawer For elem
	Option	Cable opening in the top plate [CA] Diameter 6,0 cm		SLEO1 *	Insert fo
	ZU2139 ZU2140	Cover for cable opening, white Cover for cable opening, black Cable feed through possible		TA01 *	Pull-out Dimensi Extenda Required Required
	Option	Subwoofer opening Including black fabric cover, position optionally in the middle, left or right compartment (not selectable with plinth)			- compa - compa - compa Attention BR1501] We reco
	ZU2231	Subwoofer elastic buffer (4 pcs.) For optimal positioning in the furniture		Option	Room d Room d
	Option	Fabric flap Covered with acoustic fabric, available in black, carbon, pebble, grey, graphite or silver Prepared for mounting the universal soundbar shelf ADX02 [12,4 cm recessed center bar / without glass shelves]			Room d Room d Rear par for elem



* Elements with drawer or pull-out shelf must be fixed to the wall (fixing material is supplied).

ion

ersal soundbar tray

t adjustable universal soundbar tray to accommodate dbar systems from different manufacturers in one element abric flap.

er (SL) instead of flap ements w=120,0 cm and w=200,0 cm rer (SL) instead of flap ements w=150,0 cm

t for interior arrangement for drawer

out shelf

nsion of footprint (w x d): 44,0 cm x 41,2 cm, height: 6,4 cm ndable by 32,0 cm ired compartment depth: min. 43,3 cm

ired compartment width:

npartment without flap damper: 45,1 cm

npartment with one flap damper: 47,6 cm

npartment with two flap dampers: 50,1 cm

tion: when installing in the middle compartment (e.g.

01), cable management is only possible to a limited extent.

ecommend installation in one of the outer compartments.

n divider panel for BR1201 n divider panel for BR1202 and BR1203 n divider panel for BR1501 m divider panel for BR1502 and BR1503 m divider panel for BR2000 and BR 2001

panel for floor standing lowboards with flap. Not possible lements with drawer or pull-out shelf.

4. Options and accessories

5. Smart Light

Image	Article	Function	Image	Article	Function
	ZU1933	Smart charge kit		LED-BR	Indirect I
		The Smart Charge wireless charging technology uses the common Qi standard of the Wireless Power Consortium, to which all major mobile device manufacturers adhere to. Can be positioned optionally on the left and/or right.			Lighting a Dependir LED strips top and t
	ZU1864	IR link system For control of audio and video equipment when furniture flap is closed.		LED-AN2	Light colo <u>Connect</u> For oper dimming
					connectio
	ZU1871	Flat europlug Flat europlug 1,5 m cable, Schuko connections [not available in the UK]	38.3 cm	B=150,9 cm	
A Contraction of the second se		Spectral spray A gentle foam cleaner for LED, LCD, plasma and computer screens. Also suitable for glass, metal and painted surfaces. With an anti-static microfiber cloth for swift, streak-free cleaning. Contains 300 ml.	Spacer T=2,0 cm		
				ZU1873	Interior I LED light
				ZU1874	USB char For interio

ion

ect LED lighting

Price per 1cm

ng along rear edge of furniture. nding on the model, the position of the trips can be individually planned at the nd the sides.

colour warm white, approx. 3200 Kelvin

ection kit **LED-AN2**

peration by remote control or smartphone app with ning function. For LED strips that are 5 m or longer a second ection set is required.

ł		
	,3 cm	
	38	

Example pricing: BR1502

The price is based on the furniture dimensions:

38,3 cm + 150,9 cm + 38,3 cm = **227,5 cm x € / cm**

or lighting

ght with motion sensor

:harger

For interior lighting

6. Load


7. Brick colours & surfaces

Colour glass – glossy or satin


Floor standing lov	vboards		
		Max. total load (in kg) *	Max. load on top plate (in kg)
		60	60
Wall mounted low	vboards		
		Max. total load (in kg) *	Max. load on top plate (in kg)
		50	50
Drawer			
		Max. load for each drawer compartment (in kg)	
	SL	20	
Pull-out shelf			
		Max. load for each pull-out shelf (in kg)	
	TA01	20	
Glass shelves			
		Max. load for each glass shelf (in kg)	
	Glass shelf	15	
TV mount			
		Max. load (in kg)	
	ТХ	50	



Metallic glass – glossy or satin



Acoustic fabric flaps Fabric covers of Brick sound plinths are only available in black.



Metal surfaces

Edge feet and column TV mount





NCS[®]/Sikkens 5051

Note on glass surfaces:

Glass is a product made from natural raw materials and is subject to variations in production technology. Depending on the inherent colour of the glass, glass thickness and lighting conditions, there may be colour differences between different glass surfaces. Likewise, there may be deviations between glass samples in the specialized trade and the finished furniture. In the case of subsequent deliveries of glass surfaces, production- and batch-dependent colour differences are possible and do not constitute grounds for complaint.

* Does not include load of TV mount



CHA Champagne



RO Roast



PF Pebble



CF Carbon



BF Black



Base colour Edge feet

BG Black

Base colour

Column TV mount BG Black und aluminium

Note on fabrics:

Fabrics are subject to production variations. Therefore, there may be colour differences between different fabric-related components. Likewise, there may be deviations between fabric samples in the specialist trade and the finished furniture. In the case of subsequent deliveries of fabric-related components, production- and batchdependent colour differences are possible and do not constitute grounds for complaint.

