

# Planning 2023

---

On the home stretch.

Good planning is half the battle, this also applies to for your Spectral furniture. We have been with the development of this planning catalog. We believe it has been worth it: Thanks to its clear structure and clarity, the tool enables uncomplicated and fast planning.

A printed planning aid naturally has limits, for example in the case of complex furniture combinations and design, we recommend that you switch to the world of digital 3D planning. For this purpose, we have stored our furniture lines in the furnplan software.

Most of our planning dealers work with furnplan software to create your very own Spectral Smart Furniture in 3D, this method includes price calculation.

**For the very latest price calculation of your furniture planning, please consult the latest version of furnplan.**

**furnplan**



spectral collection

6 – 45 spectral**side**

46 – 75 spectral**ameno**

76 – 109 spectral**next**

110 – 133 spectral**scala**

134 – 145 spectral**air**

146 – 161 spectral**cocoon**

162 – 175 spectral**brick**

176 – 181 spectral**wall**

182 – 197 spectral**tv stands**

198 – 201 spectral**cockpit**

202 – 207 spectral**hifi racks**

208 – 211 spectral**speaker stands**

212 – 213 spectral**just.mount**

214 – 215 spectral**extras**

216 – 221 sonos-spectral**soundsystems**



# side



More space in the room.

Storage space doesn't sound sexy. Until you stand in front of Side. Our new sideboards and highboards are practical, timeless and versatile. But above all, they are smart eye-catchers – and the perfect complement to Spectral's media lowboards.

Made in Germany.

## Side

Side is a system furniture for individual lowboards, sideboards and highboards.

The system consists of numerous elements that can be lined up. The logical grid of 25 or 50 cm steps allows easy planning. The range offers a high variety of inter-changable surfaces.

With doors, drawers or flaps, Side is suitable for all living areas. With its high surface variety, useful options and made-to-measure Side can fulfill many individual wishes. The possibilities are virtually unlimited.

Thanks to its timeless and puristic design, Side is the perfect complement to Spectral's media lowboards. Like all Spectral furniture, Side is manufactured in Pleidelsheim in southern Germany.

## Design

Side is available in two different design variants.  
**Model 1.** Model 1 is timeless. The overflowing top plate forms the classic design. Model 1 is available in all finishes.  
**Model 2.** Model 2 is modern. The overflowing fronts and sides offer a modern design concept. Model 2 is available in colour glass, metallic glass, design glass and Fenix®.

## System & grid

Different variants with doors, drawers or flaps, in combinations, ready for lining up. Top plates and side panels are included in the basic price.  
**Width grid:** 50 cm, 100 cm, 150 cm  
**Height grid:** 50 cm, 75 cm, 100 cm, 125 cm  
**Depth grid:** 38 cm, 48 cm

## Tailor-made options

Each element can be individually shortened in width and depth.

## Cabinet

Solid construction with 19mm wall thickness and 8mm back panel, doweled and glued, for maximum stability. The cabinet surface Sand is finely textured, exceptionally robust and easy to clean. 5 cabinet colours are available: snow, grey, pebble, granite and black.

## Shelves

Sturdy 19mm shelves in cabinet colour, height adjustable and included in delivery. Additional shelves can be ordered.

## Top plates

Top plates are included with each element. A continuous top plate can be selected for several elements. Depending on the surface, there are different maximum widths. Smart varnish and veneer up to 275 cm. Colour glass, metallic glass and design glass up to 350 cm. Fenix® and ceramic up to 300 cm.

## Mechanics & function

Damped hinges, soft-close drawer mechanism and flap dampers of the highest quality.

## Installation types

**Standard:** Base pedestal plate, wall mounting, Edge foot or Stick foot are included in the basic price.  
**Foot frames:** Bridge, Blade and Frame are available at additional cost.

Base colour for foot frames and Edge feet is black. Base colour for Stick foot is black and brushed aluminum.  
All feet and foot frames can be painted in desired colour.

## Room divider

Side can also be placed freely in the room. In this case, a surface panel can also mounted on the back. The rear side is then fully clad.

## Lighting

Indirect LED lighting on the rear edge of the furniture. LED strips can be individually planned at the top, bottom and sides. Open elements can also be illuminated on the inside. LED lighting is dimmable and can be operated by remote control or app. The light colour is warm white [3200 Kelvin].

## Cable management

A cable opening can be selected at the rear edge of the top plate, the opening is elegantly concealed with a brush finish. In addition, a cable opening can be selected within the cabinet or in the rear panel.

## Surfaces

**Model 1 is available in smart varnish, colour glass, metallic glass, veneer and Fenix®.**

**Model 2 is available in colour glass, metallic glass and Fenix®.**

**Top plates for model 1 and model 2 are also available in design glass and ceramic.**

**Smart varnish.** Smart varnish is a particularly high-quality paint finish. It consists of several layers. The top coat is a soft-touch surface and has an anti-fingerprint effect. Smart varnish is more scratch resistant and lightfast than conventional paints. The edges are applied separately using a laser process and are shock-resistant.

**Colour glass.** Colour glass consists of a 4 mm safety glass plate. The paint finish is applied to the underside. The glass surface is very hard, scratch resistant and easy to clean. There are 5 base colours to choose from as well as over 2,000 custom colours. This can be selected from the NCS or Sikkens 5051 colour chart (most RAL colours are available on request). The glass surface can be selected in gloss or satin (matt).

**Metallic glass.** Metallic glass has the same properties as colour glass and is available in 6 chic metallic colours. The glass surface can be selected gloss or satin (matt).

**Design glass.** Design glass consists of a 4 mm safety glass plate. A high-resolution digital print is applied to the underside. The surface is brilliant and visually indistinguishable from a natural motif. Design glass is very hard, scratch resistant and easy to clean. Design glass is only 4 mm thin and therefore appears light and elegant. The glass surface can be chosen glossy or satin (matt). Satinized glass renders the motif blurred, but thus appears discreet and restrained.  
**Design glass is only available for top plates.**

**Veneer.** Our veneers are made of real wood. The surface is brushed and sealed with a matt natural wood varnish. This makes the wood surfaces easy to clean and hard wearing. There are 4 wood tones to choose from. Natural oak, American walnut, smoked oak and black oak. The veneer direction can be selected vertically or horizontally.

**Fenix®.** Fenix® is an extremely matt nanotech material, the surface is particularly regal and has a velvety touch. It is also resistant to fingerprints. We process Fenix® in the elegant 4 mm thickness. This allows for a particularly light and intricate design. Fenix® is available in 6 harmonious colours.


**Dekton® ceramic.** Ceramic is our most durable surface. It is extremely abrasion, scratch and impact resistant. It is also resistant to heat and stains. The ceramic plates are 8 mm thick and available in 4 regal, matt surfaces.  
**Ceramic is only available for top plates.**

## Price groups

The surfaces are divided into four price groups.  
**Price group 1:** Smart varnish  
**Price group 2:** Colour glass and metallic glass  
**Price group 3:** Veneer, Fenix® and design glass  
**Price group 4:** Ceramic

Side details

Model 1




Model 2




Quality & precision



Cable management



Smart Light



Smart Light



Side installation types


Base



Stick




Wall mounted



Edge




Blade



Bridge



Frame



Made in Germany

# 1.1 Sideboards height 50 cm

**Width:** Plus side panels:  
Glass and Fenix®: 0,5 cm, smart varnish: 1,3 cm,  
veneer: 1,4 cm each per side

**Total height model 1:** External dimension plus top plate:  
Glass and Fenix®: 0,4 cm, smart varnish: 1,2 cm,  
veneer: 1,3 cm, ceramic: 0,8 cm,  
plus height installation type [see section 4]








**Total height model 2:** External dimension minus 0,3 cm,  
plus height installation type [see section 4]

Choice of  
drawer  
[standard]  
or flap  
[same price]

**Please note:**

\* With flap or door above  
the inner height is 2,0 cm less

Elements must be fixed to the wall  
[fixing material is supplied]

Image / External dimensions [cm]	Type	Function	Internal dimensions [cm]				
			Width	Height	Height	Depth	Depth
				Model 1	Model 2	38	48
	A101	a = DT	46,2	46,2	43,7	33,1	43,1
	A102	a = SL	42,0	17,1	14,6	27,4	37,4
		b = SL	42,0	18,6	18,6	27,4	37,4
		a = KL	46,2	21,2	18,7	33,1	43,1
		b = KL	46,2	23,1	23,1	33,1	43,1
	A103	a = SL	42,0	7,1	6,5	27,4	37,4
		b = SL	42,0	28,6	28,6	27,4	37,4
		b = KL	46,2	33,1	31,2	33,1	43,1
	A104	a = DT	47,1	46,2	43,7	33,1	43,1
	A105	a = SL	42,9	17,1	14,6	27,4	37,4
		b = SL	42,9	18,6	18,6	27,4	37,4
		c = DT	47,1	46,2	43,7	33,1	43,1
		a = KL	47,1	21,2	18,7	33,1	43,1
		b = KL	47,1	23,1	23,1	33,1	43,1
	A106	a = DT	47,1	46,2	43,7	33,1	43,1
		b = SL	42,9	17,1	14,6	27,4	37,4
		c = SL	42,9	18,6	18,6	27,4	37,4
		b = KL	47,1	21,2	18,7	33,1	43,1
		c = KL	47,1	23,1	23,1	33,1	43,1
	A107	a = SL	42,9	7,1	6,5	27,4	37,4
		b = SL	42,9	28,6	28,6	27,4	37,4
		c = DT	47,1	46,2	43,7	33,1	43,1
		b = KL	47,1	33,1	31,2	33,1	43,1

# 1.1 Sideboards height 50 cm

**Width:** Plus side panels:  
Glass and Fenix®: 0,5 cm, smart varnish: 1,3 cm,  
veneer: 1,4 cm each per side

**Total height model 1:** External dimension plus top plate:  
Glass and Fenix®: 0,4 cm, smart varnish: 1,2 cm,  
veneer: 1,3 cm, ceramic: 0,8 cm,  
plus height installation type [see section 4]








**Total height model 2:** External dimension minus 0,3 cm,  
plus height installation type [see section 4]

Choice of  
drawer  
[standard]  
or flap  
[same price]

**Please note:**

\* With flap or door above  
the inner height is 2,0 cm less

Elements must be fixed to the wall  
[fixing material is supplied]

Image / External dimensions [cm]	Type	Function	Internal dimensions [cm]				
			Width	Height	Height	Depth	Depth
				Model 1	Model 2	38	48
	A108	a = DT	47,1	46,2	43,7	33,1	43,1
		b = SL	42,9	7,1	6,5	27,4	37,4
		c = SL	42,9	28,6	28,6	27,4	37,4
		c = KL	47,1	33,1	31,2	33,1	43,1
	A109	a = SL	92,0	14,9	12,4	27,4	37,4
		b = SL	92,0	18,6 *	18,6 *	27,4	37,4
		a = KL	2x 47,1	21,2	18,7	33,1	43,1
		b = KL	2x 47,1	23,1	23,1	33,1	43,1
	A110	a = SL	92,0	4,9	4,3	27,4	37,4
		b = SL	92,0	28,6	28,6	27,4	37,4
		b = KL	2x 47,1	33,1	31,2	33,1	43,1
	A111	a = DT	47,4	46,2	43,7	33,1	43,1
	A112	a = SL	43,2	17,1	14,6	27,4	37,4
		b = SL	43,2	18,6	18,6	27,4	37,4
		c = DT	47,4	46,2	43,7	33,1	43,1
		a = KL	47,4	21,2	18,7	33,1	43,1
		b = KL	47,4	23,1	23,1	33,1	43,1
	A113	a = DT	47,4	46,2	43,7	33,1	43,1
		b = SL	43,2	17,1	14,6	27,4	37,4
		c = SL	43,2	18,6	18,6	27,4	37,4
		b = KL	47,4	21,2	18,7	33,1	43,1
		c = KL	47,4	23,1	23,1	33,1	43,1
	A114	a = DT	47,4	46,2	43,7	33,1	43,1
		b = SL	43,2	17,1	14,6	27,4	37,4
		c = SL	43,2	18,6	18,6	27,4	37,4
		b = KL	47,4	21,2	18,7	33,1	43,1
		c = KL	47,4	23,1	23,1	33,1	43,1

# 1.1 Sideboards height 50 cm

**Width:** Plus side panels:  
Glass and Fenix®: 0,5 cm, smart varnish: 1,3 cm,  
veneer: 1,4 cm each per side

**Total height model 1:** External dimension plus top plate:  
Glass and Fenix®: 0,4 cm, smart varnish: 1,2 cm,  
veneer: 1,3 cm, ceramic: 0,8 cm,  
plus height installation type [see section 4]

**Total height model 2:** External dimension minus 0,3 cm,  
plus height installation type [see section 4]

Choice of  
drawer  
[standard]  
or flap  
[same price]

**Please note:**

\* With flap or door above  
the inner height is 2,0 cm less

Elements must be fixed to the wall  
[fixing material is supplied]

Image / External dimensions (cm)		Type	Function	Internal dimensions (cm)				
			DT = Door SL = Drawer KL = Flap	Width	Height	Height	Depth	Depth
				Model 1	Model 2		38	48
<div><div>15</div><div>35</div><div>150</div><div>50</div></div>	<b>A115</b>	<b>a</b> = SL	43,2	7,1	6,5	27,4	37,4	
		<b>b</b> = SL	43,2	28,6	28,6	27,4	37,4	
		<b>c</b> = DT	47,4	46,2	43,7	33,1	43,1	
		<b>b</b> = KL	47,4	31,2	33,1	33,1	43,1	
<div><div>50</div><div>15</div><div>35</div><div>150</div></div>	<b>A116</b>	<b>a</b> = DT	47,4	46,2	43,7	33,1	43,1	
		<b>b</b> = SL	43,2	7,1	6,5	27,4	37,4	
		<b>c</b> = SL	43,2	28,6	28,6	27,4	37,4	
		<b>c</b> = KL	47,4	31,2	33,1	33,1	43,1	
<div><div>25</div><div>25</div><div>150</div><div>50</div></div>	<b>A117</b>	<b>a</b> = DT	47,4	46,2	43,7	33,1	43,1	
		<b>b</b> = SL	43,2	7,1	6,5	27,4	37,4	
		<b>c</b> = SL	43,2	28,6	28,6	27,4	37,4	
		<b>c</b> = KL	47,4	31,2	33,1	33,1	43,1	
<div><div>25</div><div>25</div><div>150</div><div>50</div></div>	<b>A118</b>	<b>a</b> = SL	92,6	14,9	12,4	27,4	37,4	
		<b>b</b> = SL	92,6	18,6 *	18,6 *	27,4	37,4	
		<b>c</b> = DT	47,4	46,2	43,7	33,1	43,1	
		<b>a</b> = KL	2x 47,4	21,2	18,7	33,1	43,1	
		<b>b</b> = KL	2x 47,4	23,1	23,1	33,1	43,1	
<div><div>50</div><div>25</div><div>25</div><div>150</div></div>	<b>A119</b>	<b>a</b> = DT	47,4	46,2	43,7	33,1	43,1	
		<b>b</b> = SL	92,6	14,9	12,4	27,4	37,4	
		<b>c</b> = SL	92,6	18,6 *	18,6 *	27,4	37,4	
		<b>b</b> = KL	2x 47,4	21,2	18,7	33,1	43,1	
		<b>c</b> = KL	2x 47,4	23,1	23,1	33,1	43,1	
<div><div>15</div><div>35</div><div>150</div><div>50</div></div>	<b>A120</b>	<b>a</b> = SL	92,6	4,9	4,3	27,4	37,4	
		<b>b</b> = SL	92,6	28,6	28,6	27,4	37,4	
		<b>c</b> = DT	47,4	46,2	43,7	33,1	43,1	
		<b>b</b> = KL	2x 47,4	33,1	31,2	33,1	43,1	
<div><div>50</div><div>15</div><div>35</div><div>150</div></div>	<b>A121</b>	<b>a</b> = DT	47,4	46,2	43,7	33,1	43,1	
		<b>b</b> = SL	92,6	4,9	4,3	27,4	37,4	
		<b>c</b> = SL	92,6	28,6	28,6	27,4	37,4	
		<b>c</b> = KL	2x 47,4	33,1	31,2	33,1	43,1	

# 1.2 Sideboards height 75 cm

**Width:** Plus side panels:  
Glass and Fenix®: 0,5 cm, smart varnish: 1,3 cm,  
veneer: 1,4 cm each per side

**Total height model 1:** External dimension plus top plate:  
Glass and Fenix®: 0,4 cm, smart varnish: 1,2 cm,  
veneer: 1,3 cm, ceramic: 0,8 cm,  
plus height installation type [see section 4]







**Total height model 2:** External dimension minus 0,3 cm,  
plus height installation type [see section 4]

Choice of  
drawer  
[standard]  
or flap  
[same price]

**Please note:**

\* With flap or door above  
the inner height is 2,0 cm less

Elements must be fixed to the wall  
[fixing material is supplied]

Image / External dimensions (cm)	Type	Function	Internal dimensions (cm)				
		DT = Door SL = Drawer KL = Flap	Width	Height Model 1	Height Model 2	Depth 38	Depth 48
	A201	a = DT	46,2	71,2	68,7	33,1	43,1
	A202	a = SL b = DT a = KL	42,0 46,2 46,2	17,1 48,1 21,2	14,6 48,1 18,7	27,4 33,1 33,1	37,4 43,1 43,1
	A203	a = SL b = SL c = SL b = KL c = KL	42,0 42,0 42,0 46,2 46,2	7,1 18,6 28,6 21,2 33,1	6,5 18,6 28,6 23,1 33,1	27,4 27,4 27,4 33,1 33,1	37,4 37,4 37,4 43,1 43,1
	A204	a = SL b = SL a = KL b = KL	42,0 42,0 46,2 46,2	17,1 18,6 21,2 23,1	14,6 18,6 18,7 23,1	27,4 27,4 33,1 33,1	37,4 37,4 43,1 43,1
	A205	a = DT	47,1	71,2	68,7	33,1	43,1
	A206	a = SL b = DT c = DT a = KL	42,9 47,1 47,1 47,1	17,1 48,1 71,2 21,2	14,6 48,1 68,7 18,7	27,4 33,1 33,1 33,1	37,4 43,1 43,1 43,1

## 1.2 Sideboards height 75 cm

**Width:** Plus side panels:  
Glass and Fenix®: 0,5 cm, smart varnish: 1,3 cm,  
veneer: 1,4 cm each per side

**Total height model 1:** External dimension plus top plate:  
Glass and Fenix®: 0,4 cm, smart varnish: 1,2 cm,  
veneer: 1,3 cm, ceramic: 0,8 cm,  
plus height installation type [see section 4]







**Total height model 2:** External dimension minus 0,3 cm,  
plus height installation type [see section 4]

Choice of  
drawer  
[standard]  
or flap  
[same price]

**Please note:**

\* With flap or door above  
the inner height is 2,0 cm less

Elements must be fixed to the wall  
[fixing material is supplied]

Image / External dimensions [cm]	Type	Function	Internal dimensions [cm]				
			Width	Height	Height	Depth	Depth
			Model 1	Model 2		38	48
	A207	a = DT	47,1	71,2	68,7	33,1	43,1
		b = SL	42,9	17,1	14,6	27,4	37,4
		c = DT	47,1	48,1	48,1	33,1	43,1
		c = KL	47,1	21,2	18,7	33,1	43,1
	A208	a = SL	92,0	14,9	12,4	27,4	37,4
		b = DT	47,1	48,1	48,1	33,1	43,1
		a = KL	2x 47,1	21,2	18,7	33,1	43,1
	A209	a = SL	42,9	7,1	6,5	27,4	37,4
		b = SL	42,9	18,6	18,6	27,4	37,4
		c = SL	42,9	28,6	28,6	27,4	37,4
		d = DT	47,1	71,2	68,7	33,1	43,1
		b = KL	47,1	23,1	21,2	33,1	43,1
		c = KL	47,1	33,1	33,1	33,1	43,1
	A210	a = DT	47,1	71,2	68,7	33,1	43,1
		b = SL	42,9	7,1	6,5	27,4	37,4
		c = SL	42,9	18,6	18,6	27,4	37,4
		d = SL	42,9	28,6	28,6	27,4	37,4
		c = KL	47,1	23,1	21,2	33,1	43,1
		d = KL	47,1	33,1	33,1	33,1	43,1
	A211	a = SL	92,0	4,9	4,3	27,4	37,4
		b = SL	92,0	18,6	18,6	27,4	37,4
		c = SL	92,0	28,6 *	28,6 *	27,4	37,4
		b = KL	2x 47,1	23,1	21,2	33,1	43,1
		c = KL	2x 47,1	33,1	33,1	33,1	43,1
	A212	a = SL	42,9	17,1	14,6	27,4	37,4
		b = SL	42,9	18,6	18,6	27,4	37,4
		c = DT	47,1	71,2	68,7	33,1	43,1
		a = KL	47,1	21,2	18,7	33,1	43,1
		b = KL	47,1	23,1	23,1	33,1	43,1

## 1.2 Sideboards height 75 cm

**Width:** Plus side panels:  
Glass and Fenix®: 0,5 cm, smart varnish: 1,3 cm,  
veneer: 1,4 cm each per side

**Total height model 1:** External dimension plus top plate:  
Glass and Fenix®: 0,4 cm, smart varnish: 1,2 cm,  
veneer: 1,3 cm, ceramic: 0,8 cm,  
plus height installation type [see section 4]







**Total height model 2:** External dimension minus 0,3 cm,  
plus height installation type [see section 4]

Choice of  
drawer  
[standard]  
or flap  
[same price]

**Please note:**

\* With flap or door above  
the inner height is 2,0 cm less

Elements must be fixed to the wall  
[fixing material is supplied]

Image / External dimensions [cm]	Type	Function	Internal dimensions [cm]				
			Width	Height	Height	Depth	Depth
			Model 1	Model 2		38	48
	A213	a = DT	47,1	71,2	68,7	33,1	43,1
		b = SL	42,9	17,1	14,6	27,4	37,4
		c = SL	42,9	18,6	18,6	27,4	37,4
		b = KL	47,1	21,2	18,7	33,1	43,1
		c = KL	47,1	23,1	23,1	33,1	43,1
	A214	a = SL	92,0	14,9	12,4	27,4	37,4
		b = SL	92,0	18,6 *	18,6 *	27,4	37,4
		a = KL	2x 47,1	21,2	18,7	33,1	43,1
		b = KL	2x 47,1	23,1	23,1	33,1	43,1
	A215	a = DT	47,4	71,2	68,7	33,1	43,1
	A216	a = SL	43,2	17,1	14,6	27,4	37,4
		b = DT	47,4	48,1	48,1	33,1	43,1
		c = DT	47,4	71,2	68,7	33,1	43,1
		a = KL	47,4	21,2	18,7	33,1	43,1
	A217	a = DT	47,4	71,2	68,7	33,1	43,1
		b = SL	43,2	17,1	14,6	27,4	37,4
		c = DT	47,4	48,1	48,1	33,1	43,1
		b = KL	47,4	21,2	18,7	33,1	43,1
	A218	a = DT	47,4	71,2	68,7	33,1	43,1
		b = SL	43,2	17,1	14,6	27,4	37,4
		c = DT	47,4	48,1	48,1	33,1	43,1
		b = KL	47,4	21,2	18,7	33,1	43,1

# 1.2 Sideboards height 75 cm






**Width:** Plus side panels:  
Glass and Fenix®: 0,5 cm, smart varnish: 1,3 cm,  
veneer: 1,4 cm each per side  
**Total height model 1:** External dimension plus top plate:  
Glass and Fenix®: 0,4 cm, smart varnish: 1,2 cm,  
veneer: 1,3 cm, ceramic: 0,8 cm,  
plus height installation type [see section 4]  
**Total height model 2:** External dimension minus 0,3 cm,  
plus height installation type [see section 4]

Choice of  
drawer  
[standard]  
or flap  
[same price]

**Please note:**

\* With flap or door above  
the inner height is 2,0 cm less

Elements must be fixed to the wall  
[fixing material is supplied]

Image / External dimensions [cm]	Type	Function	Internal dimensions [cm]				
			Width	Height Model 1	Height Model 2	Depth 38	Depth 48
	A219	a = SL	92,6	14,9	12,4	27,4	37,4
		b = DT	47,4	48,1	48,1	33,1	43,1
		c = DT	47,4	71,2	68,7	33,1	43,1
		a = KL	47,4	21,2	18,7	33,1	43,1
	A220	a = DT	47,4	71,2	68,7	33,1	43,1
		b = SL	92,6	14,9	12,4	27,4	37,4
		c = DT	47,4	48,1	48,1	33,1	43,1
		b = KL	2x 47,4	21,2	18,7	33,1	43,1
	A221	a = SL	43,2	7,1	6,5	27,4	37,4
		b = SL	43,2	18,6	18,6	27,4	37,4
		c = SL	43,2	28,6	28,6	27,4	37,4
		d = DT	47,4	71,2	68,7	33,1	43,1
		b = KL	47,4	23,1	21,2	33,1	43,1
		c = KL	47,4	33,1	33,1	33,1	43,1
	A222	a = DT	47,4	71,2	68,7	33,1	43,1
		b = SL	43,2	7,1	6,5	27,4	37,4
		c = SL	43,2	18,6	18,6	27,4	37,4
		d = SL	43,2	28,6	28,6	27,4	37,4
		c = KL	47,4	23,1	21,2	33,1	43,1
		d = KL	47,4	33,1	33,1	33,1	43,1
	A223	a = DT	47,4	71,2	68,7	33,1	43,1
		b = SL	43,2	7,1	6,5	27,4	37,4
		c = SL	43,2	18,6	18,6	27,4	37,4
		d = SL	43,2	28,6	28,6	27,4	37,4
		c = KL	47,4	23,1	21,2	33,1	43,1
		d = KL	47,4	33,1	33,1	33,1	43,1
	A224	a = SL	92,6	4,9	4,3	27,4	37,4
		b = SL	92,6	18,6	18,6	27,4	37,4
		c = SL	92,6	28,6 *	28,6 *	27,4	37,4
		d = DT	47,4	71,2	68,7	33,1	43,1
		b = KL	2x 47,4	23,1	21,2	33,1	43,1
		c = KL	2x 47,4	33,1	33,1	33,1	43,1

# 1.2 Sideboards height 75 cm







**Width:** Plus side panels:  
Glass and Fenix®: 0,5 cm, smart varnish: 1,3 cm,  
veneer: 1,4 cm each per side  
**Total height model 1:** External dimension plus top plate:  
Glass and Fenix®: 0,4 cm, smart varnish: 1,2 cm,  
veneer: 1,3 cm, ceramic: 0,8 cm,  
plus height installation type [see section 4]  
**Total height model 2:** External dimension minus 0,3 cm,  
plus height installation type [see section 4]

Choice of  
drawer  
[standard]  
or flap  
[same price]

**Please note:**

\* With flap or door above  
the inner height is 2,0 cm less

Elements must be fixed to the wall  
[fixing material is supplied]

Image / External dimensions [cm]	Type	Function	Internal dimensions [cm]				
			Width	Height Model 1	Height Model 2	Depth 38	Depth 48
	A225	a = DT	47,4	71,2	68,7	33,1	43,1
		b = SL	92,6	4,9	4,3	27,4	37,4
		c = SL	92,6	18,6	18,6	27,4	37,4
		d = SL	92,6	28,6 *	28,6 *	27,4	37,4
		c = KL	2x 47,4	23,1	21,2	33,1	43,1
		d = KL	2x 47,4	33,1	33,1	33,1	43,1
	A226	a = SL	43,2	17,1	14,6	27,4	37,4
		b = SL	43,2	18,6	18,6	27,4	37,4
		c = DT	47,4	71,2	68,7	33,1	43,1
		a = KL	47,4	21,2	18,7	33,1	43,1
		b = KL	47,4	23,1	23,1	33,1	43,1
	A227	a = DT	47,4	71,2	68,7	33,1	43,1
		b = SL	43,2	17,1	14,6	27,4	37,4
		c = SL	43,2	18,6	18,6	27,4	37,4
		b = KL	47,4	21,2	18,7	33,1	43,1
		c = KL	47,4	23,1	23,1	33,1	43,1
	A228	a = DT	47,4	71,2	68,7	33,1	43,1
		b = SL	43,2	17,1	14,6	27,4	37,4
		c = SL	43,2	18,6	18,6	27,4	37,4
		b = KL	47,4	21,2	18,7	33,1	43,1
		c = KL	47,4	23,1	23,1	33,1	43,1
	A229	a = SL	92,6	14,9	12,4	27,4	37,4
		b = SL	92,6	18,6 *	18,6 *	27,4	37,4
		c = DT	47,4	71,2	68,7	33,1	43,1
		a = KL	2x 47,4	21,2	18,7	33,1	43,1
		b = KL	2x 47,4	23,1	23,1	33,1	43,1
	A230	a = DT	47,4	71,2	68,7	33,1	43,1
		b = SL	92,6	14,9	12,4	27,4	37,4
		c = SL	92,6	18,6 *	18,6 *	27,4	37,4
		b = KL	2x 47,4	21,2	18,7	33,1	43,1
		c = KL	2x 47,4	23,1	23,1	33,1	43,1

# 1.3 Highboards height 100 cm

**Width:** Plus side panels:  
Glass and Fenix®: 0,5 cm, smart varnish: 1,3 cm,  
veneer: 1,4 cm each per side

**Total height model 1:** External dimension plus top plate:  
Glass and Fenix®: 0,4 cm, smart varnish: 1,2 cm,  
veneer: 1,3 cm, ceramic: 0,8 cm,  
plus height installation type [see section 4]






**Total height model 2:** External dimension minus 0,3 cm,  
plus height installation type [see section 4]

Choice of  
drawer  
[standard]  
or flap  
[same price]

**Please note:**

\* With flap or door above  
the inner height is 2,0 cm less

Elements must be fixed to the wall  
[fixing material is supplied]

Image / External dimensions (cm)	Type	Function	Internal dimensions (cm)				
			Width	Height Model 1	Height Model 2	Depth 38	Depth 48
			DT = Door SL = Drawer KL = Flap				
	A301	a = DT	46,2	96,2	93,7	33,1	43,1
	A302	a = SL b = DT a = KL	42,0 46,2 46,2	17,1 73,1 21,2	14,6 73,1 18,7	27,4 33,1 33,1	37,4 43,1 43,1
	A303	a = SL b = SL c = DT a = KL b = KL	42,0 42,0 46,2 46,2 46,2	17,1 18,6 48,1 21,2 23,1	14,6 18,6 48,1 18,7 23,1	27,4 27,4 33,1 33,1 33,1	37,4 37,4 43,1 43,1 43,1
	A304	a = DT b = SL b = KL	46,2 42,0 46,2	46,2 18,6 23,1	43,7 18,6 23,1	33,1 27,4 33,1	43,1 37,4 43,1
	A305	a = DT b = DT	46,2 46,2	46,2 48,1	43,7 48,1	33,1 33,1	43,1 43,1

# 1.3 Highboards height 100 cm

**Width:** Plus side panels:  
Glass and Fenix®: 0,5 cm, smart varnish: 1,3 cm,  
veneer: 1,4 cm each per side

**Total height model 1:** External dimension plus top plate:  
Glass and Fenix®: 0,4 cm, smart varnish: 1,2 cm,  
veneer: 1,3 cm, ceramic: 0,8 cm,  
plus height installation type [see section 4]






**Total height model 2:** External dimension minus 0,3 cm,  
plus height installation type [see section 4]

Choice of  
drawer  
[standard]  
or flap  
[same price]

**Please note:**

\* With flap or door above  
the inner height is 2,0 cm less

Elements must be fixed to the wall  
[fixing material is supplied]

Image / External dimensions (cm)	Type	Function	Internal dimensions (cm)				
		DT = Door SL = Drawer KL = Flap	Width	Height Model 1	Height Model 2	Depth 38	Depth 48
	A306	a = SL b = SL a = KL b = KL	42,0 42,0 46,2 46,2	17,1 18,6 21,2 23,1	14,6 18,6 18,7 23,1	27,4 27,4 33,1 33,1	37,4 37,4 43,1 43,1
	A307	a = SL b = SL c = SL d = SL b = KL c = KL d = KL	42,0 42,0 42,0 42,0 46,2 46,2 46,2	7,1 18,6 18,6 28,6 23,1 23,1 33,1	6,5 18,6 18,6 28,6 21,2 23,1 33,1	27,4 27,4 27,4 27,4 33,1 33,1 33,1	37,4 37,4 37,4 37,4 43,1 43,1 43,1
	A308	a = DT	47,1	96,2	93,7	33,1	43,1
	A309	a = SL b = DT c = DT a = KL	42,9 47,1 47,1 47,1	17,1 73,1 96,2 21,2	14,6 73,1 93,7 18,7	27,4 33,1 33,1 33,1	37,4 43,1 43,1 43,1
	A310	a = DT b = SL c = DT b = KL	47,1 42,9 47,1 47,1	96,2 17,1 73,1 21,2	93,7 14,6 73,1 18,7	33,1 27,4 33,1 33,1	43,1 37,4 43,1 43,1

# 1.3 Highboards height 100 cm

**Width:** Plus side panels:  
Glass and Fenix®: 0,5 cm, smart varnish: 1,3 cm,  
veneer: 1,4 cm each per side  
**Total height model 1:** External dimension plus top plate:  
Glass and Fenix®: 0,4 cm, smart varnish: 1,2 cm,  
veneer: 1,3 cm, ceramic: 0,8 cm,  
plus height installation type [see section 4]  
**Total height model 2:** External dimension minus 0,3 cm,  
plus height installation type [see section 4]

Choice of  
drawer  
[standard]  
or flap  
[same price]

**Please note:**  
  
\* With flap or door above  
the inner height is 2,0 cm less  
  
Elements must be fixed to the wall  
[fixing material is supplied]

Image / External dimensions [cm]	Type	Function	Internal dimensions [cm]				
			Width	Height	Height	Depth	Depth
		DT = Door SL = Drawer KL = Flap	Model 1	Model 2		38	48
	A311	a = SL	92,0	14,9	12,4	27,4	37,4
		b = DT	47,1	73,1	73,1	33,1	43,1
		a = KL	2x 47,1	21,2	18,7	33,1	43,1
	A312	a = SL	42,9	17,1	14,6	27,4	37,4
		b = SL	42,9	18,6	18,6	27,4	37,4
		c = DT	47,1	48,1	48,1	33,1	43,1
		d = DT	47,1	96,2	93,7	33,1	43,1
		a = KL	47,1	21,2	18,7	33,1	43,1
		b = KL	47,1	23,1	23,1	33,1	43,1
	A313	a = DT	47,1	96,2	93,7	33,1	43,1
		b = SL	42,9	17,1	14,6	27,4	37,4
		c = SL	42,9	18,6	18,6	27,4	37,4
		d = DT	47,1	48,1	48,1	33,1	43,1
		b = KL	47,1	21,2	18,7	33,1	43,1
		c = KL	47,1	23,1	23,1	33,1	43,1
	A314	a = SL	92,0	14,9	12,4	27,4	37,4
		b = SL	92,0	18,6 *	18,6 *	27,4	37,4
		c = DT	47,1	48,1	48,1	33,1	43,1
		a = KL	2x 47,1	21,2	18,7	33,1	43,1
		b = KL	2x 47,1	23,1	23,1	33,1	43,1

# 1.3 Highboards height 100 cm

**Width:** Plus side panels:  
Glass and Fenix®: 0,5 cm, smart varnish: 1,3 cm,  
veneer: 1,4 cm each per side  
**Total height model 1:** External dimension plus top plate:  
Glass and Fenix®: 0,4 cm, smart varnish: 1,2 cm,  
veneer: 1,3 cm, ceramic: 0,8 cm,  
plus height installation type [see section 4]  
**Total height model 2:** External dimension minus 0,3 cm,  
plus height installation type [see section 4]

Choice of  
drawer  
[standard]  
or flap  
[same price]

**Please note:**  
  
\* With flap or door above  
the inner height is 2,0 cm less  
  
Elements must be fixed to the wall  
[fixing material is supplied]

Image / External dimensions [cm]	Type	Function	Internal dimensions [cm]				
			Width	Height	Height	Depth	Depth
		DT = Door SL = Drawer KL = Flap	Model 1	Model 2		38	48
	A315	a = DT	47,1	46,2	43,7	33,1	43,1
		b = SL	92,0	18,6 *	18,6 *	27,4	37,4
		b = KL	2x 47,1	23,1	23,1	33,1	43,1
	A316	a = DT	47,1	46,2	43,7	33,1	43,1
		b = DT	47,1	48,1	48,1	33,1	43,1
	A317	a = DT	47,1	46,2	43,7	33,1	43,1
		b = SL	42,9	18,6	18,6	27,4	37,4
		c = DT	47,1	48,1	48,1	33,1	43,1
		b = KL	47,1	23,1	23,1	33,1	43,1
	A318	a = DT	47,1	46,2	43,7	33,1	43,1
		b = DT	47,1	48,1	48,1	33,1	43,1
		c = SL	42,9	18,6	18,6	27,4	37,4
		c = KL	47,1	23,1	23,1	33,1	43,1

# 1.3 Highboards height 100 cm

**Width:** Plus side panels:  
Glass and Fenix®: 0,5 cm, smart varnish: 1,3 cm,  
veneer: 1,4 cm each per side

**Total height model 1:** External dimension plus top plate:  
Glass and Fenix®: 0,4 cm, smart varnish: 1,2 cm,  
veneer: 1,3 cm, ceramic: 0,8 cm,  
plus height installation type [see section 4]

**Total height model 2:** External dimension minus 0,3 cm,  
plus height installation type [see section 4]

Choice of  
drawer  
[standard]  
or flap  
[same price]

**Please note:**

\* With flap or door above  
the inner height is 2,0 cm less

Elements must be fixed to the wall  
[fixing material is supplied]

Image / External dimensions [cm]	Type	Function	Internal dimensions [cm]				
		DT = Door SL = Drawer KL = Flap	Width	Height	Height	Depth	Depth
			Model 1	Model 2		38	48
	<b>A319</b>	<b>a</b> = DT	47,1	46,2	43,7	33,1	43,1
		<b>b</b> = DT	47,1	48,1	48,1	33,1	43,1
		<b>c</b> = SL	42,9	17,1	14,6	27,4	37,4
		<b>d</b> = SL	42,9	18,6	18,6	27,4	37,4
		<b>c</b> = KL	47,1	21,2	18,7	33,1	43,1
		<b>d</b> = KL	47,1	23,1	23,1	33,1	43,1
	<b>A320</b>	<b>a</b> = SL	42,9	17,1	14,6	27,4	37,4
		<b>b</b> = SL	42,9	18,6	18,6	27,4	37,4
		<b>c</b> = DT	47,1	48,1	48,1	33,1	43,1
		<b>d</b> = DT	47,1	46,2	43,7	33,1	43,1
		<b>a</b> = KL	47,1	21,2	18,7	33,1	43,1
		<b>b</b> = KL	47,1	23,1	23,1	33,1	43,1
	<b>A321</b>	<b>a</b> = SL	42,9	17,1	14,6	27,4	37,4
		<b>b</b> = SL	42,9	18,6	18,6	27,4	37,4
		<b>c</b> = DT	47,1	96,2	93,7	33,1	43,1
		<b>a</b> = KL	47,1	21,2	18,7	33,1	43,1
		<b>b</b> = KL	47,1	23,1	23,1	33,1	43,1
	<b>A322</b>	<b>a</b> = DT	47,1	96,2	93,7	33,1	43,1
		<b>b</b> = SL	42,9	17,1	14,6	27,4	37,4
		<b>c</b> = SL	42,9	18,6	18,6	27,4	37,4
		<b>b</b> = KL	47,1	21,2	18,7	33,1	43,1
		<b>c</b> = KL	47,1	23,1	23,1	33,1	43,1

# 1.3 Highboards height 100 cm

**Width:** Plus side panels:  
Glass and Fenix®: 0,5 cm, smart varnish: 1,3 cm,  
veneer: 1,4 cm each per side

**Total height model 1:** External dimension plus top plate:  
Glass and Fenix®: 0,4 cm, smart varnish: 1,2 cm,  
veneer: 1,3 cm, ceramic: 0,8 cm,  
plus height installation type [see section 4]

**Total height model 2:** External dimension minus 0,3 cm,  
plus height installation type [see section 4]

Choice of  
drawer  
[standard]  
or flap  
[same price]

**Please note:**

\* With flap or door above  
the inner height is 2,0 cm less

Elements must be fixed to the wall  
[fixing material is supplied]

Image / External dimensions [cm]	Type	Function	Internal dimensions [cm]				
		DT = Door SL = Drawer KL = Flap	Width	Height	Height	Depth	Depth
			Model 1	Model 2		38	48
	<b>A323</b>	<b>a</b> = SL	92,0	14,9	12,4	27,4	37,4
		<b>b</b> = SL	92,0	18,6 *	18,6 *	27,4	37,4
		<b>a</b> = KL	2x 47,1	21,2	18,7	33,1	43,1
		<b>b</b> = KL	2x 47,1	23,1	23,1	33,1	43,1
	<b>A324</b>	<b>a</b> = SL	42,9	7,1	6,5	27,4	37,4
		<b>b</b> = SL	42,9	18,6	18,6	27,4	37,4
		<b>c</b> = SL	42,9	18,6	18,6	27,4	37,4
		<b>d</b> = SL	42,9	28,6	28,6	27,4	37,4
		<b>e</b> = DT	47,1	96,2	93,7	33,1	43,1
		<b>b</b> = KL	47,1	23,1	21,2	33,1	43,1
	<b>A325</b>	<b>c</b> = KL	47,1	23,1	23,1	33,1	43,1
		<b>d</b> = KL	47,1	33,1	33,1	33,1	43,1
	<b>A326</b>	<b>a</b> = DT	47,1	96,2	93,7	33,1	43,1
		<b>b</b> = SL	42,9	7,1	6,5	27,4	37,4
		<b>c</b> = SL	42,9	18,6	18,6	27,4	37,4
		<b>d</b> = SL	42,9	18,6	18,6	27,4	37,4
		<b>e</b> = SL	42,9	28,6	28,6	27,4	37,4
		<b>c</b> = KL	47,1	23,1	21,2	33,1	43,1
	<b>A327</b>	<b>d</b> = KL	47,1	23,1	23,1	33,1	43,1
		<b>e</b> = KL	47,1	33,1	33,1	33,1	43,1

# 1.4 Highboards height 125 cm

**Width:** Plus side panels:  
Glass and Fenix®: 0,5 cm, smart varnish: 1,3 cm,  
veneer: 1,4 cm each per side

**Total height model 1:** External dimension plus top plate:  
Glass and Fenix®: 0,4 cm, smart varnish: 1,2 cm,  
veneer: 1,3 cm, ceramic: 0,8 cm,  
plus height installation type [see section 4]





**Total height model 2:** External dimension minus 0,3 cm,  
plus height installation type [see section 4]

Choice of  
drawer  
[standard]  
or flap  
[same price]

**Please note:**

\* With flap or door above  
the inner height is 2,0 cm less

Elements must be fixed to the wall  
[fixing material is supplied]

Image / External dimensions (cm)	Type	Function	Internal dimensions (cm)				
			Width	Height Model 1	Height Model 2	Depth 38	Depth 48
			DT = Door SL = Drawer KL = Flap				
	A401	a = DT	46,2	121,2	118,7	33,1	43,1
		a = SL	42,0	17,1	14,6	27,4	37,4
		b = DT	46,2	98,1	98,1	33,1	43,1
		a = KL	46,2	21,2	18,7	33,1	43,1
	A403	a = DT	46,2	46,2	43,7	33,1	43,1
		b = DT	46,2	73,1	73,1	33,1	43,1
	A404	a = DT	46,2	46,2	43,7	33,1	43,1
		b = SL	42,0	18,6	18,6	27,4	37,4
		b = KL	46,2	23,1	23,1	33,1	43,1

# 1.4 Highboards height 125 cm

**Width:** Plus side panels:  
Glass and Fenix®: 0,5 cm, smart varnish: 1,3 cm,  
veneer: 1,4 cm each per side

**Total height model 1:** External dimension plus top plate:  
Glass and Fenix®: 0,4 cm, smart varnish: 1,2 cm,  
veneer: 1,3 cm, ceramic: 0,8 cm,  
plus height installation type [see section 4]





**Total height model 2:** External dimension minus 0,3 cm,  
plus height installation type [see section 4]

Choice of  
drawer  
[standard]  
or flap  
[same price]

**Please note:**

\* With flap or door above  
the inner height is 2,0 cm less

Elements must be fixed to the wall  
[fixing material is supplied]

Image / External dimensions (cm)	Type	Function	Internal dimensions (cm)				
		DT = Door SL = Drawer KL = Flap	Width	Height Model 1	Height Model 2	Depth 38	Depth 48
	A405	a = SL	42,0	17,1	14,6	27,4	37,4
		b = SL	42,0	18,6	18,6	27,4	37,4
		c = DT	46,2	73,1	73,1	33,1	43,1
		a = KL	46,2	21,2	18,7	33,1	43,1
		b = KL	46,2	23,1	23,1	33,1	43,1
	A406	a = DT	46,2	71,2	68,7	33,1	43,1
		b = SL	42,0	18,6	18,6	27,4	37,4
		b = KL	46,2	23,1	23,1	33,1	43,1
	A407	a = DT	46,2	46,2	43,7	33,1	43,1
		b = DT	46,2	48,1	48,1	33,1	43,1
		c = SL	42,0	18,6	18,6	27,4	37,4
		c = KL	46,2	23,1	23,1	33,1	43,1
	A408	a = SL	42,0	17,1	14,6	27,4	37,4
		b = SL	42,0	18,6	18,6	27,4	37,4
		a = KL	46,2	21,2	18,7	33,1	43,1
		b = KL	46,2	23,1	23,1	33,1	43,1

# 1.4 Highboards height 125 cm

**Width:** Plus side panels:  
Glass and Fenix®: 0,5 cm, smart varnish: 1,3 cm,  
veneer: 1,4 cm each per side  
**Total height model 1:** External dimension plus top plate:  
Glass and Fenix®: 0,4 cm, smart varnish: 1,2 cm,  
veneer: 1,3 cm, ceramic: 0,8 cm,  
plus height installation type [see section 4]  
**Total height model 2:** External dimension minus 0,3 cm,  
plus height installation type [see section 4]

Choice of  
drawer  
[standard]  
or flap  
[same price]

**Please note:**

\* With flap or door above  
the inner height is 2,0 cm less

Elements must be fixed to the wall  
[fixing material is supplied]

Image / External dimensions [cm]	Type	Function	Internal dimensions [cm]				
			Width	Height	Height	Depth	Depth
		DT = Door SL = Drawer KL = Flap		Model 1	Model 2	38	48
	A409	a = SL	42,0	7,1	6,5	27,4	37,4
		b = SL	42,0	18,6	18,6	27,4	37,4
		c = SL	42,0	18,6	18,6	27,4	37,4
		d = SL	42,0	28,6	28,6	27,4	37,4
		b = KL	46,2	23,1	21,2	33,1	43,1
		c = KL	46,2	23,1	23,1	33,1	43,1
		d = KL	46,2	33,1	33,1	33,1	43,1
	A410	a = DT	47,1	121,2	118,7	33,1	43,1
	A411	a = SL	42,9	17,1	14,6	27,4	37,4
		b = DT	47,1	98,1	98,1	33,1	43,1
		c = DT	47,1	121,2	118,7	33,1	43,1
		a = KL	47,1	21,2	18,7	33,1	43,1
	A412	a = DT	47,1	121,2	118,7	33,1	43,1
		b = SL	42,9	17,1	14,6	27,4	37,4
		c = DT	47,1	98,1	98,1	33,1	43,1
		b = KL	47,1	21,2	18,7	33,1	43,1

# 1.4 Highboards height 125 cm

**Width:** Plus side panels:  
Glass and Fenix®: 0,5 cm, smart varnish: 1,3 cm,  
veneer: 1,4 cm each per side  
**Total height model 1:** External dimension plus top plate:  
Glass and Fenix®: 0,4 cm, smart varnish: 1,2 cm,  
veneer: 1,3 cm, ceramic: 0,8 cm,  
plus height installation type [see section 4]  
**Total height model 2:** External dimension minus 0,3 cm,  
plus height installation type [see section 4]

Choice of  
drawer  
[standard]  
or flap  
[same price]

**Please note:**

\* With flap or door above  
the inner height is 2,0 cm less

Elements must be fixed to the wall  
[fixing material is supplied]

Image / External dimensions [cm]	Type	Function	Internal dimensions [cm]				
			Width	Height	Height	Depth	Depth
		DT = Door SL = Drawer KL = Flap		Model 1	Model 2	38	48
	A413	a = SL	92,0	14,9	12,4	27,4	37,4
		b = DT	47,1	98,1	98,1	33,1	43,1
		a = KL	2x 47,1	21,2	18,7	33,1	43,1
	A414	a = DT	47,1	46,2	43,7	33,1	43,1
		b = DT	47,1	73,1	73,1	33,1	43,1
	A415	a = DT	47,1	46,2	43,7	33,1	43,1
		b = SL	42,9	18,6	18,6	27,4	37,4
		c = DT	47,1	73,1	73,1	33,1	43,1
		b = KL	47,1	23,1	23,1	33,1	43,1
	A416	a = DT	47,1	46,2	43,7	33,1	43,1
		b = DT	47,1	73,1	73,1	33,1	43,1
		c = SL	42,9	18,6	18,6	27,4	37,4
		c = KL	47,1	23,1	23,1	33,1	43,1

# 1.4 Highboards height 125 cm

**Width:** Plus side panels:  
Glass and Fenix®: 0,5cm, smart varnish: 1,3cm,  
veneer: 1,4 cm each per side  
**Total height model 1:** External dimension plus top plate:  
Glass and Fenix®: 0,4 cm, smart varnish: 1,2 cm,  
veneer: 1,3 cm, ceramic: 0,8 cm,  
plus height installation type [see section 4]  
**Total height model 2:** External dimension minus 0,3cm,  
plus height installation type [see section 4]

Choice of  
drawer  
[standard]  
or flap  
[same price]

**Please note:**

\* With flap or door above  
the inner height is 2,0cm less

Elements must be fixed to the wall  
[fixing material is supplied]

Image / External dimensions [cm]	Type	Function	Internal dimensions [cm]					
		DT = Door SL = Drawer KL = Flap	Width	Height	Height	Depth	Depth	
			Model 1	Model 2		38	48	
	A417	a = SL b = SL c = DT d = DT a = KL b = KL	42,9 42,9 47,1 47,1 47,1 47,1	17,1 18,6 73,1 46,2 21,2 23,1	14,6 18,6 73,1 43,7 18,7 23,1	27,4 27,4 33,1 33,1 33,1 33,1	37,4 37,4 43,1 43,1 43,1 43,1	
	A418	a = DT b = DT c = SL d = SL c = KL d = KL	47,1 47,1 42,9 42,9 47,1 47,1	46,2 73,1 17,1 18,6 21,2 23,1	43,7 73,1 14,6 18,6 18,7 23,1	33,1 33,1 27,4 27,4 33,1 33,1	43,1 43,1 37,4 37,4 43,1 43,1	
	A419	a = SL b = SL c = DT d = DT a = KL b = KL	42,9 42,9 47,1 47,1 47,1 47,1	17,1 18,6 73,1 121,2 21,2 23,1	14,6 18,6 73,1 118,7 18,7 23,1	27,4 27,4 33,1 33,1 33,1 33,1	37,4 37,4 43,1 43,1 43,1 43,1	
	A420	a = DT b = SL c = SL d = DT b = KL c = KL	47,1 42,9 42,9 47,1 47,1 47,1	121,2 17,1 18,6 73,1 21,2 23,1	118,7 14,6 18,6 73,1 18,7 23,1	33,1 27,4 27,4 33,1 33,1 33,1	43,1 37,4 37,4 43,1 43,1 43,1	

# 1.4 Highboards height 125 cm

**Width:** Plus side panels:  
Glass and Fenix®: 0,5cm, smart varnish: 1,3cm,  
veneer: 1,4 cm each per side  
**Total height model 1:** External dimension plus top plate:  
Glass and Fenix®: 0,4 cm, smart varnish: 1,2 cm,  
veneer: 1,3 cm, ceramic: 0,8 cm,  
plus height installation type [see section 4]  
**Total height model 2:** External dimension minus 0,3cm,  
plus height installation type [see section 4]

Choice of  
drawer  
[standard]  
or flap  
[same price]

**Please note:**

\* With flap or door above  
the inner height is 2,0cm less

Elements must be fixed to the wall  
[fixing material is supplied]

Image / External dimensions [cm]	Type	Function	Internal dimensions [cm]					
		DT = Door SL = Drawer KL = Flap	Width	Height	Height	Depth	Depth	
			Model 1	Model 2		38	48	
	A421	a = SL b = SL c = DT a = KL b = KL	92,0 92,0 47,1 2x 47,1 2x 47,1	14,9 18,6 * 73,1 21,2 23,1	12,4 18,6 * 73,1 18,7 23,1	27,4 27,4 33,1 33,1 33,1	37,4 37,4 43,1 43,1 43,1	
	A422	a = DT b = SL b = KL	47,1 92,0 2x 47,1	71,2 18,6 * 23,1	68,7 18,6 * 23,1	33,1 27,4 33,1	43,1 37,4 43,1	
	A423	a = SL b = SL c = DT a = KL b = KL	42,9 42,9 47,1 47,1 47,1	17,1 18,6 121,2 21,2 23,1	14,6 18,6 118,7 18,7 23,1	27,4 27,4 33,1 33,1 33,1	37,4 37,4 43,1 43,1 43,1	
	A424	a = DT b = SL c = SL b = KL c = KL	47,1 42,9 42,9 47,1 47,1	121,2 17,1 18,6 21,2 23,1	118,7 14,6 18,6 18,7 23,1	33,1 27,4 27,4 33,1 33,1	43,1 37,4 37,4 43,1 43,1	

# 1.4 Highboards height 125 cm

**Width:** Plus side panels:  
Glass and Fenix®: 0,5 cm, smart varnish: 1,3 cm,  
veneer: 1,4 cm each per side

**Total height model 1:** External dimension plus top plate:  
Glass and Fenix®: 0,4 cm, smart varnish: 1,2 cm,  
veneer: 1,3 cm, ceramic: 0,8 cm,  
plus height installation type [see section 4]





**Total height model 2:** External dimension minus 0,3 cm,  
plus height installation type [see section 4]

Choice of  
drawer  
[standard]  
or flap  
[same price]

**Please note:**

\* With flap or door above  
the inner height is 2,0 cm less

Elements must be fixed to the wall  
(fixing material is supplied)

Image / External dimensions (cm)	Type	Function	Internal dimensions (cm)				
		DT = Door SL = Drawer KL = Flap	Width	Height Model 1	Height Model 2	Depth 38	Depth 48
	A425	<b>a</b> = SL <b>b</b> = SL <b>a</b> = KL <b>b</b> = KL	92,0 92,0 2x 47,1 2x 47,1	14,9 18,6 * 21,2 23,1	12,4 18,6 * 18,7 23,1	27,4 27,4 33,1 33,1	37,4 37,4 43,1 43,1
	A426	<b>a</b> = SL <b>b</b> = SL <b>c</b> = SL <b>d</b> = SL <b>e</b> = DT <b>b</b> = KL <b>c</b> = KL <b>d</b> = KL	42,9 42,9 42,9 42,9 47,1 47,1 47,1 47,1	7,1 18,6 18,6 28,6 121,2 23,1 23,1 33,1	6,5 18,6 18,6 28,6 118,7 21,2 23,1 33,1	27,4 27,4 27,4 27,4 33,1 33,1 33,1 33,1	37,4 37,4 37,4 37,4 43,1 43,1 43,1 43,1
	A427	<b>a</b> = DT <b>b</b> = SL <b>c</b> = SL <b>d</b> = SL <b>e</b> = SL <b>c</b> = KL <b>d</b> = KL <b>e</b> = KL	47,1 42,9 42,9 42,9 42,9 47,1 47,1 47,1	121,2 7,1 18,6 18,6 28,6 23,1 23,1 33,1	118,7 6,5 18,6 18,6 28,6 21,2 23,1 33,1	33,1 27,4 27,4 27,4 27,4 33,1 33,1 33,1	43,1 37,4 37,4 37,4 37,4 43,1 43,1 43,1
	A428	<b>a</b> = SL <b>b</b> = SL <b>c</b> = SL <b>d</b> = SL <b>b</b> = KL <b>c</b> = KL <b>d</b> = KL	92,0 92,0 92,0 92,0 2x 47,1 2x 47,1 2x 47,1	4,9 18,6 18,6 * 28,6 * 23,1 23,1 33,1	4,3 18,6 18,6 * 28,6 * 21,2 23,1 33,1	27,4 27,4 27,4 27,4 33,1 33,1 33,1	37,4 37,4 37,4 37,4 43,1 43,1 43,1






# 1.5 Sideboards, Highboards open elements

**Width:** Plus side panels:  
Glass and Fenix®: 0,5 cm, smart varnish: 1,3 cm,  
veneer: 1,4 cm each per side

**Total height model 1:** External dimension plus top plate:  
Glass and Fenix®: 0,4 cm, smart varnish: 1,2 cm,  
veneer: 1,3 cm, ceramic: 0,8 cm,  
plus height installation type [see section 4]

**Total height model 2:** External dimension minus 0,3 cm,  
plus height installation type [see section 4]

**Notice:** Open elements are only possible in  
combination with closed elements and cannot  
be lined up.  
Shelves have a thickness of 1,2 cm and are  
adjustable in height.

Image / External dimensions [cm]	Type	Function	Internal dimensions [cm]				
			Width	Height Model 1	Height Model 2	Depth 38,0	Depth 48,0
	B101	open	20,9	45,9	43,4	30,0	40,0
	B102	open	45,9	45,9	43,4	30,0	40,0
	B201	open	20,9	70,9	68,4	30,0	40,0
	B202	open	45,9	70,9	68,4	30,0	40,0
	B301	open	20,9	95,9	93,4	30,0	40,0




# 1.5 Sideboards, Highboards open elements

**Width:** Plus side panels:  
Glass and Fenix®: 0,5 cm, smart varnish: 1,3 cm, veneer: 1,4 cm each per side


**Total height model 1:** External dimension plus top plate:  
Glass and Fenix®: 0,4 cm, smart varnish: 1,2 cm, veneer: 1,3 cm, ceramic: 0,8 cm, plus height installation type [see section 4]

**Total height model 2:** External dimension minus 0,3 cm, plus height installation type [see section 4]

**Notice:** Open elements are only possible in combination with closed elements and cannot be lined up.  
Shelves have a thickness of 1,2 cm and are adjustable in height.

Image / External dimensions (cm)	Type	Function	Internal dimensions (cm)				
			Width	Height	Height	Depth	Depth
			Model 1	Model 1	Model 2	38,0	48,0
	B302	open	45,9	95,9	93,4	30,0	40,0
	B401	open	20,9	120,9	118,4	30,0	40,0
	B402	open	45,9	120,9	118,4	30,0	40,0

# 2. Tailor-made options



With Side you have options for customization. Tailor-made according to your ideas, custom carpentry for your home. Popular changes are in the table below.









\* For dimensional changes and continuous top plate please use furnplan planning software.  
A separate request and written quotation is not required for this.  
For further options and information, please visit our website at [www.spectral.eu/tailor-made](http://www.spectral.eu/tailor-made) or inquire directly with our customer service by e-mail at [info@spectral.eu](mailto:info@spectral.eu).

Type of change	Remarks
Dimensional change * [1 charge for all dimensional changes per combination]	For elements with colour glass, metallic glass, design glass and ceramic
Dimensional change * [1 charge for all dimensional changes per combination]	For elements with smart varnish, Fenix® or veneer
Dimensional change in height	
Move or change cable opening in top plate	
Special glass	For example: cable outlet at rear edge glass top plate
Change interior layout S	Small change, e.g. shorten center bar
Change interior layout L	Major change, such as customization or division
Add steel reinforcement	From clear width 67,0 cm
Cable outlet / cutout in the wooden cabinet D = 6,0 cm, position according to sketch	Price per additional cutout or omission of a cutout
Cable outlet / cutout in the wooden cabinet individual according to sketch	Price per cutout
Reposition wall mount bracket	

### 3. Individual price calculation


Individual price calculation is done in 3 steps: 1. choose base elements (closed or open) 2. choose optional functions 3. Surcharge for surfaces	Type	Dimensions cabinet				
		Width	Height Model 1	Height Model 2	Depth 38	Depth 48
<b>Base elements closed</b> Base elements are available in 10 dimensions and 2 depths. The basic price is valid for price group 1, surface smart varnish and includes: Cabinet, doors, side panels and top plate as well as one of the base installation types (Base, Stick, Edge, wall mounted).	<b>A101</b>	50,0	50,0	47,5	38,0	48,0
	<b>A104</b>	100,0	50,0	47,5	38,0	48,0
	<b>A111</b>	150,0	50,0	47,5	38,0	48,0
	<b>A201</b>	50,0	75,0	77,5	38,0	48,0
	<b>A205</b>	100,0	75,0	77,5	38,0	48,0
	<b>A215</b>	150,0	75,0	77,5	38,0	48,0
	<b>A301</b>	50,0	100,0	97,5	38,0	48,0
	<b>A308</b>	100,0	100,0	97,5	38,0	48,0
	<b>A401</b>	50,0	125,0	122,5	38,0	48,0
	<b>A410</b>	100,0	125,0	122,5	38,0	48,0
<b>Base elements open</b>	<b>B101</b>	25,0	50,0	47,5	38,0	48,0
	<b>B102</b>	50,0	50,0	47,5	38,0	48,0
	<b>B201</b>	25,0	75,0	72,5	38,0	48,0
	<b>B202</b>	50,0	75,0	72,5	38,0	48,0
	<b>B301</b>	25,0	100,0	97,5	38,0	48,0
	<b>B302</b>	50,0	100,0	97,5	38,0	48,0
	<b>B401</b>	25,0	125,0	122,5	38,0	48,0
	<b>B402</b>	50,0	125,0	122,5	38,0	48,0
<b>Options function</b>	Surcharge flap width 50 cm					
	Surcharge flap width 100 cm					
	Surcharge drawer width 50 cm					
	Surcharge drawer width 100 cm					
	Cable cutout top plate					
	Cable opening cabinet					
	Side shelf					
<b>Dimensional changes</b> The width of cabinet elements can be shortened to the next smaller size. Drawers require a minimum width of 32,0 cm. Depth is possible from 30,0 to 38,0 cm and 38,1 to 48,0 cm. Change in height possible only on request, see Tailor-made section.	Surcharge for dimensional change 1					
	Smart varnish, Fenix®, veneer					
	Surcharge for dimensional change 2					
	Colour glass, metallic glass, design glass, ceramic					

### 3. Individual price calculation

Image	Surcharge article
	<b>Design glass and ceramic is available exclusively for top plates.</b>
	<b>Room divider option</b> Room divider is possible only for elements with depth 48 cm and maximum height 75 cm. The number of drawers is limited depending on the planning situation. Please use planning software.
	Surcharge room divider rear panels 25 x 50 cm
	Surcharge room divider rear panels 25 x 75 cm
	Surcharge room divider rear panels 50 x 50 cm
	Surcharge room divider rear panels 50 x 75 cm
	Surcharge room divider rear panels 100 x 50 cm
	Surcharge room divider rear panels 100 x 75 cm
	Surcharge room divider rear panels 150 x 50 cm
	Surcharge room divider rear panels 150 x 75 cm
	<b>Surcharge for surfaces of fronts, side panels and open elements</b>
	Surcharge door 50 x 50 cm
	Surcharge door 50 x 75 cm
	Surcharge door 50 x 100 cm
	Surcharge door 50 x 125 cm
	Surcharge drawer 50 x 15 cm
	Surcharge flap / drawer 50 x 25 cm
	Surcharge flap / drawer 50 x 35 cm
	Surcharge drawer 100 x 15 cm
	Surcharge flap / drawer 100 x 25 cm
	Surcharge flap / drawer 100 x 35 cm
	Surcharge side panel height 50 cm
	Surcharge side panel height 75 cm
	Surcharge side panel height 100 cm
	Surcharge side panel height 125 cm
	Surcharge open element h=50 cm
	Surcharge open element h=75 cm
	Surcharge open element h=100 cm
	Surcharge open element h=125 cm
	<b>Surcharge for surfaces of top plates</b> Depending on the type of surface, there are different maximum widths.
	<b>* Smart varnish and veneer up to 275 cm, Fenix® and ceramic up to 300 cm, colour glass, metallic glass and design glass up to 350 cm.</b>
	Surcharge top plate 50 (width 26,0 – 52,8 cm)
	Surcharge top plate 100 (width 52,9 – 102,8 cm)
	Surcharge top plate 150 (width 102,9 – 152,8 cm)
	Surcharge top plate 200 (width 152,9 – 202,8 cm)
	Surcharge top plate 250 (width 202,9 – 252,8 cm)
	Surcharge top plate 300 (width 252,9 – 302,8 cm)
	Surcharge top plate 350 (width 302,9 – 352,8 cm)


3. Individual price calculation

Planning example with surface smart varnish [PG1]



Article	Type	Version
SD1-050-050-048	A101	Sideboard Model 1, closed, Type A101 Surface smart varnish [PG1] Installation type Edge, colour black
SD1-050-050-048	B102	Sideboard Model 1, open, Type B102 Surface smart varnish [PG1] Installation type Edge, colour black
SD1-100-050-048	A104	Sideboard Model 1, closed, Type A104 Surface smart varnish [PG1] Installation type Edge, colour black
SD-DP01		Side top plate Surface smart varnish [PG1]





Planning example with mixed surfaces



Article	Type	Version
SD1-050-050-048	A101	Sideboard Model 1, closed, type A101 Surface door front: Colour glass [PG2] Surface side panel: Colour glass [PG2]
SD1-050-050-048	B102	Sideboard Model 1, open, type B102 Surface: Veneer [PG3] LED interior lighting Connection set BT for LED lighting
LED-AN2 SD1-100-050-048	A105	Sideboard model 1, closed, type A105 Incl. drawer 50 cm wide, 2x Surface drawern front: Colour glass [PG2], 2x Surface door front: Colour glass [PG2] Surface side panel: Colour glass [PG2]
SD-DP01		Side top plate Surface: Design glass [PG3]
FR3002		Foot frame Frame with 3 frame parts, T48 Colour type of installation: Colour of your choice

## 4.1 Installation types standard

Standard installation types are included in the basic price of the furniture element. The base colour is black matt (Stick is also possible in the surface polished aluminum). Optionally, Stick and Edge feet can also be painted in the colour of your choice from the NCS or Sikkens 5051 colour chart.

Image	Type	Dimensions (cm)
		Height
	Base	2,2 – 3,2
	Stick	7,8 – 8,8
	Edge	13,0 – 13,5
Image	Type	Dimensions (cm)
		Height
	Wall mounted	optional









## 4.2 Installation types foot frames

The base colour is black matt, all base frames can optionally be painted in desired colour from the NCS or Sikkens 5051 colour guide. The crossbars between the frame parts are always black.

All foot frames are height adjustable:


Blade: Height 16,0 cm + 0,5 cm  
Bridge: Height 18,5 cm + 1,0 cm  
Frame: Height 20,0 cm + 1,0 cm

\* The depth cannot be reduced for elements with the installation type Frame.


Image	Type	Dimensions (cm)				
		Suitable for furniture		Dimensions foot frames		
		Depth	Width	Width	Height	Depth
	Blade with 2 frame parts	38,0	100,0 – 219,9	81,8 – 181,8	16,0	33,6
		48,0	100,0 – 219,9	81,8 – 181,8	16,0	43,6
	Blade with 3 frame parts	38,0	220,0 – 360,0	202,8 – 322,8	16,0	33,6
		48,0	220,0 – 360,0	202,8 – 322,8	16,0	43,6
	Bridge with 2 frame parts	38,0	100,0 – 219,9	81,8 – 181,8	18,5	29,8
		48,0	100,0 – 219,9	81,8 – 181,8	18,5	39,8
	Bridge with 3 frame parts	38,0	220,0 – 360,0	201,8 – 321,8	18,5	29,8
		48,0	220,0 – 360,0	201,8 – 321,8	18,5	39,8
	Frame with 2 frame parts	38,0	50,0 – 150,0	48,6 – 148,6	20,0	41,0*
		48,0	50,0 – 150,0	48,6 – 148,6	20,0	31,0*
	Frame with 3 frame parts	38,0	100,0 – 300,0	98,6 – 298,6	20,0	41,0*
		48,0	100,0 – 300,0	98,6 – 298,6	20,0	31,0*
	Frame with 4 frame parts	38,0	150,0 – 450,0	148,6 – 448,6	20,0	41,0*
		48,0	150,0 – 450,0	148,6 – 448,6	20,0	31,0*
	Frame with 5 frame parts	38,0	200,0 – 600,0	198,6 – 598,6	20,0	41,0*
		48,0	200,0 – 600,0	198,6 – 598,6	20,0	31,0*



Blade






Bridge




Frame

## 5. Smart Light

Image	Article	Function
	<b>LED-SD</b>	<b>Indirect LED lighting</b> <span>Price per 1 cm</span> Lighting along rear edge of furniture. Depending on the model, the position of the LED strips can be individually planned at the top, sides and bottom. Light colour warm white, approx. 3200 Kelvin
	<b>LED-AN2</b>	Connection kit <b>LED-AN2</b> For operation by remote control or smartphone app with dimming function. For LED strips that are 5 m or longer a second connection set is required.
		
<b>Example pricing:</b> The price is based on the furniture dimensions:  $50,0\text{ cm} + 102,6\text{ cm} + 50,0\text{ cm} = \mathbf{202,6\text{ cm} \times \text{€} / \text{cm}}$		

	LED interior lighting open element H=50 cm
	LED interior lighting open element H=75 cm
	LED interior lighting open element H=100 cm
	LED interior lighting open element H=125 cm
	LED AN2, Connection kit BT for Smart Light
The interior lighting can be controlled with the LED connection set of the indirect trailing edge lighting (see above). If no LED illumination is planned for the rear edge, the LED-AN2 connection set is additionally required.	

	<b>ZU1873</b>	<b>Interior lighting</b> LED light with motion sensor
	<b>ZU1874</b>	<b>USB charger</b> For interior lighting

## 6. Load

### Lowboards with Stick or Edge feet

	Max. total load per element (in kg)	Max. load on top plate (in kg)
Width 25,0 – 50,0 cm	60	60
Width 50,1 – 150,0 cm	80	60

### Lowboards with plinth

Max. total load per element (in kg)	Max. load on top plate (in kg)
unlimited	60

### Wall mounted lowboards

Max. load for each drawer compartment (in kg)	Max. total load per element (in kg)	Max. load on top plate (in kg)
15	75	40

### Lowboards / combinations with foot frames Blade and Bridge

	Max. total load for each foot frame (in kg)	Max. load on top plate (in kg)
Foot frame with 2 frame parts	60	60
Foot frame with 3 frame parts	80	60

### Lowboards / combinations with foot frame Frame

	Max. total load for each foot frame segment (in kg)	Max. load on top plate (in kg)
Furniture height 50,0 cm / 75,0 cm	60	60
Furniture height 100,0 cm / 125,0 cm	75	60

### Drawer


	Max. load per drawer compartment (in kg)
SL	20

### Shelves

	Max. load for each shelf (in kg)
Shelf (closed elements)	15
Shelf (open elements)	10

# 7. Side colours & surfaces

## Smart varnish – matt, soft touch & anti fingerprint



## Veneer – matt painted

Please note the information on real wood veneer




## Colour glass – glossy or satin



## Metallic glass – glossy or satin




## Fenix® – matt, soft touch & anti fingerprint




## Design glass – glossy or satin

Exclusively available for top plates




## Dekton® ceramic – matt and robust

Exclusively available for top plates



## Metal surfaces

Edge feet, Stick feet, foot frames Bridge, Blade and Frame



**Base colour**  
Edge feet, foot frame Bridge, Blade and Frame  
BG Black

**Base colour**  
Stick feet  
BG Black and aluminium

**Note on real wood veneer:**  
Real wood veneers from different logs differ. Therefore, there can be no absolute colour and texture uniformity between different fronts, sides and top plates. Likewise, there can be deviations between wood samples in the specialized trade and the finished furniture. If a component is added to a piece of furniture later, there may be natural differences in colour and structure. These differences are a characteristic of real wood veneer and make your furniture unmistakably unique; they do not constitute grounds for complaint.

**Note on glass surfaces:**  
Glass is a product made from natural raw materials and is subject to variations in production technology. Depending on the inherent colour of the glass, glass thickness and lighting conditions, there may be colour differences between different glass surfaces. Likewise, there may be deviations between glass samples in the specialized trade and the finished furniture. In the case of subsequent deliveries of glass surfaces, production- and batch-dependent colour differences are possible and do not constitute grounds for complaint.



# ameno



The pure elegance.  
A room is a room is a room until  
Ameno arrives. With impressive  
technology, multiple functions and  
endless possibilities, this exclusive  
planning program gives you a  
unique aura to your home.  
Maximum pleasure from an elegant  
design: this is sophisticated living.

Made in Germany.

## Ameno

Ameno is a system furniture for individual living room combinations from lowboard and wall units. The optional aluminum backbone gives Ameno special stability and outstanding cable management.

The 4 mm glass or Fenix® surface is mounted on the supporting cabinet. This allows for a high variety of surfaces and colours.

With its high flexibility and sensible options, Ameno can fulfill many individual wishes and integrate almost all technical components. The possibilities are virtually unlimited.

Like all Spectral furniture, Ameno is manufactured in Pleidelsheim in southern Germany.

## Design

Characteristic are the clean lines and the handleless design. The fine, 4 mm edge characterizes the lightness and elegance of Ameno.

## System & grid

The system consists of a grid. First, the box elements are selected according to their dimensions and combined with each other. Then the box elements are equipped with the desired function. Planning or price calculation is only possible with furnplan software.

**Width grid:** 31,5 cm, 63 cm, 94,5 cm, 126 cm, 157,5 cm, 189 cm  
**Height grid:** 21 cm, 31,5 cm, 42 cm, 63 cm, 84 cm, 105 cm, 126 cm, 147 cm  
**Depth grid:** 38,4 cm, 52,5 cm

## Tailor-made options

Made to measure on request.

## Cabinet

Solid construction with 19 mm wall thickness and 8 mm back wall, doweled and glued, for maximum stability. The cabinet surface Sand is black fine-textured, exceptionally robust and easy to clean. The optional aluminum backbone is pressed to the cabinet.

## Shelves

Height-adjustable glass shelves made from 6 mm safety glass are included from front height of 42 cm. Additional shelves can be ordered for flap compartments and door elements from height of 31,5 cm.

## Top plates

Top plates and side panels must be planned to the cabinets. If there are several elements, a continuous top plate can be selected. Depending on the surface, there are different maximum widths. colour glass, metallic glass and design glass up to 350 cm. Fenix® up to 300 cm.

## Mechanics & function

Handleless push-to-open mechanism. Cup hinges, drawer mechanics with soft closing and flap dampers of the highest quality.

## Installation types

**Standard:** Base pedestal plate, wall mounting, Edge foot or Stick foot are included in the basic price.  
**Foot frames:** Bridge and Blade are optionally selectable at additional cost.

Base colour for foot frames and Edge feet is black. Base colour for Stick feet is black and brushed aluminum. All feet and foot frames can optionally be painted in desired colour.

## Room divider

Ameno can also be placed freely in the room. In this case, the front surface is also mounted on the back. The rear side is then fully clad in the same surface.

## TV integration

TVs can be elegantly integrated with the rotating TV mount. The cable is routed invisibly in the column. There are two TV adapters to choose from: VESA adapter [for TV with VESA standard up to 400 x 400 mm] and Universal TV adapter, with which any TV can be mounted. Alternatively, TVs with feet can be placed on the top plate, the cable routing can be done with a cable opening in the cabinet. With a TV wall mount from Spectral, the TV can also be mounted on the wall, in this case, an on-site cable routing in the wall is recommended.

## Sound integration

Ameno offers two variants for sound integration. In both variants, the flap is covered with acoustic fabric, which allows the sound to escape unhindered.

**Soundbar integration.** Soundbar or subwoofer can be placed behind the fabric flap.  
**Spectral sound system integration.** Behind the fabric flap there is a receptacle for the Spectral loudspeaker systems and other technical components.

## Lighting

Indirect LED lighting on the rear edge of the furniture. The LED strips can be individually planned at the top, bottom and sides. The LED lighting is dimmable and can be operated by remote control or app. The light colour is warm white [3200 Kelvin].

## Wireless Charging

All current smartphones with Qi standard can be charged wirelessly with Smart Charge. The charging element is invisibly integrated under the surface. A discreet marking shows the area on which charging is possible.

## Cable management

Cables can be routed through the optional spine or through cable openings in the side, top, bottom and rear panels.

## Surfaces

**Colour glass.** Colour glass consists of a 4 mm safety glass plate. The paint finish is applied to the underside. The glass surface is very hard, scratch resistant and easy to clean. There are 5 base colours to choose from as well as over 2,000 custom colours. This can be selected from the NCS or Sikkens 5051 colour chart [most RAL colours are available on request]. The glass surface can be selected in gloss or satin [matt].

**Metallic glass.** Metallic glass has the same properties as colour glass and is available in 6 chic metallic colours. The glass surface can be selected gloss or satin [matt].

**Design glass.** Design glass consists of a 4 mm safety glass plate. A high-resolution digital print is applied to the underside. The surface is brilliant and visually indistinguishable from a natural motif. Design glass is very hard, scratch resistant and easy to clean. Design glass is only 4 mm thin and therefore appears light and elegant. The glass surface can be chosen glossy or satin [matt]. Satinized glass renders the motif blurred, but thus appears discreet and restrained.  
**Design glass is only available for top plates.**

**Fenix®.** Fenix® is an extremely matt nanotech material, the surface is particularly regal and has a velvety touch. It is also resistant to fingerprints. We process Fenix® in the elegant 4 mm thickness. This allows for a particularly light and intricate design. Fenix® is available in 6 harmonious colours.

**Acoustic fabric flaps.** Flaps can also be selected with acoustic fabric.


## Price groups

**Planning or price calculation is only possible with the planning software furnplan at your dealer.**  
The surfaces are divided into two price groups.  
**Price group 1:** Colour glass and metallic glass  
**Price group 2:** Design glass and Fenix®

The concept: Ameno is a comprehensive and future-proof entertainment furniture program with numerous functional levels. This is how you proceed with the planning:

01


First, select the empty cabinet elements with matching side panels and top plates.



02



Then place the different functional areas, that will later determine the interior.

The media functions are complemented from the classic storage functions.




03

This creates a finished piece of furniture from several elements with different functions.



Cabinet with backbone




A backbone is required for:

- T70 TV mount
- Power strip

Internal dimension backbone:  
Depth 10,1 cm, Height 7,4 cm

	Depth 38,4 cm	Depth 52,5 cm
Backbone (cable management)	•	•
Smart Charge	•	•
TV mount	•	•
Power strip	•	•
Partition panel	•	•
Additional glass shelves	•	•
Cable opening	•	•
Subwoofer opening	•	•
Smart Light	•	•

Cabinet elements are available in the following dimensions:



Elements with depth 38,4 cm must be fixed to the wall (fixing material is supplied)

Ameno is only available from selected specialist dealers. Your dealer will provide you with 3D planning and a price quote.

# 1.2 Doors



Door hinge optionally left or right.  
Doors are available in the following finishes:  
Colour glass, metallic glass and Fenix®.  
From height 42 cm, height-adjustable glass shelves included.

**Options** and accessories see section 4 and 5.

**Width:** Plus side panels:  
Glass and Fenix®: 0,6 cm each per side  
**Overall height:** Outer dimension plus top plate:  
Glass and Fenix®: 0,6 cm, plus height installation type [see section 3]

## Options and accessories at a glance

	Depth 38,4	Depth 52,5
Additional glass shelves	•	•
Cable opening	•	•
Smart Charge	•	•
Subwoofer opening	•	•
Partition panel		•
Smart Light	•	•

Width	Image	External dimensions (cm)			Internal dimensions (cm)		
		Width	Height	Depth	Width	Height	Depth
31,5 cm		31,5	31,5	38,4 / 52,5	27,7	27,7	33,0 / 47,0
		31,5	42,0	38,4 / 52,5	27,7	38,2	33,0 / 47,0
		31,5	63,0	38,4 / 52,5	27,7	59,2	33,0 / 47,0
		31,5	84,0	38,4	27,7	80,2	33,0
		31,5	105,0	38,4	27,7	101,2	33,0
		31,5	126,0	38,4	27,7	2x 60,1	33,0
		31,5	147,0	38,4	27,7	2x 70,6	33,0
63,0 cm		63,0	63,0	38,4 / 52,5	59,2	59,2	33,0 / 47,0
94,5 cm		94,5	63,0	38,4 / 52,5	2x 44,4	59,2	33,0 / 47,0
126,0 cm		126,0	63,0	38,4 / 52,5	2x 60,1	59,2	33,0 / 47,0

# 1.3 Flaps






Flaps are available in the following finishes:  
Colour glass, metallic glass, Fenix® and acoustic fabric.  
Height 42 cm includes height-adjustable glass shelves.  
Flap opening upwards possible up to width 157,5 cm

**Options** and accessories see section 4 and 5.

**Width:** Plus side panels:  
Glass and Fenix®: 0,6 cm each per side  
**Overall height:** Outer dimension plus top plate:  
Glass and Fenix®: 0,6 cm, plus height installation type [see section 3]

## Options and accessories at a glance

	Depth 38,4	Depth 52,5
Additional glass shelves	•	•
Cable opening	•	•
Smart Charge	•	•
Subwoofer opening	•	•
Partition panel		•
Smart Light	•	•

Width	Image	External dimensions (cm)			Internal dimensions (cm)		
		Width	Height	Depth	Width	Height	Depth
63,0 cm		63,0	21,0	38,4 / 52,5	59,2	17,2	33,0 / 47,0
		63,0	31,5	38,4 / 52,5	59,2	27,7	33,0 / 47,0
		63,0	42,0	38,4 / 52,5	59,2	38,2	33,0 / 47,0
94,5 cm		94,5	21,0	38,4 / 52,5	2x 44,4	17,2	33,0 / 47,0
		94,5	31,5	38,4 / 52,5	2x 44,4	27,7	33,0 / 47,0
		94,5	42,0	38,4 / 52,5	2x 44,4	38,2	33,0 / 47,0
126,0 cm		126,0	21,0	38,4 / 52,5	2x 60,1	17,2	33,0 / 47,0
		126,0	31,5	38,4 / 52,5	2x 60,1	27,7	33,0 / 47,0
		126,0	42,0	38,4 / 52,5	2x 60,1	38,2	33,0 / 47,0
157,5 cm		157,5	21,0	38,4 / 52,5	3x 49,9	17,2	33,0 / 47,0
		157,5	31,5	38,4 / 52,5	3x 49,9	27,7	33,0 / 47,0
		157,5	42,0	38,4 / 52,5	3x 49,9	38,2	33,0 / 47,0
189,0 cm		189,0	21,0	38,4 / 52,5	3x 60,4	17,2	33,0 / 47,0
		189,0	31,5	38,4 / 52,5	3x 60,4	27,7	33,0 / 47,0
		189,0	42,0	38,4 / 52,5	3x 60,4	38,2	33,0 / 47,0

# 1.4 Drawers

Drawers are available in the following finishes:  
Colour glass, metallic glass and Fenix®.

**Options** and accessories see section 4 and 5.

Elements with drawer or pull-out shelf must be fixed to the wall (fixing kit is supplied).

**Width:** Plus side panels:  
Glass and Fenix®: 0,6 cm each per side  
**Overall height:** Outer dimension plus top plate:  
Glass and Fenix®: 0,6 cm, plus height type of installation [see section 3]

Options and accessories at a glance

	Depth 38,4	Depth 52,5
Cable opening	•	•
Drawer interior arrangement	•	•
Smart Charge	•	•
Partition panel		•
Smart Light	•	•

Width	Image	External dimensions [cm]			Internal dimensions [cm]		
		Width	Height	Depth	Width	Height	Depth
63,0 cm		63,0	10,5	38,4 / 52,5	55,0	4,6	27,4 / 37,4
		63,0	21,0	38,4 / 52,5	55,0	13,2	27,4 / 37,4
		63,0	31,5	38,4 / 52,5	55,0	23,7	27,4 / 37,4
		63,0	42,0	38,4 / 52,5	55,0	34,2	27,4 / 37,4
94,5 cm		94,5	10,5	38,4 / 52,5	86,5	3,9	27,4 / 37,4
		94,5	21,0	38,4 / 52,5	86,5	10,7	27,4 / 37,4
		94,5	31,5	38,4 / 52,5	86,5	21,2	27,4 / 37,4
		94,5	42,0	38,4 / 52,5	86,5	31,7	27,4 / 37,4
126,0 cm		126,0	10,5	38,4 / 52,5	2x 55,9	4,6	27,4 / 37,4
		126,0	21,0	38,4 / 52,5	2x 55,9	13,2	27,4 / 37,4
		126,0	31,5	38,4 / 52,5	2x 55,9	23,7	27,4 / 37,4
		126,0	42,0	38,4 / 52,5	2x 55,9	34,2	27,4 / 37,4
157,5 cm		157,5	10,5	38,4 / 52,5	2x 71,7	3,9	27,4 / 37,4
		157,5	21,0	38,4 / 52,5	2x 71,7	10,7	27,4 / 37,4
		157,5	31,5	38,4 / 52,5	2x 71,7	21,2	27,4 / 37,4
		157,5	42,0	38,4 / 52,5	2x 71,7	31,7	27,4 / 37,4

# 1.5 Soundbar integration

Fabric flap including height-adjustable universal storage tray to accommodate of soundbar systems from various manufacturers.

Options and accessories see section 4 and 5.


**Width:** Plus side panels:  
Glass and Fenix®: 0,6 cm each per side  
**Overall height:** Outer dimension plus top plate:  
Glass and Fenix®: 0,6 cm, plus height type of installation (see section 3)

## Options and accessories at a glance

	Depth 38,4	Depth 52,5
Cable opening	•	•
Smart Charge	•	•
Subwoofer opening	•	•
Partition panel		•
Smart Light	•	•

Width	Image	External dimensions (cm)			Internal dimensions (cm)		
		Width	Height	Depth	Width	Height	Depth
94,5 cm		94,5	21,0	38,4 / 52,5	<b>a</b>	44,4	3,5 / 33,0 / 47,0
					<b>b</b>	44,4	17,2 / 20,6 / 34,6
					<b>c</b>	84,5	13,5 / 11,6
		94,5	31,5	38,4 / 52,5	<b>a</b>	44,4	14,0 / 33,0 / 47,0
					<b>b</b>	44,4	27,7 / 20,6 / 34,6
					<b>c</b>	84,5	20,5 / 11,6
		94,5	42,0	38,4 / 52,5	<b>a</b>	44,4	24,5 / 33,0 / 47,0
					<b>b</b>	44,4	38,2 / 20,6 / 34,6
					<b>c</b>	84,5	20,5 / 11,6
126,0 cm		126,0	21,0	38,4 / 52,5	<b>a</b>	60,1	3,5 / 33,0 / 47,0
					<b>b</b>	60,1	17,2 / 20,6 / 34,6
					<b>c</b>	116,0	13,5 / 11,6
		126,0	31,5	38,4 / 52,5	<b>a</b>	60,1	14,0 / 33,0 / 47,0
					<b>b</b>	60,1	27,7 / 20,6 / 34,6
					<b>c</b>	116,0	20,5 / 11,6
		126,0	42,0	38,4 / 52,5	<b>a</b>	60,1	24,5 / 33,0 / 47,0
					<b>b</b>	60,1	38,2 / 20,6 / 34,6
					<b>c</b>	116,0	20,5 / 11,6

# 1.5 Soundbar integration



Width	Image	External dimensions (cm)			Internal dimensions (cm)		
		Width	Height	Depth	Width	Height	Depth
157,5 cm		157,5	21,0	38,4 / 52,5	<b>a</b>	49,9	3,5 / 33,0 / 47,0
					<b>b</b>	49,9	17,2 / 20,6 / 34,6
					<b>c</b>	147,5	13,5 / 11,6
		157,5	31,5	38,4 / 52,5	<b>a</b>	49,9	14,0 / 33,0 / 47,0
					<b>b</b>	49,9	27,7 / 20,6 / 34,6
					<b>c</b>	147,5	20,5 / 11,6
		157,5	42,0	38,4 / 52,5	<b>a</b>	49,9	24,5 / 33,0 / 47,0
					<b>b</b>	49,9	38,2 / 20,6 / 34,6
					<b>c</b>	147,5	20,5 / 11,6
189,0 cm		189,0	21,0	38,4 / 52,5	<b>a</b>	60,4	3,5 / 33,0 / 47,0
					<b>b</b>	60,4	17,2 / 20,6 / 34,6
					<b>c</b>	179,0	13,5 / 11,6
		189,0	31,5	38,4 / 52,5	<b>a</b>	60,4	14,0 / 33,0 / 47,0
					<b>b</b>	60,4	27,7 / 20,6 / 34,6
					<b>c</b>	179,0	20,5 / 11,6
		189,0	42,0	38,4 / 52,5	<b>a</b>	60,4	24,5 / 33,0 / 47,0
					<b>b</b>	60,4	38,2 / 20,6 / 34,6
					<b>c</b>	179,0	20,5 / 11,6

# 1.6 Spectral sound system integration




Fabric flap including mounting for the Spectral sound system SCA3 or BRA3 or the Spectral loudspeaker BRP1.  
Only available in combination with a Spectral sound system or a Spectral loudspeaker.  
An amplifier is required for the BRP1 passive speaker.  
We recommend using a Sonos Amp.  
For prices and technical data on sound systems and speakers, see sound systems chapter.

Options and accessories see section 4 and 5.

**Width:** Plus side panels:  
Glass and Fenix®: 0,6 cm each per side  
**Overall height:** Outer dimension plus top plate:  
Glass and Fenix®: 0,6 cm, plus height type of installation [see section 3]

## Options and accessories at a glance

	Depth 38,4	Depth 52,5
Cable opening	•	•
Smart Charge	•	•
Partition panel		•
Smart Light	•	•

Height	Image	External dimensions (cm)			Internal dimensions (cm)		
		Width	Height	Depth	Width	Height	Depth
21,0 cm		94,5	21,0	38,4 / 52,5	a	–	–
		126,0	21,0	38,4 / 52,5	a	14,5	17,2
		157,5	21,0	38,4 / 52,5	a	30,2	17,2
		189,0	21,0	38,4 / 52,5	a	45,8	17,2
		Matching Spectral sound systems: SCA3 / BRA3 / BRP1					
31,5 cm		126,0	31,5	38,4 / 52,5	a	60,1	9,9
					b	13,8	15,9
		Matching Spectral sound systems: SCA3 / BRA3 / BRP1					
		157,5	31,5	38,4 / 52,5	a	49,9	9,9
					b	29,5	15,9
		189,0	31,5	38,4 / 52,5	a	60,4	9,9
					b	45,4	15,9
		Matching Spectral sound systems: SCA3 / BRA3 / BRP1					

# 1.6 Spectral sound system integration






Fabric flap including mounting for the Spectral sound system VRA3 or the Spectral VRP1 loudspeaker.  
Only available in conjunction with a Spectral sound system or a Spectral loudspeaker.  
An amplifier is required for the VRP1 passive speaker.  
We recommend using a Sonos Amp.  
For prices and technical data on sound systems and speakers, see chapter sound systems.

Options and accessories see section 4 and 5.

**Width:** Plus side panels:  
Glass and Fenix®: 0,6 cm each per side  
**Overall height:** Outer dimension plus top plate:  
Glass and Fenix®: 0,6 cm, plus height type of installation [see section 3]

## Options and accessories at a glance


	Depth 52,5
Cable opening	•
Smart Charge	•
Partition panel	•
Smart Light	•

Height	Image	External dimensions (cm)			Internal dimensions (cm)		
		Width	Height	Depth	Width	Height	Depth
21,0 cm		2x	126,0	21,0	52,5	2x	122,2
		Matching Spectral sound systems: VRA3 / VRP1					
		2x Sound level with fabric flap					
31,5 cm		2x	126,0	31,5	52,5	a	60,1
					b	–	–
		Matching Spectral sound systems: VRA3 / VRP1					
		2x	157,5	31,5	52,5	a	49,9
					b	13,8	18,8
		Matching Spectral sound systems: VRA3 / VRP1					
		2x	189,0	31,5	52,5	a	60,4
					b	29,6	18,8
		Matching Spectral sound systems: VRA3 / VRP1					
		2x Sound cabinet with fabric flap					

# 1.7 Open wall units

The wall thickness is 1,2 cm. Intermediate shelves and bars are firmly glued. Additional shelves are not possible. The wall mounting kit is included. Rear wall colour can be selected independently of the cabinet colour.

Open wall units are not available in black.



Article	External dimensions (cm)			Internal dimensions (cm)		
	Width	Height	Depth	Width	Height	Depth
AM-031-031-038-B003	31,5	31,5	38,4	a	29,1	29,1
AM-031-063-038-B003	31,5	63,0	38,4	a	29,1	60,6
AM-031-094-038-B003	31,5	94,5	38,4	a	29,1	30,0
				b	29,1	60,9
AM-031-126-038-B003	31,5	126,0	38,4	a	29,1	60,9
				b	13,9	30,3
				c	13,9	14,5
				d	29,1	30,3
AM-063-031-038-B003	63,0	31,5	38,4	a	60,6	29,1
AM-094-031-038-B003	94,5	31,5	38,4	a	60,9	29,1
				b	30,0	29,1
AM-126-031-038-B003	126,0	31,5	38,4	a	30,0	29,1
				b	30,3	13,9
				c	14,5	13,9
				d	60,9	29,1

Ameno is only available from selected specialist dealers. Your dealer will provide you with 3D planning and a price quote.

# 1.8 Glass-fronted elements

The wall thickness is 1,2 cm. The door is made of clear glass, door swing optionally left or right. Shelves are not possible. The wall mounting is included. Rear wall colour can be selected independently of the cabinet colour.

Display cases are not available in black colour.



Article	External dimensions (cm)			Internal dimensions (cm)		
	Width	Height	Depth	Width	Height	Depth
AM-031-031-038-B004	31,5	31,5	38,4	a	29,1	29,1
AM-031-063-038-B004	31,5	63,0	38,4	a	29,1	60,6


Ameno is only available from selected specialist dealers. Your dealer will provide you with 3D planning and a price quote.

# 1.9 Top plates and side panels


**Top plates** are available in the colour glass, metallic glass, design glass and Fenix® surfaces. Depending on the surface, there are different maximum widths: Colour glass, metallic glass, design glass up to 350.0 cm, Fenix® up to 300.0 cm. For design glass over several top plates, image processing is not possible.

**Side panels** are available in the colour glass, metallic glass and Fenix® surfaces.

## Standard top plate




Cabinet with total depth of 38,4 cm.  
Top plate comprises a single, seamless element.




Cabinet with total depth of 52,5 cm.  
Top plate comprises a single, seamless element.


## Top plate with backbone



Cabinet with total depth of 38,4 cm.  
Front of top plate comprises an element with a depth of 24,3 cm.  
Rear of top plate comprises a total of three elements with a depth of 14,0 cm.



Cabinet with total depth of 52,5 cm.  
Front of top plate comprises an element with a depth of 38,4 cm. Right-hand rear of top plate comprises two elements with a depth of 14,0 cm for TV mount. Left-hand rear of top plate comprises a single element with a depth of 14,0 cm.



# 1.10 Top plates for backbones and trim panels

**Top plates for backbones** with depth 14,0 cm are available in colour glass, metallic glass, design glass and Fenix® surfaces. Image processing is not possible with design glass over several top plates. Fenix® can be planned from a width of 31,5 cm.

**Trim panels** for the underside are available for elements with depth 38,4 cm in colour glass, metallic glass and Fenix® surfaces.

Image	Top plates for backbones	Width (cm)								
		15,7	31,5	47,2	63,0	78,7	94,5	126,0	157,5	189,0
	Standard (without opening)		•	•	•	•	•	•		
	<b>T70L</b> For TV mount (opening Ø 7 cm)	•	•	•	•	•	•	•		
	<b>T70R</b> For TV mount (opening Ø 7 cm)	•	•	•	•	•	•	•		
	<b>WLC</b> For Smart Charge (WLC)				•					
	<b>CG-L</b> With cable opening (opening Ø 2 cm)		•	•	•	•	•	•		
	<b>CG-R</b> With cable opening (opening Ø 2 cm)		•	•	•	•	•	•		

Image	Trim panels for the underside of elements	Width (cm)								
		15,7	31,5	47,2	63,0	78,7	94,5	126,0	157,5	189,0
	For elements with a depth of 38,4 cm		•		•		•	•	•	•

## 2. Tailor-made options







With Ameno you have options for customization. Tailor-made according to your ideas, custom carpentry for your home. Popular changes are in the table below.

For more options and information, please visit our website at [www.spectral.eu/tailor-made](http://www.spectral.eu/tailor-made) or inquire directly with our customer service department by email at [info@spectral.eu](mailto:info@spectral.eu).

Type of change	Remarks
Dimension change * [1 charge for all dimension changes per combination]	Modifications only in 10,5 grid, also adjustments of the fronts only in this grid
Special glass	For example: cable outlet at rear edge glass top plate
Change interior layout S	Small change, e.g. shorten center bar
Change interior layout L	Major change, such as customization or division
Alter position of the TV-mount	
Modification TV-column	Change height, add drill holes etc.
Add steel reinforcement	From clear width 67,0 cm
Cable outlet / cutout in the wooden cabinet D = 6,0 cm, position according to sketch	Price per additional cutout or omission of a cutout
Cable outlet / cutout in the wooden cabinet individual according to sketch	Price per cutout
Reposition wall mount bracket	

## 3.1 Installation types standard

The base colour is black matt (Stick is also possible in the surface polished aluminum), Stick and Edge feet can be optionally painted in desired colour according to NCS or Sikkens 5051 colour chart.







Image	Type	Dimensions (cm)
		Height
	Base	2,2 – 3,2
	Stick	7,8 – 8,8
	Edge	13,0 – 13,5
Image	Type	Dimensions (cm)
		Height
	Wall mounted	optional

## 3.2 Installation types foot frames







The base colour is black matt, all base frames can optionally be painted in desired colour according to NCS or Sikkens 5051 colour guide.  
The crossbars between the frame parts are always black.

All foot frames are height adjustable:

Blade:           Height 16,0 cm + 0,5 cm  
Bridge:          Height 18,5 cm + 1,0 cm

Image	Function	Dimensions (cm)				
		Suitable for furniture		Dimensions foot frames		
		Depth	Width	Width	Height	Depth
	Blade with 2 frame parts	38,0	126,0 – 189,0	101,8 – 181,8	16,0	33,6
		48,0	126,0 – 189,0	101,8 – 181,8	16,0	43,6
	Blade with 3 frame parts	38,0	220,5 – 346,5	202,8 – 322,8	16,0	33,6
		48,0	220,5 – 346,5	202,8 – 322,8	16,0	43,6
	Bridge with 2 frame parts	38,0	126,0 – 189,0	101,8 – 181,8	18,5	29,8
		48,0	126,0 – 189,0	101,8 – 181,8	18,5	39,8
	Bridge with 3 frame parts	38,0	220,5 – 346,5	201,8 – 321,8	18,5	29,8
		48,0	220,5 – 346,5	201,8 – 321,8	18,5	39,8
	Blade					
	Bridge					

# 4. Options and accessories

Image	Article	Function
 VESA 200x200 – 400x400    VESA 100x100 – 400x600	<b>BGH-TX</b>	<b>TV mount TX</b> aluminium or black <b>TV mount TX</b> in colour of your choice Optionally with adapter for VESA 200 x 200 to 400 x 400 or universal adapter for any TV up to VESA 600 x 400 TX mount is not possible in combination with backbone
 VESA 200x200 – 400x400    VESA 100x100 – 400x600	<b>SPMEX1</b>	<b>Extension kit VESA 600 x 600</b> for universal adapter
 VESA 200x200 – 400x400    VESA 100x100 – 400x600	<b>BGH-T70</b>	<b>TV mount T70</b> aluminium or black <b>TV mount T70</b> in colour of your choice Optionally with adapter for VESA 200 x 200 to 400 x 400 or universal adapter for any TV up to VESA 600 x 400 A backbone is required for a T70 mount
 VESA 200x200 – 400x400    VESA 100x100 – 400x600	<b>SPMEX1</b>	<b>Extension kit VESA 600 x 600</b> for universal adapter
	<b>ZU2093</b>	<b>Universal media mount</b> For any media components, mounting on the rear of the TV mount
	<b>Option</b>	<b>Cable opening</b> in the top plate [CA] Diameter 6,0 cm
	<b>ZU2139</b> <b>ZU2140</b>	<b>Cover for cable opening</b> , white <b>Cover for cable opening</b> , black Cable feed through possible
	<b>Option</b>	<b>Cable opening</b> in the bottom

Ameno is only available from selected specialist dealers. Your dealer will provide you with 3D planning and a price quote.

# 4. Options and accessories

Image	Article	Function
	<b>Option</b>	<b>Subwoofer opening</b> Incl. black fabric cover, position optionally in the middle, left or right compartment. Not possible with type installation Base
	<b>ZU2231</b>	<b>Subwoofer elastic buffer [4 pcs.]</b> For optimal positioning in the furniture
	<b>Option</b>	<b>Fabric flap</b> Covered with acoustic fabric, optionally in the colours black, carbon, pebble, grey, graphite or silver
	<b>Option *</b>	<b>Drawer (SL)</b> instead of flap
	<b>SLE01 *</b>	<b>Insert for interior arrangement for drawer</b>
	<b>TA01 *</b>	<b>Pull-out shelf</b> Dimension of footprint (w x d): 44,0 cm x 41,2 cm, height: 6,4 cm Extendable by 32,0 cm Required compartment depth: min. 43,3 cm Required compartment width: - compartment without flap damper: 45,1 cm - compartment with one flap damper: 47,6 cm - compartment with two flap dampers: 50,1 cm
	<b>Option</b>	<b>Back panels for partitions</b> For floor standing lowboards with flap in depth 52,5 cm. Not possible for elements with drawer or pull-out shelf.
	<b>Option</b>	<b>Additional glass shelf</b> For closed elements with flaps or doors, height adjustable

\* Elements with drawer or pull-out shelf and all elements with Depth 38,4 cm must be fixed to the wall (fixing material is supplied).

Ameno is only available from selected specialist dealers. Your dealer will provide you with 3D planning and a price quote.

4. Options and accessories

Image	Article	Function
	Option	<b>Backbone (cable channel)</b> Internal dimension: Depth 10,1 cm, Height 7,4 cm
	ZU1841	<b>Power strip</b> for backbone 5-way, incl. 2x USB Charger
	Option	<b>Continuous top plate</b> In case of several elements, a continuous top plate can be selected. Colour glass, metallic glass and design glass up to max. 350,0 cm, Fenix® up to 300,0 cm
	ZU1933	<b>Smart charge kit</b> The Smart Charge wireless charging technology uses the common Qi standard of the Wireless Power Consortium, to which all major mobile device manufacturers adhere to.
	ZU1864	<b>IR link system</b> For control of audio and video equipment when furniture flap is closed
	ZU1871	<b>Flat europlug</b> Flat europlug 1,5 m cable, Schuko connections [not available in the UK]
		<b>Spectral spray</b> A gentle foam cleaner for LED, LCD, plasma and computer screens. Also suitable for glass, metal and painted surfaces. With an anti-static microfiber cloth for swift, streak-free cleaning. Contains 300 ml.

5. Smart Light

Image	Article	Function
	LED-AM	<b>Indirect LED lighting</b> Lighting along rear edge of furniture.  Depending on the model, the position of the LED strips can be individually planned at the top, sides and bottom. Light colour warm white, approx. 3200 Kelvin
	LED-AN2	Connection kit <b>LED-AN2</b> For operation by remote control or smartphone app with dimming function. For LED strips that are 5 m or longer a second connection set is required.
<p>Example pricing: The price is based on the furniture dimensions:  42,0 cm + 126,0 cm + 42,0 cm = <b>210,0 cm</b></p> <p>Example pricing: The price is based on the furniture dimensions:  42,0 cm + 126,0 cm + 63,0 cm + 42,0 cm = <b>273,0 cm</b></p> <p>Smart Light for elements W=31,5 cm only possible up to height 126,0 cm</p>		
	ZU1873	<b>Interior lighting</b> LED light with motion sensor
	ZU1874	<b>USB charger</b> For interior lighting

## 6. Load

### Elements with plinth, Stick feet, Edge feet

Max. load on top plate (in kg)	Max. load per drawer compartment (in kg)
60	20

### Elements / combinations with foot frame

	Max. total load for each foot frame (in kg)	Max. load on top plate (in kg)
Foot frame for width 126,0 – 220,5 cm	60	60
Foot frame for width 252,0 – 346,5 cm	80	60

### Wall mounted elements (depth 38,4 cm)

	Max. total load (in kg) *	Max. load on top plate (in kg)
Width 31,5 – 189,0 cm    Height 21,0 – 31,5 cm	40	40
Width 31,5 – 189,0 cm    Height 42,0 cm	50	40
Width 31,5 cm              Height 63,0 – 147,0 cm	60	40
Width 63,0 – 126,0 cm    Height 63,0 cm	80	40

	Max. load for each drawer compartment (in kg)	Max. load for each shelf (in kg)
Width 31,5 – 189,0 cm    Height 21,0 – 31,5 cm	10	–
Width 31,5 – 189,0 cm    Height 42,0 cm	10	–
Width 31,5 cm              Height 63,0 – 147,0 cm	10	30
Width 63,0 – 126,0 cm    Height 63,0 cm	10	30

### Wall mounted elements (depth 52,2 cm)

	Max. total load (in kg) *	Max. load on top plate (in kg)
Width 31,5 – 189,0 cm    Height 21,0 – 31,5 cm	40	40
Width 31,5 – 189,0 cm    Height 42,0 cm	60	40
Width 31,5 – 126,0 cm    Height 63,0 cm	75	40

	Max. load for each drawer compartment (in kg)	Max. load for each shelf (in kg)
Width 31,5 – 189,0 cm    Height 21,0 – 31,5 cm	10	–
Width 31,5 – 189,0 cm    Height 42,0 cm	10	–
Width 31,5 – 126,0 cm    Height 63,0 cm	10	30


\* Does not include load from TV mount

## 6. Load

### TV mount

	Max. load (in kg)
TX	50
T70	70

#### Max. load on TV mount T70 for free-standing elements



### Glass shelves

	Max. load for each glass shelf (in kg)
Glass shelf	15


### Pull-out shelf

	Max. load for each pull-out shelf (in kg)
TA01	20

### Open elements and glass-fronted elements

	Max. total load (in kg)
Elements with 1 compartment	10
Elements with 2 compartments	20
Elements with 5 compartments	40

#### Max. load in and above the compartments



# 7. Ameno colours & surfaces


## Colour glass – glossy or satin



## Metallic glass – glossy or satin




## Fenix® – matt, soft touch & anti fingerprint




## Design glass – glossy or satin

Exclusively available for top plates




## Acoustic fabric flaps



## Metal surfaces

Edge feet, Stick feet, foot frames Bridge and Blade and column TV mount



**Base colour**  
Edge feet, foot frame Bridge, Blade and Frame  
BG Black

**Base colour**  
Column TV mount and Stick feet  
BG Black and aluminium

**Note on glass surfaces:**  
Glass is a product made from natural raw materials and is subject to variations in production technology. Depending on the inherent colour of the glass, glass thickness and lighting conditions, there may be colour differences between different glass surfaces.  
Likewise, there may be deviations between glass samples in the specialized trade and the finished furniture. In the case of subsequent deliveries of glass surfaces, production- and batch-dependent colour differences are possible and do not constitute grounds for complaint.

**Note on fabrics:**  
Fabrics are subject to production variations. Therefore, there may be colour differences between different fabric-related components.  
Likewise, there may be deviations between fabric samples in the specialist trade and the finished furniture. In the case of subsequent deliveries of fabric-related components, production- and batch- dependent colour differences are possible and do not constitute grounds for complaint.



# next



If it's painted – then it's smart!

Next lives in the moment. Streaming, celebrate, chilling – anything goes. Clear design, smart technology and super flexible.

Next is exciting. Innovative. And above all, very beautiful.

Made in Germany.

## Next

Next is a system furniture for individual lowboards, with flap, door or drawer options and lots of storage space for your technology.

The system consists of numerous elements that can be lined up. The surface is painted with smart varnish and available in five timeless colours. The top plates are optionally available in Fenix®, colour class, metallic glass or design glass.

With flaps, doors or drawers, Next is suitable for all living areas. With its high flexibility, sensible options and customization, Next can fulfill many individual wishes and integrate almost any technology components. The possibilities are virtually unlimited.

Next, like all Spectral furniture, is manufactured in Pleidelsheim in southern Germany.

## Design

With Next, nothing disturbs the clear line. No handles, no unnecessary gimmicks. Reduced and timeless.

## System & grid

Different variants with flaps, doors or drawers to line up.  
**Width grid:** 60 cm, 120 cm, 140 cm, 160 cm, 180 cm, 200 cm  
**Height grid:** 21 cm, 32 cm, 48 cm  
**Depth grid:** 38 cm, 48 cm

## Tailor-made options

Each element can be individually shortened in width, height and depth can be shortened or extended depending on the model.

## Cabinet

Solid construction with 19 mm wall thickness and 8 mm back panel, doweled and glued, for maximum stability. The cabinet surface inside is finely textured, exceptionally robust and easy to clean. 5 cabinet colours are available: snow, grey, pebble, granite and black.

## Shelves

Sturdy 19 mm shelves in cabinet colour, height adjustable and included in delivery. Additional shelves can be ordered.

## Top plates

Top plates are independent items at Next and are available in various widths, depths and materials. When using several elements, a continuous top plate can be selected. Depending on the surface type, there are different maximum widths. Smart varnish and wood decor up to 275 cm, Fenix® up to 300 cm, colour glass, metallic glass and design glass up to 350 cm.

## Mechanics & function

Handleless push-to-open mechanism. Flat hinges, drawer mechanism with soft closing and flap dampers of the highest quality.

## Installation types

**Standard:** Foot glides, Edge foot, Stick foot, castors or wall mounting are included in the basic price.  
**Foot frames:** Bridge and Blade are additional cost options.

Base colour for foot frames and Edge feet is black. Base colour for Foot Stick is black and brushed aluminum.  
All feet and foot frames can be painted in desired colour.

Next is not available as a room divider.

## Room divider

## TV integration

TVs can be elegantly integrated with the rotating TV mount. The cable is routed invisibly in the column. There are two TV adapters to choose from: VESA adapter (for TV with VESA standard up to 400 x 400 mm) and Universal TV adapter, with which any TV can be mounted. Alternatively, TVs with feet can be placed on the top plate, the cable routing can be done with a cable opening in the cabinet. With a TV wall mount from Spectral, the TV can also be mounted on the wall, in this case, an on-site cable routing in the wall is recommended.

## Sound integration

Next offers two variants for sound integration. In both variants, the flap is covered with acoustic fabric, which allows the sound to escape unhindered.  
**Soundbar integration.** Soundbar or subwoofer can be placed behind the fabric flap.  
**Spectral sound system integration.** Behind the fabric flap is a receptacle for the Spectral loudspeaker systems as well as other technical components.

## Lighting

Indirect LED lighting on the rear edge of the furniture. The LED strips can be individually planned at the top, bottom and sides. The LED lighting is dimmable and can be operated by remote control or app. The light colour is warm white [3200 Kelvin].

## Wireless Charging

All current smartphones with Qi standard can be charged wirelessly with Smart Charge. The charging element is invisibly integrated under the surface. A discreet marking shows the area on which charging is possible.

## Cable management

There is a cable aperture in the rear panel of each compartment. The indented cabinet base at the rear allows cables to be routed downwards behind the rear panel. Cable apertures are also available in the top plate and between the cabinet elements.

## Surfaces

**Cabinet and top plates are available in smart varnish and wood decor.**

**Top plates are also available in colour glass, metallic glass, design glass and Fenix®.**

**Smart varnish.** Smart varnish is a particularly high-quality paint finish. It consists of several layers. The top coat is a soft-touch surface and has an anti-fingerprint effect. smart varnish is more scratch resistant and lightfast than conventional paints. The edges are applied separately using a laser process and are shock-resistant

**Wood decor.** There are four wood decors to choose from. The surfaces are particularly robust, easy to clean and lightfast. The synchronous embossing creates a particularly realistic look and feel that is difficult to distinguish from real wood surfaces.

**Colour glass.** Colour glass consists of a 4 mm safety glass plate. The paint finish is applied to the underside. The glass surface is very hard, scratch resistant and easy to clean. There are 5 base colours to choose from as well as over 2,000 custom colours. This can be selected from the NCS or Sikkens 5051 colour chart (most RAL colours are available on request). The glass surface can be selected in gloss or satin (matt).

**Metallic glass.** Metallic glass has the same properties as colour glass and is available in 6 chic metallic colours. The glass surface can be selected gloss or satin (matt).

**Design glass.** Design glass consists of a 4 mm safety glass plate. A high-resolution digital print is applied to the underside. The surface is brilliant and visually indistinguishable from a natural motif. Design glass is very hard, scratch resistant and easy to clean. Design glass is only 4 mm thin and therefore appears light and elegant. The glass surface can be chosen glossy or satin (matt). Satinized glass renders the motif blurred, but thus appears discreet and restrained.

**Fenix®.** Fenix® is an extremely matt nanotech material, the surface is particularly regal and has a velvety touch. It is also resistant to fingerprints. We process Fenix® in the elegant 4 mm thickness. This allows for a particularly light and intricate design. Fenix® is available in 6 harmonious colours.

**Acoustic fabric flaps.** Flaps can also be selected with acoustic fabric.

## Price groups

The surfaces are divided into three price groups.  
**Price group 1:** Smart varnish and wood decor  
**Price group 2:** Colour glass and metallic glass  
**Price group 3:** Design glass and Fenix®

# 1.1 Lowboards with flap






## Height 21,0 cm

**Next lowboards** with flap provide storage space and are suitable for accommodating technical components.  
Cable outlets in the back panel facilitate cabling.  
Available in depth 48,0 cm.  
Top plate required, see section 2.

**Options** such as TV mount, subwoofer opening or LED lighting see section 6 and 7.

### Options and accessories at a glance

Cable opening in the top plate	•
Smart Charge	•
TV mount	•
Subwoofer opening	•
Cable duct	•
Shelf	
Fabric flap	•
Smart Light	•

Image External dimensions (cm)	Article		External depth		Internal dimensions (cm)		
	Width	Height			Width	Height	Depth
	60,0	21,0	NX7101	48,0	a	56,2	17,2 43,3
	120,0	21,0	NX7104	48,0	a	57,1	17,2 43,3
	140,0	21,0	NX7105	48,0	a	67,1	17,2 43,3
	160,0	21,0	NX7106	48,0	a	50,8	17,2 43,3
	180,0	21,0	NX7107	48,0	a	37,6	17,2 43,3
					b	47,6	17,2 43,3
	200,0	21,0	NX7108	48,0	a	47,6	17,2 43,3

# 1.2 Lowboards with flap







## Height 32,0 cm

**Next lowboards** with flap provide storage space and are suitable for accommodating technical components.  
Cable outlets in the back panel facilitate cabling.  
Available in depth 48,0 cm.  
Top plate required, see section 2.

**Options** such as TV mount, subwoofer opening or LED lighting see section 6 and 7.

### Options and accessories at a glance

Cable opening in the top plate	•
Smart Charge	•
TV mount	•
Subwoofer opening	•
Cable duct	•
Shelf	•
Fabric flap	•
Smart Light	•

Image External dimensions (cm)	Article		External depth		Internal dimensions (cm)		
	Width	Height			Width	Height	Depth
	60,0	32,0	NX1101	38,0	a	56,2	28,2 33,3
			NX5101	48,0	a	56,2	28,2 43,3
	120,0	32,0	NX1104	38,0	a	57,1	28,2 33,3
			NX5104	48,0	a	57,1	28,2 43,3
	140,0	32,0	NX1105	38,0	a	67,1	28,2 33,3
			NX5105	48,0	a	67,1	28,2 43,3
	160,0	32,0	NX1106	38,0	a	50,8	28,2 33,3
			NX5106	48,0	a	50,8	28,2 43,3
	180,0	32,0	NX1107	38,0	a	37,6	28,2 33,3
					b	47,6	28,2 33,3
			NX5107	48,0	a	37,6	28,2 43,3
					b	47,6	28,2 43,3
	200,0	32,0	NX1108	38,0	a	47,6	28,2 33,3
			NX5108	48,0	a	47,6	28,2 43,3

# 1.3 Lowboards with drawer





## Height 21,0 cm and 32,0 cm

**Next lowboards** with drawer are available in two depths 38,0cm and 48,0cm and in the two heights 21,0cm and 32,0cm.  
Top plate required, see section 2.

**Options** such as TV mount, subwoofer opening or LED lighting see section 6 and 7.

Elements with drawer must be mounted to the wall (mounting kit is supplied).

Options and accessories at a glance	
Cable opening in the top plate	•
Smart Charge	•
TV mount (for Lowboard-depth 48,0 cm)	•
Cable duct (for Lowboard-depth 48,0 cm)	•
Smart Light	•

Image External dimensions (cm)	Article		External depth	Internal dimensions (cm)		
	Width	Height		Width	Height	Depth
	60,0	21,0	NX7201	48,0	52,0	13,1 27,4
	120,0	21,0	NX7204	48,0	112,0	11,0 27,4
	60,0	32,0	NX1301 NX5301	38,0 48,0	52,0	24,1 27,4
	120,0	32,0	NX1304 NX5304	38,0 48,0	112,0	22,6 27,4

# 1.4 Lowboards with door

## Height 48,0 cm



**Next lowboards** with door are available in two depths 38,0cm and 48,0cm.  
Top plate required, see section 2.

**Options** such as subwoofer opening or LED illumination see section 6 and 7.

Elements with drawer must be mounted to the wall (mounting kit is supplied).

**Options and accessories at a glance**

Cable opening in the top plate	•
Smart Charge	•
Fabric covered door	•
Subwoofer opening	•
Cable duct	•
Shelf	•
Smart Light	•

Image External dimensions (cm)	Article		External depth	Internal dimensions (cm)		
	Width	Height		Width	Height	Depth
	60,0	48,0	NX1401 NX5401	38,0 48,0	a a	56,2 44,2 33,3 56,2 44,2 43,3
	120,0	48,0	NX1404 NX5404	38,0 48,0	a a	57,1 44,2 33,3 57,1 44,2 43,3




# 1.5 Lowboards for soundbar integration

## Height 21,0 cm

**Next lowboards** with full-length fabric flap to accommodate soundbar, subwoofer and technology components. Cable outlets in the rear panel facilitate cable access. Top plate required, see section 2.

**Options** such as TV mount, subwoofer opening or LED lighting see section 6 and 7.

Options and accessories at a glance	
Cable opening in the top plate	•
Smart Charge	•
TV mount	•
Subwoofer opening	•
Cable duct	•
Shelf	•
Smart Light	•

Image External dimensions (cm)	Article		External depth	Internal dimensions (cm)			
	Width	Height		Width	Height	Depth	
	120,0	21,0	NX7504	48,0	a	–	–
					b	57,1	17,2
					c	57,1	3,5
					d	110,0	14,5
	140,0	21,0	NX7505	48,0	a	–	–
					b	67,1	17,2
					c	67,1	3,5
					d	130,0	14,5
	160,0	21,0	NX7506	48,0	a	–	–
					b	50,8	17,2
					c	50,8	3,5
					d	150,0	14,5

# 1.5 Lowboards for soundbar integration






Image External dimensions (cm)	Article		External depth	Internal dimensions (cm)			
	Width	Height		Width	Height	Depth	
	180,0	21,0	NX7507	48,0	a	37,6	17,2
					b	47,6	17,2
					c	47,6	3,5
					d	170,0	14,5
	200,0	21,0	NX7508	48,0	a	47,6	17,2
					b	47,6	17,2
					c	47,6	3,5
					d	190,0	14,5

# 1.6 Lowboards for soundbar integration




## Height 32,0 cm

**Next lowboards** with fabric flap to accommodate soundbar, subwoofer and technology components. Cable outlets in the rear panel facilitate cable access. Top plate required, see section 2.

**Options** such as TV mount, subwoofer opening or LED lighting see section 6 and 7.

### Options and accessories at a glance

Cable opening in the top plate	•
Smart Charge	•
TV mount	•
Subwoofer opening	•
Cable duct	•
Shelf	•
Smart Light	•

Image External dimensions (cm)	Article	External depth	Internal dimensions (cm)		
			Width	Height	Depth
 <div>120,0   32,0</div>	<b>NX1504</b>	38,0	<b>a</b>	–	–
			<b>b</b>	57,1	28,2
			<b>c</b>	57,1	14,5
			<b>d</b>	110,0	20,5
	<b>NX5504</b>	48,0	<b>a</b>	–	–
			<b>b</b>	57,1	28,2
			<b>c</b>	57,1	14,5
			<b>d</b>	110,0	20,5
 <div>140,0   32,0</div>	<b>NX1505</b>	38,0	<b>a</b>	–	–
			<b>b</b>	67,1	28,2
			<b>c</b>	67,1	14,5
			<b>d</b>	130,0	20,5
	<b>NX5505</b>	48,0	<b>a</b>	–	–
			<b>b</b>	67,1	28,2
			<b>c</b>	67,1	14,5
			<b>d</b>	130,0	20,5
 <div>160,0   32,0</div>	<b>NX1506</b>	38,0	<b>a</b>	–	–
			<b>b</b>	50,8	28,2
			<b>c</b>	50,8	14,5
			<b>d</b>	150,0	20,5
	<b>NX5506</b>	48,0	<b>a</b>	–	–
			<b>b</b>	50,8	28,2
			<b>c</b>	50,8	14,5
			<b>d</b>	150,0	20,5

# 1.6 Lowboards for soundbar integration






Image External dimensions (cm)	Article	External depth	Internal dimensions (cm)		
			Width	Height	Depth
 <div>180,0   32,0</div>	<b>NX1507</b>	38,0	<b>a</b>	37,6	28,2
			<b>b</b>	47,6	28,2
			<b>c</b>	47,6	14,5
			<b>d</b>	91,0	20,5
	<b>NX5507</b>	48,0	<b>a</b>	37,6	28,2
			<b>b</b>	47,6	28,2
			<b>c</b>	47,6	14,5
			<b>d</b>	91,0	20,5
 <div>200,0   32,0</div>	<b>NX1508</b>	38,0	<b>a</b>	47,6	28,2
			<b>b</b>	47,6	28,2
			<b>c</b>	47,6	14,5
			<b>d</b>	91,0	20,5
	<b>NX5508</b>	48,0	<b>a</b>	47,6	28,2
			<b>b</b>	47,6	28,2
			<b>c</b>	47,6	14,5
			<b>d</b>	91,0	20,5

# 1.7 Lowboards for Spectral sound systems




## Height 21,0 cm

**Next lowboards** with fabric flap to accommodate the Spectral sound system SCA3 or BRA3 or the Spectral loudspeaker BRP1 and other technical components. Cable outlets in the rear panel facilitate cable access. Top plate required, see section 2.

**Options** such as TV mount, subwoofer port or LED illumination see section 6 and 7.

### Options and accessories at a glance

Cable opening in the top plate	•
Smart Charge	•
TV mount	•
Subwoofer opening (for lowboard width 200,0 cm)	•
Cable duct (for lowboard width 180,0 cm, 200,0 cm)	•
Smart Light	•

Image External dimensions (cm)	Article		External depth	Internal dimensions (cm)		
	Width	Height		Width	Height	Depth
	120,0	21,0	NX7604	48,0	a	116,2 13,9 43,3
					Custom reduction of depth not possible	
	140,0	21,0	NX7605	48,0	a	90,8 13,9 43,3
					b	20,8 17,2 43,3
	160,0	21,0	NX7606	48,0	a	90,8 13,9 43,3
					b	30,8 17,2 43,3

# 1.7 Lowboards for Spectral sound systems

Lowboards with a height of 21,0 cm are also available without Spectral sound system or Spectral speakers. Matching Spectral sound systems and Spectral loudspeakers: SCA3 / BRA3 / BRP1. An amplifier is required for the passive speaker BRP1. We recommend using a Sonos Amp. For prices and technical data on sound systems and speakers, see chapter sound systems.






Image External dimensions (cm)	Article		External depth	Internal dimensions (cm)		
	Width	Height		Width	Height	Depth
	180,0	21,0	NX7607	48,0	a	90,8 13,9 43,3
					b	40,8 17,2 43,3
	200,0	21,0	NX7608	48,0	a	90,8 13,9 43,3
					b	50,8 17,2 43,3

# 1.8 Lowboards for Spectral sound systems




## Height 32,0 cm

**Next lowboards** with fabric flap to accommodate the Spectral sound system SCA3 or BRA3 or the Spectral loudspeaker BRP1 and other technical components. Cable outlets in the rear panel facilitate cable access. Top plate required, see section 2.

**Options** such as TV mount, subwoofer opening or LED illumination see section 6 and 7.

### Options and accessories at a glance

Cable opening in the top plate	•
Smart Charge	•
TV mount	•
Subwoofer opening (for lowboard width 200,0 cm)	•
Cable duct (for lowboard width 180,0 cm, 200,0 cm)	•
Smart Light	•

Image External dimensions (cm)	Article		External depth	Internal dimensions (cm)			
	Width	Height		Width	Height	Depth	
	120,0	32,0	NX5604	48,0	a	10,8	28,2 43,3
					b	44,4	10,6 43,3
					Custom-shortened depth not possible.		
	140,0	32,0	NX5605	48,0	a	20,8	28,2 43,3
					b	44,4	10,6 43,3
	160,0	32,0	NX5606	48,0	a	30,8	28,2 43,3
					b	44,4	10,6 43,3

# 1.8 Lowboards for Spectral sound systems

Lowboards with a height of 32,0 cm are only available in combination with a Spectral sound system or a Spectral loudspeaker. An amplifier is required for the passive speaker BRP1. We recommend using a Sonos Amp. For prices and technical data on sound systems and loudspeakers, see sound systems chapter.








Image External dimensions (cm)	Article		External depth	Internal dimensions (cm)			
	Width	Height		Width	Height	Depth	
	180,0	32,0	NX5607	48,0	a	37,6	28,2 43,3
					b	47,6	10,6 43,3
	200,0	32,0	NX5608	48,0	a	47,6	28,2 43,3
					b	47,6	10,6 43,3

## 2. Top plates

Top plates are always required for lowboards.  
Top plates are optionally available for wall units with a width of 60,0 cm or more.  
The maximum depth varies depending on the surface type.  
† **Smart varnish and wood decor up to 275 cm, Fenix® up to 300 cm, colour glass, metallic glass und design glass up to 350**

Image	Article
	Top plate 60,0 cm Top plate 120,0 cm Top plate 140,0 cm Top plate 160,0 cm Top plate 180,0 cm Top plate 200,0 cm Top plate 220,0 cm Top plate 240,0 cm Top plate 260,0 cm Top plate 275,0 cm
	Top plate 280,0 cm Top plate 300,0 cm Top plate 320,0 cm Top plate 340,0 cm

Smart varnish and wood decor: 1,2 cm

Glass and Fenix®: 0,4 cm


# 3.1 Wall mounted units with flap

Next wall mounted units optionally with flap opening upwards or downwards.  
Wall mounting kit is included.  
Top plate optionally selectable, see section 2.

Options and accessories see section 6 and 7.

## Options and accessories at a glance

Shelves	•
Top plate	•



Article	External dimensions (cm)			Internal dimensions (cm)		
	Width	Height	Depth	Width	Height	Depth
NX1804	120,0	30,0	38,0	a	57,2	26,2 33,3
NX1806	160,0	30,0	38,0	a	50,8	26,2 33,3

# 3.2 Wall mounted units with door

Next wall mounted units available with door hinge on the left or right.  
Elements with height 120,0 cm have a construction shelf glued in the middle.  
For units with height 60,0 cm, one shelf is included. Height 100,0 cm and 120,0 cm include two shelves. Shelves are height adjustable in 3,2 cm increments.  
Wall mounting kit is included.  
Top plate optionally available from a width of 60,0 cm, see section 2.

Options and accessories see section 6 and 7.

## Options and accessories at a glance

Shelves	•
Top plate (from wide 60 cm)	•




Article	External dimensions (cm)			Internal dimensions (cm)		
	Width	Height	Depth	Width	Height	Depth
NX1701*	30,0	60,0	38,0	a	26,2	56,2 33,3
NX1702	60,0	60,0	38,0	a	56,2	56,2 33,3
NX1703*	30,0	100,0	38,0	a	26,2	96,2 33,3
NX1704*	40,0	100,0	38,0	a	36,2	96,2 33,3
NX1705*	30,0	120,0	38,0	a	26,2	57,2 33,3
NX1706*	40,0	120,0	38,0	a	36,2	57,2 33,3

\* Individual width reduction by max. 10,0 cm possible.

### 3.3 Open wall units

Next open wall units have a wall thickness of 1,2 cm.  
Intermediate shelves and bars are firmly glued.  
Additional shelves are not possible. Wall mounting kit is included.

Open wall units are not available in black.




Article	External dimensions [cm]			Internal dimensions [cm]			
	Width	Height	Depth	Width	Height	Depth	
NX2020	30,0	30,0	38,0	a	27,6	27,6	34,4
NX2021	30,0	60,0	38,0	a	27,6	20,7	34,4
				b	27,6	35,7	34,4
NX2013	20,0	100,0	38,0	a	17,6	43,0	34,4
				b	17,6	18,0	34,4
				c	17,6	34,2	34,4
NX2023	30,0	100,0	38,0	a	27,6	43,0	34,4
				b	27,6	18,0	34,4
				c	27,6	34,2	34,4
NX2014	20,0	120,0	38,0	a	17,6	43,0	34,4
				b	17,6	18,0	34,4
				c	17,6	54,2	34,4
NX2024	30,0	120,0	38,0	a	27,6	43,0	34,4
				b	27,6	18,0	34,4
				c	27,6	54,2	34,4

### 3.3 Open wall units


Next open wall units have a wall thickness of 1,2 cm.  
Intermediate shelves and bars are firmly glued.  
Additional shelves are not possible. Wall mounting kit is included.

Open wall units are not available in black.



Article	External dimensions [cm]			Internal dimensions [cm]			
	Width	Height	Depth	Width	Height	Depth	
NX2001	60,0	30,0	38,0	a	28,2	27,6	34,4
				b	28,2	27,6	34,4
NX2004	120,0	30,0	38,0	a	43,0	27,6	34,4
				b	18,0	27,6	34,4
				c	54,2	27,6	34,4
NX2006	160,0	30,0	38,0	a	43,0	27,6	34,4
				b	18,0	27,6	34,4
				c	43,0	27,6	34,4
				d	50,0	27,6	34,4

# 4. Tailor-made options



With Next you have options for customization. Tailor-made according to your ideas, custom carpentry for your home. Popular changes are in the table below.

\* For dimension changes and continuous top plates please use the furnplan planning software. A separate request and written quotation is not required for this. For further options and information, please visit our website at [www.spectral.eu/tailor-made](http://www.spectral.eu/tailor-made) or inquire directly with our customer service by e-mail at [info@spectral.eu](mailto:info@spectral.eu).

Type of change	Remarks
Dimension change * [1 charge for all dimension changes per combination]	
Width adjustment up to max. 20,0 cm	
Depth adjustment up to max. 60,0 cm	For elements with depth 48,0 cm
Height adjustment up to max. 42,0 cm	
Special glass	For example: cable outlet at rear edge glass top plate
Change interior layout S	Small change, e.g. shorten center bar
Change interior layout L	Major change, such as customization or division
Alter position of the TV-mount (top plate wood / Fenix®)	If top plate is smart varnish, wood decor or Fenix®
Alter position of the TV-mount (top plate glass)	If top plate is colour glass, metallic glass or design glass
Modification TV-column	Change height, add drill holes etc.
Add steel reinforcement	From clear width 67,0 cm
Cable outlet / cutout in the wooden cabinet D = 6,0 cm, position according to sketch	Price per additional cutout or omission of a cutout
Cable outlet / cutout in the wooden cabinet individual according to sketch	Price per cutout
Reposition wall mount bracket	

## 5.1 Installation types standard

Standard installation types are included in the basic price of the furniture element. The base colour is black matt (Stick is also possible in the surface polished aluminum). Stick and Edge feet can also be painted in the colour of your choice according to the NCS or Sikkens 5051 colour chart.

\* Castors not possible for lowboards of 38,0 cm depth or for lowboards with drawer or pull-out shelf.







Image	Type	Dimensions (cm)
		Height
	Glides	2,5 – 3,5
	Stick	7,8 – 8,8
	Edge	13,0 – 13,5
	Castors *	5,2

Image	Type	Dimensions (cm)
		Height
	Wall mounted	optional








## 5.2 Installation types foot frames

The base colour is black matt, all base frames can be painted in desired colour from NCS or Sikkens 5051 colour guide. The crossbars between the frame parts are always black.






All foot frames are height adjustable:  
Blade: Height 16,0 cm + 0,5 cm  
Bridge: Height 18,5 cm + 1,0 cm

Image	Function	Dimensions (cm)				
		Suitable for furniture		Dimensions foot frames		
		Depth	Width	Width	Height	Depth
	Blade with 2 frame parts	38,0	90,0 – 240,0	81,8 – 201,8	16,0	33,6
		48,0	90,0 – 240,0	81,8 – 201,8	16,0	43,6
	Blade with 3 frame parts	38,0	240,1 – 360,0	222,8 – 322,8	16,0	33,6
		48,0	240,1 – 360,0	222,8 – 322,8	16,0	43,6
	Bridge with 2 frame parts	38,0	90,0 – 240,0	81,8 – 201,8	18,5	29,8
		48,0	90,0 – 240,0	81,8 – 201,8	18,5	39,8
	Bridge with 3 frame parts	38,0	240,1 – 360,0	221,8 – 321,8	18,5	29,8
		48,0	240,1 – 360,0	221,8 – 321,8	18,5	39,8
	Blade					
	Bridge					

## 6. Options and accessories






Image	Article	Function
	<b>NX9000</b>	<b>TV mount T60/T62</b> aluminium or black <b>TV mount T60/T62</b> in colour of your choice Available with adapter for VESA 200 x 200 to 400 x 400 or universal adapter for any TV up to VESA 600 x 400
	<b>SPMEX1</b>	<b>Extension kit VESA 600 x 600</b> for universal adapter
	<b>ZU2093</b>	<b>Universal media mount</b> For any media components, mounting on the rear of the TV mount
	<b>Option</b>	<b>Cable opening</b> in the top plate [CA] Diameter 6,0 cm
	<b>ZU2139</b> <b>ZU2140</b>	<b>Cover for cable opening</b> , white <b>Cover for cable opening</b> , black For glass and Fenix®
	<b>Option</b>	<b>Cable opening horizontal</b> between two lowboards
	<b>NX9002</b> <b>NX9003</b> <b>NX9004</b>	<b>Cable duct for lowboards</b> w=60–160 cm [for 1 compartment] <b>Cable duct for lowboards</b> w=200 cm [for 1 compartment] <b>Cable duct for lowboards</b> w=180 cm [for 1 compartment] In the middle shelf of 160,0 cm wide lowboards, a cable duct is not possible in conjunction with a TV mount.

## 6. Options and accessories





Image	Article	Function
	<b>Option</b>	<b>Fabric front</b> [flap or door] Covered with acoustic fabric, available in black, carbon, pebble, grey, graphite or silver
	<b>Option</b>	<b>Subwoofer opening</b> Position optionally in the middle, left or right compartment
	<b>ZU2231</b>	<b>Subwoofer elastic buffer [4 pcs.]</b> For optimal positioning in the furniture
	<b>NXFB</b>	<b>Shelf</b> 19 mm shelf in cabinet colour, height adjustable
	<b>SLE01 *</b>	<b>Insert for interior arrangement for drawer</b>
	<b>TA01 *</b>	<b>Pull-out shelf</b> Dimension of footprint (w x d): 44,0 cm x 41,2 cm, height: 6,4 cm Extendable by 32,0 cm Required compartment depth: min. 43,3 cm Required compartment width: - compartment without flap damper: 45,1 cm - compartment with one flap damper: 47,6 cm - compartment with two flap dampers: 50,1 cm Attention: when installing in the middle compartment (e.g. NX5106), cable management is only possible to a limited extent. We recommend installation in one of the outer compartments.

\* Elements with drawer or pull-out shelf must be fixed to the wall.  
(fixing material is supplied).

## 6. Options and accessories

Image	Article	Function
	<b>Option</b>	<b>Continuous top plate</b> For combinations a continuous top plate can be selected. Depending on the surface, different maximum widths apply. Smart varnish and wood decor up to 275,0 cm, Fenix® up to 300,0 cm, colour glass, metallic glass and design glass up to 350,0 cm. <b>For prices and widths see section 2 (top plates)</b>
	<b>ZU1933</b>	<b>Smart charge kit</b> The Smart Charge wireless charging technology uses the common Qi standard of the Wireless Power Consortium, to which all major mobile device manufacturers adhere to.
	<b>ZU1864</b>	<b>IR link system</b> For control of audio and video equipment when furniture flap is closed.
	<b>ZU1871</b>	<b>Flat europlug</b> Flat europlug 1,5 m cable, Schuko connections (not available in the UK)
		<b>Spectral spray</b> A gentle foam cleaner for LED, LCD, plasma and computer screens. Also suitable for glass, metal and painted surfaces. With an anti-static microfiber cloth for swift, streak-free cleaning. Contains 300 ml.

## 7. Smart Light

Image	Article	Function
	<b>LED-NX</b>	<b>Indirect LED lighting</b> <span>Price per 1 cm</span> Lighting along rear edge of furniture. Depending on the model, the position of the LED strips can be individually planned at the top, sides and bottom. Light colour warm white, approx. 3200 Kelvin
	<b>LED-AN2</b>	Connection kit <b>LED-AN2</b> For operation by remote control or smartphone app with dimming function. For LED strips that are 5 m or longer a second connection set is required.
		<b>Example pricing: NX5104</b> The price is based on the furniture dimensions:  $32,0\text{ cm} + 120,0\text{ cm} + 32,0\text{ cm} = 184,0\text{ cm x € / cm}$
		<b>Example pricing: NX5104 + NX5301</b> The price is based on the furniture dimensions:  $32,0\text{ cm} + 120,0\text{ cm} + 60,0\text{ cm} + 32,0\text{ cm} = 244,0\text{ cm x € / cm}$
	<b>ZU1873</b>	<b>Interior lighting</b> LED light with motion sensor
	<b>ZU1874</b>	<b>USB charger</b> For interior lighting

# 8. Load

## Lowboards with glide feet, Stick feet, Edge feet / castors

	Max. total load (in kg) *	Max. load on top plate (in kg)
Width 60,0 – 160,0 cm	60	40
Width 180,0 – 200,0 cm	80	60

## Wall mounted lowboards

	Max. total load (in kg) *	Max. load on top plate (in kg)
Width 60,0 – 140,0 cm	30	30
Width 160,0 – 200,0 cm	40	40

## Lowboards / combinations with foot frames

	Max. total load for each foot frame (in kg) *	Max. load on top plate (in kg)
Foot frame for width 90,0 – 160,0 cm	60	40
Foot frame for width 180,0 – 200,0 cm	60	60
Foot frame for width 220,0 – 240,0 cm	60	40
Foot frame for width 260,0 – 360,0 cm	80	40

## Drawer

	Max. load for each drawer compartment (in kg)
SL	20

## Pull-out shelf

	Max. load on pull-out shelf (in kg)
TA01	20

## Shelves

	Max. load for each shelf (in kg)
Shelf	15

## TV mount

	Max. load (in kg)
NX9000 (T60)	40


\* Does not include load of TV mount

# 8. Load

## Wall mounted units

	Max. total load (in kg)	Max. load on top plate (in kg)
Width 30,0 – 60,0 cm	40	40
Width 120,0 cm	30	30
Width 160,0 cm	40	40

## Open wall mounted units



	Max. total load (in kg)	Max. load for each compartment and above compartments (in kg)
Elements with 1 compartment	10	a10
Elements with 2 compartments	20	a10
Elements with 3 compartments	30	a10
Elements with 4 compartments	40	a10

# 9. Next colours & surfaces

## Smart varnish – matt, soft touch & anti fingerprint




## Wood decors



## Colour glass – glossy or satin

Exclusively available for top plates




## Metallic glass – glossy or satin

Exclusively available for top plates




## Fenix® – matt, soft touch & anti fingerprint

Exclusively available for top plates




## Design glass – glossy or satin

Exclusively available for top plates




## Acoustic fabric flaps



## Metal surfaces

Edge feet, Stick feet, foot frames Bridge and Blade and column TV mount



**Base colour**  
Edge foot, Foot frame Bridge, Blade and Frame  
BG Black

**Base colour**  
Column TV mount and Stick foot  
BG Black and aluminium

**Note on glass surfaces:**  
Glass is a product made from natural raw materials and is subject to variations in production technology. Depending on the inherent colour of the glass, glass thickness and lighting conditions, there may be colour differences between different glass surfaces.  
Likewise, there may be deviations between glass samples in the specialized trade and the finished furniture. In the case of subsequent deliveries of glass surfaces, production- and batch-dependent colour differences are possible and do not constitute grounds for complaint.

**Note on fabrics:**  
Fabrics are subject to production variations. Therefore, there may be colour differences between different fabric-related components.  
Likewise, there may be deviations between fabric samples in the specialist trade and the finished furniture. In the case of subsequent deliveries of fabric-related components, production- and batch-dependent colour differences are possible and do not constitute grounds for complaint.

# scala



Furniture with the wow factor. Freedom is a wonderful thing – especially within your own four walls. This is what Scala gives you: lowboards in numerous versions. Integrated sound systems and convenient streaming options ensure that you will never be bored even after setting up. Beautiful to look at. Scala.

Made in Germany.



Scala

Scala is a system furniture for individual lowboards, with flap or drawer and lots of storage space for your technology.

The system consists of numerous elements that can be lined up. The 4 mm glass or Fenix® surface is mounted on the supporting cabinet. This allows a high variety of surfaces and colours.

With drawers or flaps, Scala is suitable for all living areas. With its high flexibility, sensible options and customization, Scala can meet many individual wishes and integrate almost all technical components. The possibilities are virtually unlimited.

Like all Spectral furniture, Scala is manufactured in Pleidelsheim in southern Germany.

Design

A characteristic feature of Scala is the 4 mm edge around the glass or Fenix® surface, as well as the continuous aluminum handle strip. The handle strip can be selected in anodized aluminum, painted black or painted in the colour of your choice.

System & grid

Different variants with flaps or drawers for lining up.  
Top plates and side panels are included in the basic price. A continuous top plate is available for combinations.  
**Width grid:** 56,8 cm, 111,0 cm, 165,2 cm, 200,0 cm, 265,0 cm  
**Height grid:** 21,1 cm, 30,4 cm, 45,8 cm  
**Depth grid:** 48,2 cm

Tailor-made options

Each element can be individually shortened and extended in width, height and depth. See also section Tailor-made options.

Cabinet

Solid construction with 16 mm wall thickness and 8 mm back wall, doweled and glued, for maximum stability. The cabinet surface Sand is black fine-textured, exceptionally robust and easy to clean.

Shelves

Glass shelves made of 6 mm safety glass are included. For special dimensions, the shelves are made of 16 mm cabinet material.

Top plates

Top plates and side panels are included in the basic price. For combinations a continuous top plate is available.  
Depending on the surface, different maximum widths result.  
Colour glass, metallic glass and design glass up to 350,0 cm, Fenix® up to 300,0 cm.

Mechanics & function

Pull mechanism with handle strip. Drawer mechanism with soft-close and flap dampers of the highest quality.

Installation types

**Standard:** Edge foot, Stick foot, castors or wall mounting are included in the basic price.  
**Foot frames:** Bridge and Blade are optionally selectable.

Base colour for foot frames and Edge feet is black. Base colour for Stick feet is black and brushed aluminum.  
All feet and foot frames can optionally be painted in desired colour from the NCS or Sikkens 5051 colour ranges.

Room divider

Scala can also be placed freely in the middle of the room. In this case, the surface is also mounted on the back. The rear side is fully clad on each element.

TV integration

TVs can be elegantly integrated with the rotating TV mount. The cable is routed invisibly in the column. There are two TV adapters to choose from: VESA adapter (for TV with VESA standard up to 400 x 400 mm) and Universal TV adapter, with which any TV can be mounted. Alternatively, TVs with feet can be placed on the top plate,the cable routing is then can be done with a cable opening in the cabinet. With a TV wall mount from Spectral, the TV can also be mounted on the wall, in this case, on-site cable routing in the wall is recommended.

Sound integration

Scala offers two variants for sound integration. In both variants, the flap is covered with acoustic fabric, which allows the sound to escape unhindered.

**Soundbar integration.** Soundbar or subwoofer can be placed behind the fabric flap.  
**Spectral sound system integration.** Behind the fabric flap there is a receptacle for the Spectral loudspeaker systems and other technical components.

Lighting

Indirect LED lighting on the rear edge of the furniture. The LED strips can be individually planned at the top, bottom and sides. The LED lighting is dimmable and can be operated by remote control or app. The light colour is warm white [3200 Kelvin].

Wireless Charging

All current smartphones with Qi standard can be charged wirelessly with Smart Charge. The charging element is invisibly integrated under the surface.  
A discreet marking shows the area on which charging is possible.

Cable management

The units in a row are connected with a cable aperture, so that wiring between the units is possible without any problems. In this way, technical elements can also be integrated in different cabinets. The cable aperture at the top can be selected; it is standard in the cabinet base.

Surfaces

**Colour glass.** Colour glass consists of a 4 mm safety glass plate. The paint finish is applied to the underside. The glass surface is very hard, scratch resistant and easy to clean. There are 5 base colours to choose from as well as over 2,000 custom colours. This can be selected from the NCS or Sikkens 5051 colour chart (most RAL colours are available on request). The glass surface can be selected in gloss or satin (matt).

**Metallic glass.** Metallic glass has the same properties as colour glass and is available in 6 chic metallic colours. The glass surface can be selected gloss or satin (matt).

**Design glass.** Design glass consists of a 4 mm safety glass plate. A high-resolution digital print is applied to the underside. The surface is brilliant and visually indistinguishable from a natural motif. Design glass is very hard, scratch resistant and easy to clean. Design glass is only 4 mm thin and therefore appears light and elegant. The glass surface can be chosen glossy or satin (matt). Satinized glass renders the motif blurred, but thus appears discreet and restrained.  
**Design glass is only available for top plates.**

**Fenix®.** Fenix® is an extremely matt nanotech material, the surface is particularly regal and has a velvety touch. It is also resistant to fingerprints.  
We process Fenix® in the elegant 4 mm thickness. This allows for a particularly light and intricate design. Fenix® is available in 6 harmonious colours.

**Acoustic fabric flaps.** Flaps can also be selected with acoustic fabric.

Price groups

The surfaces are divided into two price groups.  
**Price group 1:** Colour glass and metallic glass  
**Price group 2:** Design glass and Fenix®

# 1.1 Lowboards with storage height 21,1 cm






**Scala Lowboards** with flap or drawer.  
All lowboards have a cable opening in the top plate and between the elements as standard and are delivered including the side panels. If several elements are connected, the position of the side panels must be specified [L for left, R for right, LR for left and right].

**Options** such as TV mount, subwoofer opening or LED lighting see section 5 and 6.  
Optional flap (standard) or drawer (surcharge).  
Elements with drawer or inner drawer or pull-out shelf must be mounted to the wall (mounting kit is supplied).

Mixing of PG1 and PG2 surfaces is possible. For price calculation see section 3.

Options and accessories at a glance

	with flap	with drawer
TV mount	•	•
Cable opening in the top plate	•	•
Smart Charge	•	•
Subwoofer opening	•	
Room divider panel	•	
Fabric flap	•	
Smart Light	•	•

Image Ext. dimensions (cm) incl. side panels and top plate	Article	Function	Int. dimensions (cm)		
Width Height Depth		SL = Drawer KL = Flap	Width	Height	Depth
 56,8 21,1 48,2	<b>SC562</b>	<b>a</b> = KL	52,6	17,5	43,4
		<b>a</b> = SL	48,4	13,5	27,4
 111,0 21,1 48,2	<b>SC1120</b>	<b>a</b> = KL	52,6	17,5	43,4
		<b>a</b> = SL	48,4	13,5	27,4
 165,2 21,1 48,2	<b>SC1620</b>	<b>a</b> = KL	52,6	17,5	43,4
		<b>a</b> = SL	48,4	13,5	27,4
 200,0 21,1 48,2	<b>SC2020</b>	<b>a</b> = KL	64,2	17,5	43,4
		<b>a</b> = SL	60,0	13,5	27,4
 265,0 21,1 48,2	<b>SC2620</b>	<b>a</b> = KL	20,4	17,5	43,4
		<b>a</b> = SL	20,4	17,5	43,4
		<b>b</b> = KL	52,6	17,5	43,4
		<b>b</b> = SL	48,4	13,5	27,4

# 1.2 Lowboards with storage height 30,4 cm






**Scala Lowboards** with flap or drawer.  
All lowboards have a cable opening in the top plate and between the elements as standard and are delivered including the side panels. If several elements are connected, the position of the side panels must be specified (L for left, R for right, LR for left and right).

**Options** such as TV mount, subwoofer opening or LED lighting see section 5 and 6.  
Optional flap (standard) or drawer (surcharge).  
Elements with drawer or inner drawer or pull-out shelf must be mounted to the wall (mounting kit is supplied).

Mixing of PG1 and PG2 surfaces is possible. For price calculation see section 3.

**Options and accessories at a glance**

	with flap	with drawer
TV mount	•	•
Cable opening in the top plate	•	•
Smart Charge	•	•
Subwoofer opening	•	
Room divider panel	•	
Fabric flap	•	
Smart Light	•	•

Image Ext. dimensions (cm) incl. side panels and top plate	Article	Function	Int. dimensions (cm)		
Width Height Depth		SL = Drawer KL = Flap	Width	Height	Depth
	<b>SC560</b>	<b>a</b> = KL	52,6	26,8	43,4
		<b>a</b> = SL	48,4	22,8	27,4
	<b>SC1100</b>	<b>a</b> = KL	52,6	26,8	43,4
		<b>a</b> = SL	48,4	22,8	27,4
	<b>SC1650</b>	<b>a</b> = KL	52,6	26,8	43,4
		<b>a</b> = SL	48,4	22,8	27,4
	<b>SC2000</b>	<b>a</b> = KL	64,2	26,8	43,4
		<b>a</b> = SL	60,0	22,8	27,4
	<b>SC2602</b>	<b>a</b> = KL	20,4	26,8	43,4
		<b>a</b> = SL	20,4	26,8	43,4
		<b>b</b> = KL	52,6	26,8	43,4
		<b>b</b> = SL	48,4	22,8	27,4

# 1.3 Lowboards with storage height 45,8 cm




**Scala Lowboards** with flap or drawer.  
All lowboards have a cable opening in the top plate and between the elements as standard and are delivered including the side panels. If several elements are connected, the position of the side panels must be specified (L for left, R for right, LR for left and right).

**Options** such as TV mount, subwoofer opening or LED lighting see section 5 and 6.  
Optional flap (standard) or drawer (surcharge).  
Elements with drawer or inner drawer or pull-out shelf must be mounted to the wall (mounting kit is supplied).

Mixing of PG1 and PG2 surfaces is possible. For price calculation see section 3.

**Options and accessories at a glance**

	with flap	with drawer
TV mount	•	•
Cable opening in the top plate	•	•
Smart Charge	•	•
Subwoofer opening	•	
Room divider panel	•	
Fabric flap	•	
Smart Light	•	•

Image Ext. dimensions (cm) incl. side panels and top plate	Article	Function	Int. dimensions (cm)		
Width Height Depth		SL = Drawer KL = Flap	Width	Height	Depth
	<b>SC567</b>	<b>a</b> = KL	52,6	12,0	43,4
		<b>a</b> = SL	48,4	8,0	27,4
		<b>b</b> = KL	52,6	28,2	43,4
		<b>b</b> = SL	48,4	24,2	27,4
	<b>SC1107</b>	<b>a</b> = KL	52,6	12,0	43,4
		<b>a</b> = SL	48,4	8,0	27,4
		<b>b</b> = KL	52,6	28,2	43,4
		<b>b</b> = SL	48,4	24,2	27,4
	<b>SC1657</b>	<b>a</b> = KL	52,6	12,0	43,4
		<b>a</b> = SL	48,4	8,0	27,4
		<b>b</b> = KL	52,6	28,2	43,4
		<b>b</b> = SL	48,4	24,2	27,4

# 1.4 Lowboards for soundbar integration

**Scala Lowboards** with fabric flap to accommodate soundbar, subwoofer and technology components. Available in three heights: 21,1cm, 30,4 cm and 45,8cm. All lowboards have a cable opening in the top plate and between the elements as standard and are delivered including the side panels. If several elements are connected, the position of the side panels must be specified [L for left, R for right, LR for left and right].



**Options** such as TV mount, subwoofer opening or LED lighting. See section 5 and 6. Lowboards height 45,8cm optionally with flap (standard) or drawer (surcharge) on top. Elements with drawer or inner drawer or pull-out shelf must be mounted to the wall (mounting kit is supplied).

The levels for the soundbar integration have a fabric flap.

Mixing of PG1 and PG2 surfaces is possible. For price calculation see section 3.

Options and accessories at a glance		
	with flap	with drawer
TV mount	•	•
Cable opening in the top plate	•	•
Smart Charge	•	•
Subwoofer opening	•	
Room divider panel	•	
Fabric flap (top)	•	
Smart Light	•	•

a = max. dimension below soundbar  
b = Dimension behind soundbar  
c = max. dimension of soundbar

Image Ext. dimensions (cm) incl. side panels and top plate	Article	Function	Internal dimensions (cm)		
Width Height Depth		KL = Flap	Width Height Depth		
	SC1124	a	52,6	3,8	43,4
		b	52,6	17,5	30,4
		c	100,3	12–14	11,6
	SC1624	a	52,6	3,8	43,4
		b	52,6	14,8	30,4
		c	154,5	12–15	11,6
	SC2024	a	64,2	3,8	43,4
		b	64,2	14,8	30,4
		c	189,3	12–15	11,6
	SC1104	a	52,6	13,1	43,4
		b	52,6	26,8	30,4
		c	100,3	12–21	11,6

# 1.4 Lowboards for soundbar integration








Image Ext. dimensions (cm) incl. side panels and top plate	Article	Function	Internal dimensions (cm)		
Width Height Depth		SL = Drawer KL = Flap	Width Height Depth		
	SC1654	a	52,6	13,1	43,4
		b	52,6	24,1	30,4
		c	154,5	12–21	11,6
	SC2004	a	64,2	13,1	43,4
		b	64,2	24,1	30,4
		c	189,3	12–21	11,6
	SC1106	a	52,6	14,5	43,4
		b	52,6	28,2	30,4
		c	100,3	12–21	11,6
		f = KL	52,6	12,0	43,4
		f = SL	48,4	8,0	27,4
	SC1656	a	52,6	14,5	43,4
		b	52,6	28,2	30,4
		c	154,5	12–21	11,6
		d	42,5	42,1	32,0
		e	41,5	40,0	30,0
		f = KL	52,6	12,0	43,4
		f = SL	48,4	8,0	27,4

# 1.5 Lowboards for Spectral sound systems






**Scala Lowboards** with fabric flap to accommodate the Spectral sound system SCA3, BRA3 or VRA3 or the Spectral speaker BRP1 or VRP1.  
Available in three heights: 21,1cm, 30,4cm and 45,8cm.  
All lowboards have a cable opening in the top plate and between the elements as standard and are delivered including the side panels. If several elements are connected the position of the side panels must be specified [L for left, R for right, LR for left and right].

**Options** like TV mount, subwoofer opening or LED lighting see section 5 and 6.  
Lowboards height 45,8cm optionally with flap (standard) or drawer (surcharge) on top.  
Elements with drawer or inner drawer or pull-out shelf must be mounted to the wall (mounting kit is supplied).

The levels for the sound system integration have a fabric flap.  
Mixing of PG1 and PG2 surfaces is possible. For price calculation see section 3.

### Options and accessories at a glance

	with flap	with drawer
TV mount	•	•
Cable opening in the top plate	•	•
Smart Charge	•	•
Subwoofer opening	•	
Room divider panel	•	
Fabric flap (top)	•	
Smart Light	•	•

Image Ext. dimensions (cm) incl. side panels and top plate				Article	Function	Internal dimensions (cm)			
Width	Height	Depth			SL = Drawer KL = Flap	Width	Height	Depth	
	111,0	21,1	48,2	SC1121	KL				
						Matching Spectral sound systems: SCA3 / BRA3 / BRP1			
	165,2	21,1	48,2	SC1621	a = KL	33,5	15,7	43,4	
						Matching Spectral sound systems: SCA3 / BRA3 / BRP1			
	200,0	21,1	48,2	SC2021	a = KL	50,9	15,7	43,4	
						Matching Spectral sound systems: SCA3 / BRA3 / BRP1			
	265,0	21,1	48,2	SC2621	KL				
						Matching Spectral sound systems: VRA3 / VRP1			
	111,0	30,4	48,2	SC1101	a = KL	6,4	15,7	43,4	
						b = KL	52,6	9,5	43,4
						Matching Spectral sound systems: SCA3 / BRA3 / BRP1			

# 1.5 Lowboards for Spectral sound systems

**Scala Lowboards** for Spectral sound systems are only available in combination with a Spectral sound system or a Spectral loudspeaker.  
An amplifier is required for the BRP1 and VRP1 passive speakers.  
We recommend using a Sonos Amp.  
For prices and technical data on sound systems and speakers, see sound systems chapter.









Image Ext. dimensions (cm) incl. side panels and top plate		Article	Function	Internal dimensions (cm)		
Width	Height	Depth		Width	Height	Depth
	165,2	30,4	48,2	<b>SC1651</b>	<b>a</b> = KL	33,5 15,7 43,4
					<b>b</b> = KL	52,6 9,5 43,4
Matching Spectral sound systems: SCA3 / BRA3 / BRP1						
	200,0	30,4	48,2	<b>SC2001</b>	<b>a</b> = KL	50,9 15,7 43,4
					<b>b</b> = KL	64,2 9,5 43,4
Matching Spectral sound systems: SCA3 / BRA3 / BRP1						
	265,0	30,4	48,2	<b>SC2600</b>	<b>a</b> = KL	20,4 6,4 43,4
					<b>b</b> = KL	52,6 6,4 43,4
Matching Spectral sound systems: VRA3 / VRP1						
	111,0	45,8	48,2	<b>SC1108</b>	<b>a</b> = KL	6,4 15,7 43,4
					<b>b</b> = KL	52,6 10,9 43,4
					<b>c</b> = KL	52,6 12,0 43,4
					<b>c</b> = SL	48,4 8,0 27,4
Matching Spectral sound systems: SCA3 / BRA3 / BRP1						
	165,2	45,8	48,2	<b>SC1658</b>	<b>a</b> = KL	33,5 15,7 43,4
					<b>b</b> = KL	52,6 10,9 43,4
					<b>c</b> = KL	52,6 12,0 43,4
					<b>c</b> = SL	48,4 8,0 27,4
Matching Spectral sound systems: SCA3 / BRA3 / BRP1						

## 2. Tailor-made options



With Scala you have options for customization. Tailor-made according to your ideas, custom carpentry for your home. Popular changes are in the table below.

\* For dimension changes and continuous top plates please use the furnplan planning software.  
A separate request and written quotation is not required for this. For further options and information, please visit our website at [www.spectral.eu/tailor-made](http://www.spectral.eu/tailor-made) or inquire directly with our customer service by e-mail at [info@spectral.eu](mailto:info@spectral.eu).

Type of change	Remarks
Dimension change * [1 charge for all dimension changes per combination]	For elements with colour glass, metallic glass oder design glass
Dimension change * [1 charge for all dimension changes per combination]	For elements with surface Fenix®
Special glass	For example: cable outlet at rear edge glass top plate
Change interior layout S	Small change, e.g. shorten center bar
Change interior layout L	Major change, such as customization or division
Alter position of the TV-mount	
Modification TV-column	Change height, add drill holes etc.
Add steel reinforcement	From clear width 67,0 cm
Cable outlet / cutout in the wooden cabinet D = 6,0cm, position according to sketch	Price per additional cutout or omission of a cutout
Cable outlet / cutout in the wooden cabinet individual according to sketch	Price per cutout
Reposition wall mount bracket	

## 3. Individual price calculation

The basic price PG1 applies to colour glass and metallic glass. Fronts, side panels and top plates can be specified with Fenix®. Design glass is only available for top plates.





For colours and surfaces, see section 8.

RT = Room divider rear panel

Image	Surcharge article
	<b>Design glass is available exclusively for top plates</b>
	Surcharge PG2 front/RT SC562
	Surcharge PG2 front/RT SC1120 / SC1121 / SC1124
	Surcharge PG2 front/RT SC1620 / SC1621 / SC1624
	Surcharge PG2 front/RT SC2020 / SC2021 / SC2024
	Surcharge PG2 front/RT SC2620 (per front)
	Surcharge PG2 front/RT SC560 / front SC567 below
	Surcharge PG2 front/RT SC1100 / front SC1107 below
	Surcharge PG2 front/RT SC1650 / RT 1651, 1654 / front SC1657 below
	Surcharge PG2 front/RT SC2000
	Surcharge PG2 front/RT SC2602 (per front)
	Surcharge PG2 front SC567 top
	Surcharge PG2 front SC1106, SC1107, SC1108 top
	Surcharge PG2 front SC1656, SC1657, SC1658 top
	Surcharge PG2 RT SC567
	Surcharge PG2 RT SC1106 / SC1107 / SC1108
	Surcharge PG2 RT SC1656 / SC1657 / SC1658
	Surcharge side panel height 21,0cm
	Surcharge side panel height 30,4cm
	Surcharge side panel height 45,8cm
	Surcharge top plate width 40,0 – 56,8cm
	Surcharge top plate width 56,9 – 111,4cm
	Surcharge top plate width 111,5 – 167,2cm
	Surcharge top plate width 167,3 – 223,0cm
	Surcharge top plate width 223,1 – 278,8cm
	Surcharge top plate width 278,9 – 350,0cm

## 4.1 Installation types standard




Standard installation types are included in the basic price of the furniture element. The base colour is black matt (Stick is also possible in the surface polished aluminum). Optionally, Stick and Edge feet can also be painted in the colour of your choice according to the NCS or Sikkens 5051 colour chart.

Image	Type	Dimensions (cm)
		Height
	Stick	7,8 – 8,8
	Edge	13,0 – 13,5
	Castors Castors not possible with SC2600, SC2602, SC2620, SC2621 and lowboards with drawer or inner drawer or pull-out shelf	5,2
Image	Type	Dimensions (cm)
		Height
	Wall mounted	optional






## 4.2 Installation types foot frames

The base colour is black matt, all base frames can optionally be painted in desired colour according to NCS or Sikkens 5051 colour guide.  
The crossbars between the frame parts are always black.

All foot frames are height adjustable:  
Blade: Height 16,0 cm + 0,5 cm  
Bridge: Height 18,5 cm + 1,0 cm






Image	Type	Dimensions (cm)				
		Suitable for furniture		Dimensions foot frames		
		Depth	Width	Width	Height	Depth
	Blade with 2 frame parts	38,0	100,0 – 219,9	81,8 – 181,8	16,0	33,6
		48,0	100,0 – 219,9	81,8 – 181,8	16,0	43,6
	Blade with 3 frame parts	38,0	220,0 – 360,0	202,8 – 322,8	16,0	33,6
		48,0	220,0 – 360,0	202,8 – 322,8	16,0	43,6
	Bridge with 2 frame parts	38,0	100,0 – 219,9	81,8 – 181,8	18,5	29,8
		48,0	100,0 – 219,9	81,8 – 181,8	18,5	39,8
	Bridge with 3 frame parts	38,0	220,0 – 360,0	201,8 – 321,8	18,5	29,8
		48,0	220,0 – 360,0	201,8 – 321,8	18,5	39,8
	Blade					
	Bridge					

## 5. Options and accessories

Image	Article	Function
	<b>Option</b>	<b>TV mount TX</b> aluminium or black <b>TV mount TX</b> in colour of your choice Available with adapter for VESA 200 x 200 to 400 x 400 or universal adapter for any TV up to VESA 600 x 400
	<b>SPMEX1</b>	<b>Extension kit VESA 600 x 600</b> for universal adapter
	<b>ZU2093</b>	<b>Universal media mount</b> For any media components, mounting on the rear of the TV mount
	<b>Option</b>	<b>Cable opening</b> in the top plate [CA] Diameter 6,0 cm
	<b>ZU2139</b> <b>ZU2140</b>	<b>Cover for cable opening</b> , white <b>Cover for cable opening</b> , black Cable feed through possible
	<b>Option</b>	<b>Subwoofer opening</b> Incl. black fabric cover, position available in the middle, left or right compartment
	<b>ZU2231</b>	<b>Subwoofer elastic buffer (4 pcs.)</b> For optimal positioning in the furniture
	<b>Option</b>	<b>Fabric flap</b> Covered with acoustic fabric, available in black, carbon, pebble, grey, graphite or silver
	<b>Option</b>	<b>Handle strip</b> aluminium or black <b>Handle strip</b> in colour of your choice [price per commission]






## 5. Options and accessories

\* Elements with drawer or inner drawer or pull-out shelf must be mounted to the wall (mounting kit is supplied).




Image	Article	Function
	<b>Option *</b>	<b>Drawer (SL)</b> instead of flap for elements w=56,8 cm <b>Drawer (SL)</b> instead of flap for elements w=111,0 and 265,0 cm <b>Drawer (SL)</b> instead of flap for elements w=165,2 and 200,0 cm
	<b>SLE01 *</b>	<b>Insert for interior arrangement for drawer</b>
	<b>SC-SL01 *</b>	<b>Inner drawer with mirror front</b>
	<b>TA01 *</b>	<b>Pull-out shelf</b> Dimension of footprint [w x d]: 44,0 cm x 41,2 cm, height: 6,4 cm Extendable by 32,0 cm Required compartment depth: min. 43,3 cm Required compartment width: - compartment without flap damper: 45,1 cm - compartment with one flap damper: 47,6 cm - compartment with two flap dampers: 50,1 cm Attention: when installing in the middle compartment (e.g. SC1650), cable management is only possible to a limited extent. We recommend installation in one of the outer compartments.
	<b>Option</b>	<b>Room divider panel</b> for width 56,8 cm <b>Room divider panel</b> for width 111,0 cm <b>Room divider panel</b> for width 165,2 cm <b>Room divider panel</b> for width 200,0 cm <b>Room divider panel</b> for width 265,0 cm Rear panel for floor standing lowboards with flap. Not possible for elements with drawer or inner drawer or pull-out shelf.

## 5. Options and accessories

\* Smart Charge [WLC] not possible with SC2621. For SC560, SC562 and SC567 not possible with TV mount or cable opening in the top plate [CA].  
Positioned centrally for units with width 56.8 cm.  
For models with width 111,0 cm, 165,2 cm, 200,0 cm and 265,0 cm available positioned on the left and/or right.

Image	Article	Function
	Option	<b>Continuous top plate</b> For combinations a continuous top plate can be selected. Depending on the surface, different maximum widths result. Smart varnish and wood decor up to 275,0 cm, Fenix® up to 300,0 cm, colour glass, metallic glass and design glass up to 350,0 cm,
	ZU1933 *	<b>Smart charge kit</b> The Smart Charge wireless charging technology uses the common Qi standard of the Wireless Power Consortium, to which all major mobile device manufacturers adhere to.
	ZU1864	<b>IR link system</b> For control of audio and video equipment when furniture flap is closed.
	ZU1871	<b>Flat europlug</b> Flat europlug 1,5 m cable, Schuko connections [not available in the UK]
		<b>Spectral spray</b> A gentle foam cleaner for LED, LCD, plasma and computer screens. Also suitable for glass, metal and painted surfaces. With an anti-static microfiber cloth for swift, streak-free cleaning. Contains 300 ml.

## 6. Smart Light

Image	Article	Function
	LED-SC	<b>Indirect LED lighting</b> <span>Price per 1 cm</span> Lighting along rear edge of furniture. Depending on the model, the position of the LED strips can be individually planned at the top, sides and bottom. Light colour warm white, approx. 3200 Kelvin
	LED-AN2	Connection kit <b>LED-AN2</b> For operation by remote control or smartphone app with dimming function. For LED strips that are 5 m or longer a second connection set is required.
		
<b>Example pricing: SC1650</b> The price is based on the furniture dimensions:  30,4 cm + 165,2 cm + 30,4 cm = <b>226,0 cm x € / cm</b>		
<b>Example pricing: SC1650 + SC560</b> The price is based on the furniture dimensions:  30,4 cm + 165,2 cm + 56,8 cm + 30,4 cm = <b>282,8 cm x € / cm</b>		
	ZU1873	<b>Interior lighting</b> LED light with motion sensor
	ZU1874	<b>USB charger</b> For interior lighting

Lowboards with Stick feet, Edge feet / castors

	Max. total load (in kg) *	Max. load on top plate (in kg)
Width 56,8 – 265,0 cm	60	45

Wall mounted lowboards

	Max. total load (in kg) *	Max. load on top plate (in kg)
Width 56,8 – 265,0 cm	50	45

Lowboards / combinations with foot frames

	Max. total load for each foot frame (in kg) *	Max. load on top plate (in kg)
Foot frame with 2 frame parts	60	45
Foot frame with 3 frame parts	80	45

Drawer

	Max. load for each drawer compartment (in kg)
SL	20

Pull-out shelf

	Max. load on pull-out shelf (in kg)
TA01	20

Glass shelves

	Max. load for each glass shelf (in kg)
Glass shelf	15


TV mount

	Max. load (in kg)
TX	50

\* Does not include load of TV mount

# 8. Scala colours & surfaces


## Colour glass – glossy or satin




## Metallic glass – glossy or satin




## Fenix® – matt, soft touch & anti fingerprint



## Design glass – glossy or satin




## Acoustic fabric flaps



## Metal surfaces

Edge feet, stick feet, Bridge and Blade foot stands, handle bar and column TV mount.



**Base colour**  
Edge foot, foot frame Bridge and Blade  
BG Black

**Base colour**  
Column TV mount, aluminum handle strip, Stick foot  
BG Black and aluminum

**Note on glass surfaces:**  
Glass is a product made from natural raw materials and is subject to variations in production technology. Depending on the inherent colour of the glass, glass thickness and lighting conditions, there may be colour differences between different glass surfaces.  
Likewise, there may be deviations between glass samples in the specialized trade and the finished furniture. In the case of subsequent deliveries of glass surfaces, production- and batch-dependent colour differences are possible and do not constitute grounds for complaint.

**Note on fabrics:**  
Fabrics are subject to production variations. Therefore, there may be colour differences between different fabric-related components. Likewise, there may be deviations between fabric samples in the specialist trade and the finished furniture. In the case of subsequent deliveries of fabric-related components, production- and batch-dependent colour differences are possible and do not constitute grounds for complaint.



# air



Radically different. Unbelievably beautiful. For the first time, a piece of media furniture takes up the filigree design language of modern TVs and extends it into the room. The centerpiece is the floating Airboard: a puristic one piece steel element that does not show its diverse functions. The soundbar is not hidden, but optically integrated.

Made in Germany.

Air	<p><b>Air is a purist system furniture for individual media lowboards.</b> Characteristic is the Airboard, which can accommodate soundbars of all brands. Due to the free integration, modern Atmos soundbars can radiate in all directions and develop the optimal sound. It can also accommodate the magnetic smartphone charging cradle [Smart Charge].</p> <p>The Airboard can be combined with lowboards on the left and right. All elements are mounted on the wall.</p> <p>Above the Airboard, the TV is mounted with the included universal wall mount. The position can be chosen horizontally as desired, so an asymmetrical arrangement is also possible. The elegant cable cover invisibly guides the cables from the TV under the Airboard.</p> <p>Air, like all furniture from Spectral, is manufactured in Pleidelsheim in southern Germany.</p>
-----	---

Design	<p>Air consists of two base elements. <b>Airboard.</b> Curved steel sheet element with substructure, powder coated. <b>Lowboard.</b> Box elements with flap or drawer. Surface in colour glass or metallic glass.</p>
System & grid	<p><b>Airboard:</b> 160, 200 cm <b>Lowboard:</b> 60, 120 cm</p>

Tailor-made options	<p>Air elements are only available in the grid dimensions.</p>
---------------------	--

Cabinet	<p><b>Airboard:</b> Sturdy sheet steel construction, powder coated. <b>Lowboard:</b> Solid box construction, doweled and glued, for maximum stability. The cabinet surface Sand is black fine-textured, exceptionally robust and easy to clean.</p>
---------	---

Top plates	<p>Glass top plates and side panels are included with each lowboard element.</p>
------------	--

Mechanics & function	<p>Damped hinges, flap dampers, drawer mechanism with push-to-open and soft-close, of the highest quality.</p>
----------------------	--

Installation types	<p>All elements are mounted on the wall.</p>
--------------------	--

Lighting	<p>Indirect LED lighting on the rear edge of the furniture. The LED lighting is dimmable and can be operated by remote control or app. The light colour is warm white [3200 Kelvin].</p>
----------	--

Wireless Charging	<p>All current smartphones with Qi standard can be charged wirelessly with the Charge Bar. The Charge Bar is made of solid wood, in which the charging element is invisibly integrated. Magnets are integrated into the solid wood, this elegantly connects the Charge Bar to the Airboard.</p>
-------------------	---

Cable management	<p>The substructure of the Airboard with Cable Box accommodates all cables and the power strip. After wiring, the Airboard is placed on top and hides all cables. The elegant cable cover invisibly guides the cables from the TV under the Airboard. Air is mounted at a height of about 40 cm, directly above a power outlet. This makes it easy and elegant to mount. The socket is hidden by the Airboard.</p>
------------------	--

Surfaces	<p><b>Airboard.</b> High quality and durable powder coating in three matt colours: champagne, snow and black. The substructure is always black.</p> <p><b>Lowboard in colour glass.</b> Colour glass consists of a 4 mm safety glass plate. The paint finish is applied to the underside. The glass surface is very hard, scratch resistant and easy to clean. There are 5 base colours to choose from as well as over 2,000 custom colours. This can be selected from the NCS or Sikkens 5051 colour chart (most RAL colours are available on request). The glass surface can be selected glossy or satin (matt).</p> <p><b>Lowboard in metallic glass.</b> Metallic glass has the same properties as colour glass and is available in 6 chic metallic colours. The glass surface can be selected glossy or satin (matt).</p> <p><b>Acoustic fabric flaps.</b> Flaps can also be selected with acoustic fabric.</p>
----------	--

# 1. Airboard for all TVs

**Airboards** serve as base elements for TV, all kinds of soundbars, media player and wireless charging station for smartphones. The TV position can be chosen horizontally. The TV mounting on the wall is done by means of flat or retractable TV bracket. Airboards are only available wall mounted. Including sliding TV cable cover, cable box, TV wall mount SPMMAXI and adjustable wall mount.

**Options** and accessories, see sections 3 and 4.



### Options and accessories at a glance

Wall distance	3,0 cm
Shelf	•
Cable Box (1x inklusive)	•
Charge Bar	•
Smart Light	•


Image	Article	Internal dimensions (cm)		
		Width	Height	Depth
	ARL1600	160,0	15,0	48,0 *
	ARL2000	200,0	15,0	48,0 *

\* Incl. 3,0 cm wall distance

# 2. Lowboards with storage

**Lowboard** elements for horizontal extension of an Airboard. Left or right. Available with flap, fabric flap or drawer for storage space or to accommodate equipment. Air lowboards are available wall mounted only. Includes adjustable wall mounting.

**Options** and accessories, see sections 3 and 4.



### Options and accessories at a glance

Wall distance	3,0 cm
Flap	•
Fabric flap	•
Drawer	•
Smart Charge	•
Smart Light	•

Image	Article	Function	Internal dimensions (cm)		
			Width	Height	Depth
	ARE600	SL = Drawer KL = Flap			
	ARE1200	a = KL	55,2	10,7	37,8
		a = SL	51,0	6,6	27,4
	ARE1200	a = KL	56,6	10,7	37,8
		a = SL	52,5	6,6	27,4

\* Incl. 3,0 cm wall distance

### 3. Options and accessories






Image	Article	Function
	Standard	<b>TV mount SPMMAXI (incl.)</b>
	Option	<b>TV mount JM600CSV2</b>
		Standard TV mount for Spectral Air Extendable TV wall mount for Spectral Air
	ARZ03	<b>Shelf</b> for ARL1600/ARL2000 Available in black, champagne or snow Dimensions w x h x d: 50,0 x 6,0/8,0 x 28,0 cm Max. two pieces available
	ARZ06	<b>Cable Box</b> [1x incl.] for ARL1600/ARL2000 To house cabling and powerbar under the Airboard Colour: black Max. two pieces available
	ARZ04	<b>Charge Bar</b> for ARL1600/ARL2000 Wireless charging module is available in two wood finishes: sand oak and black oak Dimensions w x h x d: 24,0 x 3,0 x 16,0 cm Max. dimensions smartphone: 16,0 x 8,0 cm
	Option	<b>Fabric flap</b> for ARE600/ARE1200 Covered with acoustic fabric, available in black, carbon, pebble, grey, graphite or silver

### 3. Options and accessories

Image	Article	Function
	Option	<b>Drawer</b> [SL] instead of flap for ARE600 <b>Drawer</b> [SL] instead of flap for ARE1200
	ZU1933	<b>Smart charge kit</b> for ARE600/ARE1200 The Smart Charge wireless charging technology uses the common Qi standard of the Wireless Power Consortium, to which all major mobile device manufacturers adhere to.
	ZU1864	<b>IR link system</b> For control of audio and video equipment when furniture flap is closed.
	ZU1871	<b>Flat europlug</b> Flat europlug 1,5 m cable, Schuko connections (not available in the UK)
		<b>Spectral spray</b> A gentle foam cleaner for LED, LCD, plasma and computer screens. Also suitable for glass, metal and painted surfaces. With an anti-static microfiber cloth for swift, streak-free cleaning. Contains 300 ml.

## 4. Smart Light

Image	Article	Function
	LED-AR	<b>Indirect LED lighting</b> <div>Price per 1 cm</div> <div>Lighting along rear edge of furniture (at the top).</div> <div>Light colour warm white, approx. 3200 Kelvin</div>
	LED-AN2	<div>Connection kit <b>LED-AN2</b></div> <div>For operation by remote control or smartphone app with dimming function.</div>




**Example pricing: ARL2000**  
The price is based on the furniture dimensions:

$200,0\text{ cm} \times \text{€} / \text{cm}$

**Example pricing: ARL2000 + ARE600**  
The price is based on the furniture dimensions:

$200,0\text{ cm} + 60,0\text{ cm} = 260,0\text{ cm} \times \text{€} / \text{cm}$

	ZU1873	<b>Interior lighting</b> <div>LED light with motion sensor</div>
	ZU1874	<b>USB charger</b> <div>For interior lighting</div>

## 5. Load

### Wall mounted Airboards

	Max. total load (in kg)
ARL1600/ARL2000	30

### Wall mounted lowboards

	Max. total load (in kg)	Max. load top plate (in kg)
ARE600/ARE1200	40	40

### Drawer

	Max. load for each drawer compartment (in kg)
SL	20

### TV mount

	Max. load (in kg)
SPMMAXI	80
JM600CSV2	45,5

# 6. Air colours & surfaces

## Airboards

### Metal surfaces – matt powder coated



## Lowboards


### Colour glass – glossy or satin



### Metallic glass – glossy or satin



## Acoustic fabric flaps



## Charge Bar

### Solid wood – matt varnished



**Note on glass surfaces:**  
Glass is a product made from natural raw materials and is subject to variations in production technology. Depending on the inherent colour of the glass, glass thickness and lighting conditions, there may be colour differences between different glass surfaces.  
Likewise, there may be deviations between glass samples in the specialized trade and the finished furniture. In the case of subsequent deliveries of glass surfaces, production- and batch-dependent colour differences are possible and do not constitute grounds for complaint.

**Note on fabrics:**  
Fabrics are subject to production variations. Therefore, there may be colour differences between different fabric-related components.  
Likewise, there may be deviations between fabric samples in the specialist trade and the finished furniture. In the case of subsequent deliveries of fabric-related components, production- and batch-dependent colour differences are possible and do not constitute grounds for complaint.

**Note on solid wood:**  
Wood is a natural product with differences in colour and texture. Each tree is different due to its individual life history.  
It is therefore a characteristic and an unmistakable sign of authenticity of natural woods that slight differences in colour, structural features in the grain and characteristic growth features are recognizable in the material. Likewise, there may be variations between wood samples in the retail store and the finished furniture. These differences make your furniture unmistakably unique and do not constitute grounds for complaint.



# cocoon



Take one – action.  
In Cocoon cinema fans and aesthetes alike get their money's worth. Behind the large flap of this versatile piece of media furniture almost infinite storage space for hiding the complete home cinema system. Convenient: For cabling, simply remove the magnetically attached top glass overlays.

Made in Germany.

Cocoon	<p>Cocoon is a system furniture for individual lowboards, with flap or drawer and lots of storage space for your technology.</p> <p>The system consists of a few elements that can be lined up. Cocoon is therefore particularly easy to plan.</p> <p>With drawers or flaps, Cocoon is suitable for all living areas. With its high flexibility, sensible options and customization, Cocoon can fulfill many individual wishes and integrate almost all technical components.</p> <p>Like all Spectral furniture, Cocoon is manufactured in Pleidelsheim in southern Germany.</p>
Design	<p>The design is determined by the angled flap construction with recessed handle. This gives Cocoon its unique character.</p>
System & grid	<p>Different variants with drawers or flaps for lining up. <b>Width:</b> 66,8 cm, 131,0 cm <b>Height:</b> 38,5 cm <b>Depth:</b> 53,9 cm</p>
Tailor-made options	<p>Each element is individually shortenable in width. Height and depth are expandable, rather than reduceable. See also section Tailor-made options.</p>
Cabinet	<p>Solid construction with 16 mm wall thickness and 8 mm back wall, doweled and glued, for maximum stability. The cabinet surface Sand is black fine-textured, exceptionally robust and easy to clean.</p>
Shelves	<p>Glass shelves made of safety glass are included. For CO2 and CO3 the glass shelves are 6 mm thick, for CO5 8 mm thick.</p>
Top plates	<p>Glass top plates and side panels are included in the basic price. For combinations, a continuous top plate up to 350 cm wide is available.</p>
Mechanics & function	<p>Pull mechanism with integrated handle strip. Drawer mechanism with soft-close and flap dampers of the highest quality.</p>
Installation types	<p>Wall mounting, black Edge foot or polished stainless steel support are included in the basic price. All feet can be painted in desired colour from the NCS or Sikkens 5051 range.</p>
Room divider	<p>Cocoon can also be placed freely in the room. In this case, the glass surface is also mounted on the back. The rear side is fully clad on each element.</p>

TV integration	<p>TVs can be elegantly integrated with the rotating TV mount. The cable is routed invisibly in the column. There are two TV adapters to choose from: VESA adapter (for TV with VESA standard up to 400 x 400 mm) and Universal TV adapter, with which any TV can be mounted. Alternatively, TVs with feet can be placed on the top plate, the cable routing is then cane be done with a cable opening in the cabinet. With a TV wall mount from Spectral, the TV can also be mounted on the wall, in this case, an on-site cable routing in the wall is recommended.</p>
Sound integration	<p>Cocoon offers two variants for sound integration. In both variants, the flap is covered with acoustic fabric, which allows the sound to escape unhindered.</p> <p><b>Soundbar integration.</b> Soundbar or subwoofer can be placed behind the fabric flap. <b>Spectral sound system integration.</b> Behind the fabric flap there is a receptacle for the Spectral loudspeaker systems and other technical components.</p>
Lighting	<p>Indirect LED lighting on the rear edge of the furniture. The LED strips can be individually planned at the top and the sides. The LED lighting is dimmable and can be operated by remote control or app. The light colour is warm white (3200 Kelvin).</p>
Wireless Charging	<p>All current smartphones with Qi standard can be charged wirelessly with Smart Charge. The charging element is invisibly integrated under the surface. A discreet marking shows the area on which charging is possible.</p>
Cable management	<p>For wiring, simply remove the magnetically attached glass top plates. Lined-up cabinets are connected with a cable aperture, so that cabling between the elements is possible without any problems. In this way, technical elements can also be integrated in different cabinets. Cable outlets in the cabinet base are available as an option.</p>
Surfaces	<p><b>Colour glass.</b> Colour glass consists of a 4 mm safety glass plate. The paint finish is applied to the underside. The glass surface is very hard, scratch resistant and easy to clean. There are 5 base colours to choose from as well as over 2,000 custom colours. These can be selected from the NCS or Sikkens 5051 colour chart (most RAL colours on request). The glass surface can be ordered in glossy or satin (matt).</p> <p><b>Metallic glass.</b> Metallic glass has the same properties as colour glass and is available in 6 chic metallic colours. The glass surface can be selected glossy or satin (matt).</p> <p><b>Acoustic fabric flaps.</b> Flaps can also be selected with acoustic fabric.</p>

# 1.1 Lowboards with storage

**Cocoon Lowboards** are delivered including the side glasses. If several elements are connected, the position of the side glasses must be specified (L for left, R for right, LR for left and right).

**Options** such as TV mount, subwoofer opening or LED lighting see section 4 and 5.  
Optional flap (standard) or drawer (surcharge).  
Elements with drawer or inner drawer or pull-out shelf must be mounted to the wall (mounting kit is supplied).

Options and accessories at a glance		
	with flap	with drawer
TV mount	•	
Cable opening in the top plate	•	•
Smart Charge	•	•
Cable opening in the bottom	•	•
Subwoofer opening	•	
Room divider panel	•	•
Fabric flap	•	
Smart Light	•	•







Image Ext. dimensions (cm) incl. side panels and top plate				Article	Function	Internal dimensions (cm)		
	Width	Height	Depth		SL = Drawer KL = Flap	Width	Height	Depth
	66,8	38,5	53,9	CO2	a = KL	62,6	17,8	51,0
					b = KL	62,6	31,8	45,5
					c = SL	58,4	27,8	37,4
	131,0	38,5	53,9	CO3	a = KL	62,6	17,8	51,0
					b = KL	62,6	31,8	45,5
					c = SL	58,4	27,8	37,4
	131,0	38,5	53,9	CO5	a = KL	126,8	17,8	51,0
					b = KL	126,8	29,1	45,5

# 1.2 Lowboard for soundbar integration

**Cocoon Lowboard** with fabric flap to accommodate soundbar, subwoofer and technology components.

**Options** such as TV mount, subwoofer opening or LED lighting see section 4 and 5.

Options and accessories at a glance	
	with fabric flap
TV mount	•
Cable opening in the top plate	•
Smart Charge	•
Cable opening in the bottom	•
Subwoofer opening	•
Room divider panel	•
Smart Light	•






Image				Article	Internal dimensions			
Ext. dimensions (cm)	incl. side panels and top plate					(cm)		
	Width	Height	Depth			Width	Height	Depth
	131,0	38,5	53,9	CO5	a	126,8	29,1	51,0
					b	126,8	17,8	51,0
					c	–	–	–
					d	120,0	15,9	32,0
				<b>Optional accessories</b>				
				ADX02	Universal soundbar tray			
	131,0	38,5	53,9	CO5 + ADX02	a	126,8	29,1	51,0
					b	126,8	17,8	51,0
					c	126,8	29,1	33,3
					d	120,0	21,0	11,6

# 1.3 Lowboard for Spectral sound system

**Cocoon lowboard** with fabric flap to accommodate the Spectral sound system SCA3 or BRA3 or the Spectral loudspeaker BRP1 and other technical components.  
A mounting frame is required to accommodate the sound system or the loudspeaker.  
An amplifier is required for the passive speaker BRP1. We recommend using a Sonos Amp.  
For prices and technical data on sound systems and speakers, see chapter sound systems.

**Options** such as TV mount, subwoofer opening or LED lighting see section 4 and 5.

## Options and accessories at a glance

	with fabric flap
TV mount	•
Cable opening in the top plate	•
Smart Charge	•
Cable opening in the bottom	•
Room divider panel	•
Smart Light	•





Image Ext. dimensions (cm) incl. side panels and top plate	Article			Internal dimensions (cm)		
	Width	Height	Depth	Width	Height	Depth
	131,0	38,5	53,9	<b>CO5</b>		
				<b>Required accessories</b>		
				<b>COZ20</b> Mounting frame for Spectral sound system		
				<b>CO5 + COZ20</b>		
				<b>a</b>	16,4	14,3    33,0
				<b>b</b>	126,8	8,6      42,0

# 2. Tailor-made options



With Cocoon you have options for customization.  
Tailor-made according to your ideas, custom carpentry for your home. Popular changes are in the table below.

\* For dimension changes and continuous top plates please use the furnplan planning software.  
A separate request and written quotation is not required for this.  
For further options and information, please visit our website at [www.spectral.eu/tailor-made](http://www.spectral.eu/tailor-made) or inquire directly with our customer service by e-mail at [info@spectral.eu](mailto:info@spectral.eu).

Type of change	Remarks
Dimension change * [1 charge for all dimension changes per combination]	Cabinet height up to maximum 42,0 cm
Special glass	For example: cable outlet at rear edge glass top plate
Change interior layout S	Small change, e.g. shorten center bar
Change interior layout L	Major change, such as customization or division
Alter position of the TV-mount	
Modification TV-column	Change height, add drill holes etc.
Add steel reinforcement	From clear width 67,0 cm
Cable outlet / cutout in the wooden cabinet D = 6,0 cm, position according to sketch	Price per additional cutout or omission of a cutout
Cable outlet / cutout in the wooden cabinet individual according to sketch	Price per cutout
Reposition wall mount bracket	

### 3. Installation types

Standard installation types are included in the basic price of the furniture element. Stainless steel leg supports are available in the standard surfaces polished stainless steel or black matt, the base colour of the Edge feet is black matt. Stainless steel supports and Edge feet can also be painted in the colour of your choice from the NCS or Sikkens 5051 colour chart.











Image	Type	Dimensions (cm)
Height		
	Stainless steel supports	6,5 – 7,0
	Edge	13,0 – 13,5







Image	Type	Dimensions (cm)
Height		
	Wall mounted	optional

# 4. Options and accessories

Image	Article	Function
	<b>Option</b>	<b>TV mount TX</b> aluminium or black <b>TV mount TX</b> in colour of your choice Available with adapter for VESA 200 x 200 to 400 x 400 or universal adapter for any TV up to VESA 600 x 400. TV mount not possible with elements with drawer. For CO2 not possible with Smart Charge [WLC].
	<b>SPMEX1</b>	<b>Extension kit VESA 600 x 600</b> for universal adapter
	<b>ZU2093</b>	<b>Universal media mount</b> For any media components, mounting on the rear of the TV mount
	<b>Option</b>	<b>Cable opening</b> in the top plate [CA] Diameter 6,0 cm, position: central position
	<b>Option</b>	<b>Cable opening</b> in the bottom [KB] Position: centre for CO2, right for CO3 and CO5
	<b>ZU2139</b> <b>ZU2140</b>	<b>Cover for cable opening</b> , white <b>Cover for cable opening</b> , black Cable feed through possible
	<b>Option</b>	<b>Subwoofer opening</b> Including black fabric cover. Position: centre for CO2, for CO3 and CO5 option of left or right
	<b>ZU2231</b>	<b>Subwoofer elastic buffer (4 pcs.)</b> For optimal positioning in the furniture
	<b>Option</b>	<b>Fabric flap</b> for CO2 and CO3 Covered with acoustic fabric, available in black, carbon, pebble, grey, graphite or silver







# 4. Options and accessories

\* Elements with drawer or inner drawer or pull-out shelf must be mounted to the wall (mounting kit is supplied).





Image	Article	Function
	<b>Option *</b>	<b>Drawer</b> [SL] instead of flap for CO2 <b>Drawer</b> [SL] instead of flap for CO3
	<b>Option</b>	<b>Handle gap</b> mirrored or glass colour Surface under the handle gap available in mirrored or in the glass colour of the furniture
	<b>COZ1 *</b>	<b>Inner drawer with mirror front</b> for below For CO2 [max. 1 drawer] and CO3 [max. 2 drawers]
	<b>COZ4 *</b>	<b>Inner drawer with mirror front</b> for above For CO2-SL [max. 1 drawer] and CO3-SL [max. 2 drawers]
	<b>SLE01 *</b>	<b>Insert for interior arrangement for drawer</b> For drawers [SL] and drawer unit COZ1, 1 insert per drawer compartment possible
	<b>TA01 *</b>	<b>Pull-out shelf</b> Dimension of footprint [w x d]: 44,0 cm x 41,2 cm Height: 6,4 cm, extendable by 32,0 cm Required compartment depth: min. 43,3 cm Required compartment width: min. 50,1 cm
	<b>Option</b>	<b>Room divider panel</b> for CO2 <b>Room divider panel</b> for CO3 and CO5 Elements with room divider panel require a cable opening in the base [KB]. For elements with room divider panel and drawer, inner drawer or pull-out shelf, a combination with at least one CO3 [KL] or CO5 is required.

## 4. Options and accessories

\* Smart Charge [WLC] not possible for CO2 with TV holder or cable opening in the top plate.  
Centered for CO2, positioned on the right for CO3 and CO5.

Image	Article	Function
	Option	<b>Continuous top plate</b> For combinations, a continuous top plate can be selected. Maximum width is 350,0 cm.
	COZ11 COZ12	<b>Felt curtain</b> for CO2 <b>Felt curtain</b> for CO3 and CO5 [set of two]
	ZU1933 *	<b>Smart charge kit</b> The Smart Charge wireless charging technology uses the common Qi standard of the Wireless Power Consortium, to which all major mobile device manufacturers adhere to.
	ZU1864	<b>IR link system</b> For control of audio and video equipment when furniture flap is closed.
	ZU1871	<b>Flat europlug</b> Flat europlug 1,5 m cable, Schuko connections [not available in the UK]
		<b>Spectral spray</b> A gentle foam cleaner for LED, LCD, plasma and computer screens. Also suitable for glass, metal and painted surfaces. With an anti-static microfiber cloth for swift, streak-free cleaning. Contains 300 ml.

## 5. Smart Light

Image	Article	Function
	LED-CO	<b>Indirect LED lighting</b> <span>Price per 1 cm</span> Lighting along rear edge of furniture. Depending on the model, the position of the LED strips can be individually planned at the top and the sides. Light colour warm white, approx. 3200 Kelvin
	LED-AN2	Connection kit <b>LED-AN2</b> For operation by remote control or smartphone app with dimming function. For LED strips that are 5 m or longer a second connection set is required.
		<b>Example pricing: CO5</b> The price is based on the furniture dimensions:  $38,5\text{ cm} + 131,0\text{ cm} + 38,5\text{ cm} = \mathbf{208,0\text{ cm x € / cm}}$
		<b>Example pricing: CO5 + CO2</b> The price is based on the furniture dimensions:  $38,5\text{ cm} + 131,0\text{ cm} + 66,8\text{ cm} + 38,5\text{ cm} = \mathbf{274,8\text{ cm x € / cm}}$
	ZU1873	<b>Interior lighting</b> LED light with motion sensor
	ZU1874	<b>USB charger</b> For interior lighting

## 6. Load

### Floor standing lowboards

Max. total load (in kg) *	Max. load on top plate (in kg)
50	50

### Wall mounted lowboards

Max. total load (in kg) *	Max. load on top plate (in kg)
40	40

### Drawer

	Max. load for each drawer compartment (in kg)	Max. load for each drawer compartment for RT (in kg)
SL	20	5
RT = Room divider		

### Pull-out shelf

	Max. load on pull-out shelf (in kg)	Max. load on pull-out shelf for RT (in kg)
TA01	20	5
RT = Room divider		

### Glass shelves

	Max. load for each glass shelf (in kg)
Glass shelf	15


### TV mount

	Max. load (in kg)
TX	50

\* Does not include load of TV mount

## 7. Cocoon colours & surfaces


### Colour glass – glossy or satin



### Metallic glass – glossy or satin



### Acoustic fabric flaps



### Metal surfaces

Edge feet, stainless steel supports and column TV mount



Base colour  
Edge foot  
BG Black

Base colour  
Column TV mount  
BG Black and aluminium

Base colour  
Stainless steel supports  
Stainless steel polished and BG Black

**Note on glass surfaces:**  
Glass is a product made from natural raw materials and is subject to variations in production technology. Depending on the inherent colour of the glass, glass thickness and lighting conditions, there may be colour differences between different glass surfaces.  
Likewise, there may be deviations between glass samples in the specialized trade and the finished furniture. In the case of subsequent deliveries of glass surfaces, production- and batch-dependent colour differences are possible and do not constitute grounds for complaint.

**Note on fabrics:**  
Fabrics are subject to production variations. Therefore, there may be colour differences between different fabric-related components. Likewise, there may be deviations between fabric samples in the specialist trade and the finished furniture. In the case of subsequent deliveries of fabric-related components, production- and batch-dependent colour differences are possible and do not constitute grounds for complaint.



# brick



Not just furniture, a statement. When you do not want much, but only the best? Then Brick is your thing. The world's first TV furniture with sound in the plinth is the most pared-down solution imaginable for the best home theater entertainment. Without visible loudspeakers and cables lying around. Your audio and video equipment disappears elegantly in the abundant storage space behind matt satin or brilliantly shiny glass fronts. Simplify your living room with Brick.

Made in Germany.

Brick	<p><b>Brick is a solitary media lowboard.</b></p> <p>The system consists of several models in three widths. Characteristic is the design with indented plinth. The plinth can also accommodate a sound system. With glass flaps, fabric flaps and drawers, Brick is suitable for all living areas.</p> <p>With its scratch resistant glass surface in over 2,000 colours and many options, Brick can meet many individual needs.</p> <p>Like all Spectral furniture, Brick is manufactured in Pleidelsheim, southern Germany.</p>
System & grid	<p>Different variants with flaps or drawers in ready combinations. <b>Width grid:</b> 121cm, 151cm, 200cm <b>Height grid:</b> 30,4cm, 38,3cm, 43,3cm <b>Depth grid:</b> 52,5cm</p>
Tailor-made options	<p>Brick is available exclusively in the grid dimensions.</p>
Cabinet	<p>Solid MDF cabinet miter glued for maximum stability. The cabinet surface Sand is black fine-textured, exceptionally robust and easy to clean. The scratch resistant glass surface is available in over 2,000 colours, glossy or satin.</p>
Shelves	<p>Glass shelves are included in BR1201, BR1501, BR2000 and BR2001 models.</p>
Top plates	<p>Glass top plates and side panels are included with each lowboard element.</p>
Mechanics & function	<p>Pull mechanism with integrated handle. Drawer mechanism with soft-close and flap dampers of the highest quality.</p>
Installation types	<p>Plinth, sound plinth, wall mounting or Edge foot. Base colour is black. Edge feet can be painted in desired colour.</p>
Room divider	<p>Brick can also be placed freely in the room. In this case, the same glass surface is also mounted on the back.</p>
TV integration	<p>TVs can be elegantly integrated with the rotating TV mount. The cable is routed invisibly in the column. There are two TV adapters to choose from: VESA adapter [for TV with VESA standard up to 400 x 400 mm] and Universal TV adapter, with which any TV can be mounted. Alternatively, TVs with feet can be placed on the top plate, the cable routing can be done with a cable opening in the cabinet. With a TV wall mount from Spectral, the TV can also be mounted on the wall, in this case, an on-site cable routing in the wall is recommended.</p>

## Sound integration

Brick offers two variants for sound integration.

**Acoustic fabric flap.** Each flap can be selected as a fabric flap. The flap is covered with acoustic fabric, which allows the sound to escape unhindered. The center bar is set back by 12,4cm so that soundbars can be placed behind the fabric flap [the glass shelves are then omitted in the BR1201, BR1501 and BR2001 models]. A universal soundbar shelf is also available as an accessory. With this, the soundbar can be optimally adjusted for height. For the integration of subwoofers, a subwoofer opening in the base can be selected for models with wall mounting or Edge feet.

**Sound plinth.** The plinth can also be selected for sound integration. There are two variants here: For Spectral sound systems or as a universal sound plinth for most soundbar systems.

## Lighting

Indirect LED lighting on the rear edge of the furniture. The LED strips can be individually planned at the top and the sides. The LED lighting is dimmable and can be operated by remote control or app. The light colour is warm white [3200 Kelvin].

## Wireless Charging

All current smartphones with Qi standard can be charged wirelessly with Smart Charge. The charging element is invisibly integrated under the surface. A discreet marking shows the area on which charging is possible.

## Cable management

A cable opening can be selected in the top plate, the opening can be closed with a cover. In the back wall of the cabinet there are openings to route the cables. With the TV swivel mount, the cables are led invisibly through the column into the cabinet.

## Surfaces

**Colour glass.** Colour glass consists of a 4 mm safety glass plate. The paint finish is applied to the underside. The glass surface is very hard, scratch resistant and easy to clean. There are 5 base colours to choose from as well as over 2,000 custom colours. This can be selected from the NCS or Sikkens 5051 colour chart [most RAL colours are available on request]. The glass surface can be selected in gloss or satin [matt].


**Metallic glass.** Metallic glass has the same properties as colour glass and is available in 6 chic metallic colours. The glass surface can be selected gloss or satin [matt].

**Acoustic fabric flaps.** Flaps can also be selected with acoustic fabric.

# 1. Lowboards




**Brick** is individually configurable. There are three different widths to choose from, different heights as well as different combinations of drawer and flap. All lowboards have a cable opening in the bottom plate as a standard feature and are delivered including the side panels in glass.

**Options** such as TV mount, subwoofer opening or LED illumination see section 6 and 7. Elements with drawer or pull-out shelf must be fixed to the wall (mounting kit is supplied).






Options and accessories at a glance		
	with flap	with drawer
TV mount	•	•
Cable opening in the top plate	•	•
Smart Charge	•	•
Subwoofer opening (not for plinth)	•	
Room divider panel	•	
Fabric flap	•	
Smart Light	•	•



## 1.1 Lowboards with a width of 120,0 cm

Image	Article	Ext. dimensions (cm) incl. side panels				Function	Int. dimensions (cm)		
		Width	Height	Depth		SL = Drawer KL = Flap	Width	Height	Depth
	BR1201	A	121,1	30,4	52,5	a = KL	57,6	26,7	47,5
		a = SL	53,4	22,7	27,4				
	BR1202	A	121,1	38,3	52,5	a = KL	57,6	14,7	47,5
		B	121,1	18,0	52,5	a = SL	53,4	10,7	27,4
		C	121,1	18,0	52,5	b = KL	57,6	14,7	47,5
		b = SL	53,4	10,7	27,4				
	BR1203	A	121,1	43,3	52,5	a = KL	57,6	14,7	47,5
		B	121,1	18,0	52,5	a = SL	53,4	10,7	27,4
		C	121,1	23,0	52,5	b = KL	57,6	19,7	47,5
		b = SL	53,4	15,7	27,4				

## 1.2 Lowboards with a width of 150,0 cm

Image	Article	Ext. dimensions (cm) incl. side panels				Function  SL = Drawer KL = Flap	Int. dimensions (cm)		
		Width	Height	Depth	Width		Height	Depth	
	BR1501	A	150,9	30,4	52,5	a = KL	47,8	26,7	47,5
						a = SL	43,6	22,7	27,4
	BR1502	A	150,9	38,3	52,5	a = KL	47,8	14,7	47,5
		B	150,9	18,0	52,5	a = SL	43,6	10,7	27,4
		C	150,9	18,0	52,5	b = KL	47,8	14,7	47,5
						b = SL	43,6	10,7	27,4
	BR1503	A	150,9	43,3	52,5	a = KL	47,8	14,7	47,5
		B	150,9	18,0	52,5	a = SL	43,6	10,7	27,4
		C	150,9	23,0	52,5	b = KL	47,8	19,7	47,5
						b = SL	43,6	15,7	27,4

## 1.3 Lowboards with a width of 200,0 cm

Image	Article	Ext. dimensions (cm) incl. side panels			Function  SL = Drawer KL = Flap	Int. dimensions (cm)			
		Width	Height	Depth		Width	Height	Depth	
	BR2000	A	200,3	30,4	52,5	a = KL	47,8	26,7	47,5
a = SL						43,6	22,7	27,4	
b						47,8	13,4	47,5	
c = SL						43,6	7,7	27,4	
	BR2001	A	200,3	30,4	52,5	a = KL	47,8	26,7	47,5
a = SL						43,6	22,7	27,4	

## 2. Tailor-made options



With Brick you have options for customization. Tailor-made according to your ideas, custom carpentry for your home. Popular changes are in the table below.

Type of change	Remarks
Exchange the available element heights	
Dimension change sound plinth	
Special glass	For example: cable outlet at rear edge glass top plate
Change interior layout S	Small change, e.g. shorten center bar
Change interior layout L	Major change, such as customization or division
Modification TV-column	Change height, add drill holes etc.
Cable outlet / cutout in the wooden cabinet D = 6,0cm, position according to sketch	Price per additional cutout or omission of a cutout
Cable outlet / cutout in the wooden cabinet individual according to sketch	Price per cutout
Reposition wall mount bracket	
No dimension changes possible	

## 3. Installation types

All types of installation are included in the basic price of the furniture element. The standard colour of Edge feet is black matt, they can be optionally painted in desired colour from NCS or Sikkens 5051 colour chart. Fabric cover of sound plinth is black. Sound plinths for Spectral sound systems are only available in combination with a Spectral sound system or a Spectral loudspeaker. An amplifier is required for the BRP1 passive speaker. We recommend using a Sonos Amp. For prices and technical data on sound systems and speakers, see sound systems chapter.




Image	Function	Width Height Depth		
	<b>Universal plinth</b> Height 12,0cm, without sound integration			
	Plinth for models w=120,0cm	80,0	12,0	40,5
	Plinth for models w=150,0cm	110,0	12,0	40,5
	Plinth for models w=200,0cm	160,0	12,0	40,5
	<b>Universal sound plinth</b> With black fabric cover and height-adjustable universal soundbar shelf to accommodate soundbar systems from different manufacturers			
	Plinth for models w=120,0 and 150,0cm	109,9	20,3	41,8
	Max. soundbar	104,7	15,0	12,0
	Plinth for models w=200,0cm	159,9	20,3	41,8
	<b>Sound plinth for Spectral sound systems</b> With black fabric cover [Only available with Spectral sound system SCA3 or BRA3 or Spectral speaker BRP1]			
	Plinth for models w=120,0cm	94,1	17,3	41,8
	Plinth for models w=150,0cm	109,9	17,3	41,8
	Plinth for models w=200,0cm	159,9	17,3	41,8











Image	Type	Dimensions (cm)	
		Height	
	Edge	13,0 – 13,5	






Image	Type	Dimensions (cm)	
		Height	
	Wall mounted	optional	

## 4. Options and accessories





Image	Article	Function
 <div>VESA 200x200 – 400x400    VESA 100x100 – 400x600</div>	<b>Option</b>	<b>TV mount TX</b> Aluminium or black <b>TV mount TX</b> in colour of your choice Available with adapter for VESA 200 x 200 to 400 x 400 or universal adapter for any TV up to VESA 600 x 4000
	<b>SPMEX1</b>	<b>Extension kit VESA 600 x 600</b> for universal adapter
	<b>ZU2093</b>	<b>Universal media mount</b> For any media components, mounting on the rear of the TV mount
	<b>Option</b>	<b>Cable opening</b> in the top plate [CA] Diameter 6,0 cm
	<b>ZU2139</b> <b>ZU2140</b>	<b>Cover for cable opening</b> , white <b>Cover for cable opening</b> , black Cable feed through possible
	<b>Option</b>	<b>Subwoofer opening</b> Including black fabric cover, position optionally in the middle, left or right compartment (not selectable with plinth)
	<b>ZU2231</b>	<b>Subwoofer elastic buffer (4 pcs.)</b> For optimal positioning in the furniture
	<b>Option</b>	<b>Fabric flap</b> Covered with acoustic fabric, available in black, carbon, pebble, grey, graphite or silver Prepared for mounting the universal soundbar shelf ADX02 [12,4 cm recessed center bar / without glass shelves]

## 4. Options and accessories




\* Elements with drawer or pull-out shelf must be fixed to the wall (fixing material is supplied).

Image	Article	Function
	<b>ADX02</b>	<b>Universal soundbar tray</b> Height adjustable universal soundbar tray to accommodate soundbar systems from different manufacturers in one element with fabric flap.
	<b>Option *</b>	<b>Drawer (SL)</b> instead of flap For elements w=120,0 cm and w=200,0 cm <b>Drawer (SL)</b> instead of flap For elements w=150,0 cm
	<b>SLE01 *</b>	<b>Insert for interior arrangement for drawer</b>
	<b>TA01 *</b>	<b>Pull-out shelf</b> Dimension of footprint (w x d): 44,0 cm x 41,2 cm, height: 6,4 cm Extendable by 32,0 cm Required compartment depth: min. 43,3 cm Required compartment width: - compartment without flap damper: 45,1 cm - compartment with one flap damper: 47,6 cm - compartment with two flap dampers: 50,1 cm Attention: when installing in the middle compartment (e.g. BR1501), cable management is only possible to a limited extent. We recommend installation in one of the outer compartments.
	<b>Option</b>	<b>Room divider panel</b> for BR1201 <b>Room divider panel</b> for BR1202 and BR1203 <b>Room divider panel</b> for BR1501 <b>Room divider panel</b> for BR1502 and BR1503 <b>Room divider panel</b> for BR2000 and BR 2001 Rear panel for floor standing lowboards with flap. Not possible for elements with drawer or pull-out shelf.

## 4. Options and accessories

Image	Article	Function
	<b>ZU1933</b>	<b>Smart charge kit</b> The Smart Charge wireless charging technology uses the common Qi standard of the Wireless Power Consortium, to which all major mobile device manufacturers adhere to. Can be positioned optionally on the left and/or right.
	<b>ZU1864</b>	<b>IR link system</b> For control of audio and video equipment when furniture flap is closed.
	<b>ZU1871</b>	<b>Flat europlug</b> Flat europlug 1,5 m cable, Schuko connections [not available in the UK]
		<b>Spectral spray</b> A gentle foam cleaner for LED, LCD, plasma and computer screens. Also suitable for glass, metal and painted surfaces. With an anti-static microfiber cloth for swift, streak-free cleaning. Contains 300 ml.

## 5. Smart Light

Image	Article	Function
	<b>LED-BR</b>	<b>Indirect LED lighting</b> <span>Price per 1cm</span> Lighting along rear edge of furniture. Depending on the model, the position of the LED strips can be individually planned at the top and the sides. Light colour warm white, approx. 3200 Kelvin
	<b>LED-AN2</b>	Connection kit <b>LED-AN2</b> For operation by remote control or smartphone app with dimming function. For LED strips that are 5 m or longer a second connection set is required.
<div><div><div>Spacer T=2,0 cm</div></div><div><b>Example pricing: BR1502</b> The price is based on the furniture dimensions:  <math>38,3\text{ cm} + 150,9\text{ cm} + 38,3\text{ cm} = 227,5\text{ cm x € / cm}</math></div></div>		
	<b>ZU1873</b>	<b>Interior lighting</b> LED light with motion sensor
	<b>ZU1874</b>	<b>USB charger</b> For interior lighting

## 6. Load

### Floor standing lowboards

Max. total load (in kg) *	Max. load on top plate (in kg)
60	60

### Wall mounted lowboards

Max. total load (in kg) *	Max. load on top plate (in kg)
50	50

### Drawer

	Max. load for each drawer compartment (in kg)
SL	20

### Pull-out shelf

	Max. load for each pull-out shelf (in kg)
TA01	20

### Glass shelves

	Max. load for each glass shelf (in kg)
Glass shelf	15







### TV mount

	Max. load (in kg)
TX	50

\* Does not include load of TV mount

## 7. Brick colours & surfaces

### Colour glass – glossy or satin







					
SNG Snow	GR Grey	PE Pebble	GN Granite	BG Black	NCS®/Sikkens 5051

### Metallic glass – glossy or satin

					
SV Silver	IR Iron	SGR Slate Grey	CHA Champagne	BZ Bronze	RO Roast




### Acoustic fabric flaps

Fabric covers of Brick sound plinths are only available in black.

					
SF Silver	GRF Grey	GF Graphite	PF Pebble	CF Carbon	BF Black

### Metal surfaces

Edge feet and column TV mount

		
Aluminium	BG Black	NCS®/Sikkens 5051

Base colour  
Edge feet  
BG Black

Base colour  
Column TV mount  
BG Black und aluminium

**Note on glass surfaces:**  
Glass is a product made from natural raw materials and is subject to variations in production technology. Depending on the inherent colour of the glass, glass thickness and lighting conditions, there may be colour differences between different glass surfaces.  
Likewise, there may be deviations between glass samples in the specialized trade and the finished furniture. In the case of subsequent deliveries of glass surfaces, production- and batch-dependent colour differences are possible and do not constitute grounds for complaint.

**Note on fabrics:**  
Fabrics are subject to production variations. Therefore, there may be colour differences between different fabric-related components. Likewise, there may be deviations between fabric samples in the specialist trade and the finished furniture. In the case of subsequent deliveries of fabric-related components, production- and batch-dependent colour differences are possible and do not constitute grounds for complaint.



# wall



Wall mounted cabinets are the perfect complement to the Cocoon, Scala, Brick and Next model series.

In over 2,000 attractive glass colours and in numerous finishes.

The open wall mounted units from the Next series can be freely combined with Wall.

Made in Germany.

# 1. Wall mounted units

Wall iis the perfect addition to the Cocoon, Scala, Brick and Next model series.

The scratch resistant glass surface is available in over 2,000 colours.  
All wall cabinets are delivered including the side glass panels.  
If several elements are connected, the position of each side glass panel must be specified (L for left, R for right, LR for left and right). Please make a sketch.


Open wall mounted units from the Next series can be freely combined with Wall units.  
See chapter Next.

Doors, flaps and drawers open by push-to-open mechanism. Drawers also have a soft-close mechanism.




Flap elements can be ordered with flap opening upwards or downwards.

Additional glass shelves are available.




## 1.1 Wall mounted units with door

Image	Article	Ext. dimensions (cm) incl. side panel			Int. dimensions (cm)		
		Width	Height	Depth	Width	Height	Depth
	WL0300	30,0	100,0	38,0	25,8	96,4	33,0



# 1.2 Wall mounted units with flap

Image	Article	Ext. dimensions (cm) incl. side panel			Int. dimensions (cm)		
		Width	Height	Depth	Width	Height	Depth
	WL1100	111,0	30,0	38,0	2x 52,6	26,4	33,0
	WL1300	131,0	30,0	38,0	2x 62,6	26,4	33,0
	WL1650	165,2	30,0	38,0	3x 52,6	26,4	33,0

## 1.3 Wall mounted units with drawer

Image	Article	Ext. dimensions (cm) incl. side panel			Int. dimensions (cm)		
		Width	Height	Depth	Width	Height	Depth
	WL1102	111,0	30,0	38,0	a 102,6 b 102,6	6,9 8,7	27,4 27,4
	WL1302	131,0	30,0	38,0	a 122,6 b 122,6	6,9 8,7	27,4 27,4
	WL1652	165,2	30,0	38,0	a 75,5 b 75,5	6,9 8,7	27,4 27,4

## 2. Options and accessories

Image	Article	Function
	WLFB0300	<b>Additional glass shelf</b> for WL0300, height adjustable
	WLFB1100	<b>Additional glass shelf</b> for WL1100, height adjustable
	WLFB1300	<b>Additional glass shelf</b> for WL1300, height adjustable
	WLFB1650	<b>Additional glass shelf</b> for WL1650, height adjustable
	ZU1873	<b>Interior lighting</b> LED light with motion sensor
	ZU1874	<b>USB charger</b> For interior lighting

## 3. Load

### Wall mounted units

Max. total load (in kg)	Max. load on top plate (in kg)
50	45

### Drawer







Max. load for each drawer compartment (in kg)
20

### Glass shelves

Max. load for each glass shelf (in kg)
15

## 4. Wall colours & surfaces

### Colour glass – glossy or satin

					
SNG Snow	GR Grey	PE Pebble	GN Granite	BG Black	NCS®/Sikkens 5051

### Metallic glass – glossy or satin

					
SV Silver	IR Iron	SGR Slate Grey	CHA Champagne	BZ Bronze	RO Roast

**Note on glass surfaces:**  
Glass is a product made from natural raw materials and is subject to variations in production technology. Depending on the inherent colour of the glass, glass thickness and lighting conditions, there may be colour differences between different glass surfaces.  
Likewise, there may be deviations between glass samples in the specialized trade and the finished furniture. In the case of subsequent deliveries of glass surfaces, production- and batch-dependent colour differences are possible and do not constitute grounds for complaint.



Circle



Art

# tv stands



Picture perfect – the TV stands from Spectral. Always elegant in design, they provide the perfect staging of an elegant TV appearance.

Thanks to the soundbar adapter, the soundbar can be easily mounted underneath the TV.


Nothing disturbs, because plug and connection cables are concealed and routed inside the stand.

A really great show.




Made in Germany.

# 1.1 Art AX models

Elegant easel look with tripod made of solid wood.  
The solid wood is available in natural oak, black oak, grey oak, walnut or lacquered in desired colour. A high quality matt lacquer finish protects the wood surface.  
Hidden cable management in the rear foot with magnetic cover.  
Includes TV mount with universal adapter for VESA 100x100 to 600x400.  
Recommended TV size (inches): 48" to 65"  
With ADAX4046 adapter: 40" to 46"



Image				Article	Dimensions board (cm)		
External dimensions (cm)							
Dimensions for assembled product without devices							
	Width	Height	Depth		Width	Height	Depth
	87,2	115,5	67,5	AX30-RON	65,0	59,0	1,9
	87,2	115,5	67,5	AX30-ROG	65,0	59,0	1,9
	87,2	115,5	67,5	AX30-ROB	65,0	59,0	1,9
	87,2	115,5	67,5	AX30-RSW	65,0	59,0	1,9
	87,2	115,5	67,5	AX30-NCS	65,0	59,0	1,9

# 1.2 Art AX options and accessories

Image	Article	Function
	ADSB5	Soundbar tray for Sonos Arc
	ADSB6	Soundbar adapter for B&O Beosound Stage soundbar
	ADSB7	Soundbar tray universal Suitable for Sonos Ray, Sonos Beam, Bose Solo 5, Bose Soundbar 500 and 700 as well as other soundbar models

Options and accessories at a glance	
	AX30
Soundbar adapter	•
Universal media mount	•

# 1.2 Art AX options and accessories

Image	Article	Function
	ADAX4046	AX adapter plate for TV size 40" to 46" Dimensions board (w x h): 65,0 cm x 50,0 cm
	ZU2093	Universal media mount For any media components, mounting on the rear of the TV mount


# 1.3 Art AX load

	Max. total load * (in kg)	Max. load of soundbar adapter (in kg)	Max. load of universal media mount (in kg)
AX30	40	10	5

\* Does include the load of soundbar adapter and universal media mount.

# 1.4 Art AX colours & surfaces

## Wood surfaces





**Note on solid wood:**  
Wood is a natural product with differences in colour and structure. Each tree is different due to its individual life history. It is therefore a characteristic and an unmistakable sign of authenticity of natural woods that slight differences in colour, structural features in the grain and characteristic growth features are recognizable in the material. Likewise, there may be variations between wood samples in the retail store and the finished furniture. These differences make your furniture unmistakably unique and do not constitute grounds for complaint.

## 2.1 Circle VX models







Available in matt satin or brilliant glossy glass. The base plate consists of a steel plate with a glass overlay.  
The column is available in ground aluminum or black anodized aluminum.  
The TV mount is 90° (+/- 45°) rotatable and height adjustable.  
All models available with universal adapter for VESA 100x100 to 600x400 or adapter for VESA 200x200 to 400x400.  
Recommended TV size (inch): up to 65".

### Options and accessories at a glance

	VX1000	VX1011
Glass shelf		•
VESA adapter 200x200 to 400x400	•	•
Universal VESA adapter 100x100 to 600x400	•	•
Soundbar adapter	•	•
Universal media mount	•	•

Image				Article	Dim. of footprint (cm)			
External dimensions (cm)								
Height: Floor to middle of TV mount	Width	Height	Depth			Width	Height	Depth
	Ø 53,0	84,0 – 93,5	–	VX1000		–	–	–
	Ø 53,0	84,0 – 93,5	–	VX1011	a	44,0	–	27,0

## 2.2 Circle VX options and accessories

Image	Article	Function
 	Option	<b>TV mount</b> aluminium or black Available with adapter for VESA 200 x 200 to 400 x 400 or universal adapter for any TV up to 600 x 400 mount
	VXSB3	<b>Soundbar adapter for B&amp;O Beosound Stage soundbar</b> 90° rotatable (+/-45°), infinitely height adjustable
	VXSB4	<b>Soundbar adapter for Sonos Arc</b> 90° rotatable (+/-45°), infinitely height adjustable
	VXSB5	<b>Soundbar adapter universal</b> 90 ° rotatable (+/-45 °), infinitely height adjustable. Suitable for Sonos Ray, Sonos Beam, Bose Solo 5, Bose Soundbar 500 and 700 as well as other soundbar models.
	ZU2093	<b>Universal media mount</b> For any media components, mounting on the rear of the TV mount

## 2.3 Circle VX load

### Circle VX

	Max. total load (in kg) *	Max. load of base (in kg)
VX1000	60	30
VX1011	60	30

### Glass shelf

	Max. load glass shelf (in kg)
VX1000	–
VX1011	10

### TV mount

	Max. load TV mount (in kg) *
VX1000	40
VX1011	40


### Accessories

	Max. load of soundbar adapter (in kg)	Max. load of universal media mount (in kg)
VX1000	8	5
VX1011	8	5

\* Does include the load of soundbar adapter and universal media mount.

## 2.4 Circle VX colours & surfaces


### Colour glass – glossy or satin




### Metallic glass – glossy or satin



### Design glass – glossy or satin



### Colour TV column




**Note on glass surfaces:**  
Glass is a product made from natural raw materials and is subject to variations in production technology. Depending on the inherent colour of the glass, glass thickness and lighting conditions, there may be colour differences between different glass surfaces.  
Likewise, there may be deviations between glass samples in the specialized trade and the finished furniture. In the case of subsequent deliveries of glass surfaces, production- and batch-dependent colour differences are possible and do not constitute grounds for complaint.

# 3.1 Tube UX models



Independent design with powder coated steel frame.  
Powder coating is available in black, snow and champagne colours.  
Hidden cable management in the rear stand tube with removable silicone profile for convenient access. The cable opening in the rear board has a diameter of 58 mm.  
Includes TV mount with universal adapter for VESA 100x100 to 600x400.  
Recommended TV size (inches): 48" to 65"

## Options and accessories at a glance



	UX30
Soundbar adapter	•
Universal media mount	•

Image	Article			Dimensions board (cm)		
	External dimensions (cm)			Dimensions for assembled product without devices		
	Width	Height	Depth		Width	Height
	81,3	108,3	51,4	UX30	65,0	59,0
					1,9	

# 3.2 Tube UX options and accessories

Image	Article	Function
	ADSB5	Soundbar adapter for Sonos Arc
	ADSB6	Soundbar adapter for B&O Beosound Stage soundbar

# 3.2 Tube UX options and accessories

Image	Article	Function
	ADSB7	<b>Soundbar adapter universal</b> Suitable for Sonos Ray, Sonos Beam, Bose Solo 5, Bose Soundbar 500 and 700 as well as other soundbar models
	ZU2093	<b>Universal media mount</b> For any media components, mounting on the rear of the TV mount

# 3.3 Tube UX load

	Max. total load (in kg) *	Max. load soundbar adapter (in kg)	Max. load universal media mount (in kg)
UX30	40	10	5

\* Does include the load of soundbar adapter and universal media mount.

# 3.4 Tube UX colours & surfaces

## Steel frame





		
SNG Snow	CHA Champagne	BG Black

# 4.1 Tray PX models





Available in a choice of matt satin or brilliant glossy glass finishes. The base plate consists of a wooden pedestal with castors and a lacquered glass overlay. All models include universal adapter for VESA 100×100 to 600×400. SX models with mounting holes for a soundbar adapter. Recommended TV size (inch): up to 65".

## Options and accessories at a glance

	PX-models	PX-SX-models
Glass shelf	•	•
Electrification	•	•
Soundbar adapter		•
Universal media mount	•	•

Image		Article			Dim. of footprint (cm)		
External dimensions (cm)							
Height: Floor to middle of TV mount		Width	Height	Depth			
		61,0	103,0	50,0	PX600	a	61,0 – 41,9
		61,0	103,0	50,0	PX600SX	a	61,0 – 41,9
		61,0	103,0	50,0	PX601	a b	61,0 23,0 41,9 50,0 – 39,0
		61,0	103,0	50,0	PX601SX	a b	61,0 23,0 41,9 50,0 – 39,0
		100,0	103,0	50,0	PX700	a	100,0 – 41,9
		100,0	103,0	50,0	PX700SX	a	100,0 – 41,9
		100,0	103,0	50,0	PX701	a b	100,0 23,0 41,9 90,0 – 39,0
		100,0	103,0	50,0	PX701SX	a b	100,0 23,0 41,9 90,0 – 39,0

# 4.2 Tray PX options and accessories

Image	Article	Function
	Option	<b>Electrification</b> Recess in the tubes for hidden integration of a power strip, incl. 3-way power strip (not included in CH and UK)
	ADSB3	<b>Soundbar adapter for Sonos Arc</b>
	ADSB8	<b>Soundbar adapter universal</b> Suitable for Sonos Ray, Sonos Beam, Bose Solo 5, Bose Soundbar 500 and 700 as well as other soundbar models
	ZU2093	<b>Universal media mount</b> For any media components, mounting on the rear of the TV mount

## 4.3 Tray PX load

### Tray PX

	Max. load of base (in kg)	Max. load of glass shelf (in kg)
PX models without glass shelf	20	–
PX models with glass shelf	20	10

### TV mount







	Max. load TV mount (in kg)
Universal TV mount	40

### Accessories

	Max. load of soundbar adapter (in kg)	Max. load of universal media mount (in kg)
PX models without soundbar adapter	–	5
PX models with soundbar adapter	10	5

## 4.4 Tray PX colours & surfaces

### Colour glass – glossy or satin

					
SNG Snow	GR Grey	PE Pebble	GN Granite	BG Black	NCS®/Sikkens 5051

### Metallic glass – glossy or satin

					
SV Silver	IR Iron	SGR Slate Grey	CHA Champagne	BZ Bronze	RO Roast

### Metal surfaces


BG Black






**Note on glass surfaces:**  
Glass is a product made from natural raw materials and is subject to variations in production technology. Depending on the inherent colour of the glass, glass thickness and lighting conditions, there may be colour differences between different glass surfaces.  
Likewise, there may be deviations between glass samples in the specialized trade and the finished furniture. In the case of subsequent deliveries of glass surfaces, production- and batch-dependent colour differences are possible and do not constitute grounds for complaint.

# 5.1 Floor QX models


The TV mount can be rotated 90° and has integrated cable management. Castors included.  
Models QX200/203 including adapter for VESA 100×100 to 400×400.  
All other QX models including universal adapter for VESA 100×100 to 600×400.  
Recommended TV size (inch): up to 65"

## Options and accessories at a glance

	QX models
Universal media mount	•

Image External dimensions (cm)				Article		Dim. of footprint (cm)		
Height: Floor to middle of TV mount	Width	Height	Depth			Width	Height	Depth
	50,0	103,0	41,0	<b>QX200</b>	<b>a</b>	50,0	–	23,5
	50,0	72,0	41,0	<b>QX203</b>	<b>a</b>	50,0	–	23,5
	61,0	114,0	45,0	<b>QX1000</b>	<b>a</b>	61,0	–	30,0
	61,0	84,0	45,0	<b>QX1001</b>	<b>a</b>	61,0	–	30,0
	61,0	84,0	50,0	<b>QX1011</b>	<b>a</b>	61,0	21,8	35,0
					<b>b</b>	46,0	–	34,0
	61,0	114,0	50,0	<b>QX1012</b>	<b>a</b>	61,0	31,8	35,0
					<b>b</b>	46,0	–	34,0
	100,0	84,0	50,0	<b>QX1211</b>	<b>a</b>	100,0	21,8	35,0
					<b>b</b>	90,0	–	34,0
	100,0	114,0	50,0	<b>QX1212</b>	<b>a</b>	100,0	31,8	35,0
					<b>b</b>	90,0	–	34,0
	61,0	114,0	50,0	<b>QX1010</b>	<b>a</b>	61,0	21,8	35,0
					<b>b</b>	46,0	16,0	34,0
					<b>c</b>	46,0	–	34,0

# 5.2 Floor QX options and accessories

Image	Article	Function
	<b>ZU2093</b>	<b>Universal media mount</b> For any media components, mounting on the rear of the TV mount

# 5.3 Floor QX load

	Max. total load (in kg) *	Max. load glass base (in kg)	Max. load TV mount (in kg)
Width 50 cm	30	20	30
Width 61 – 100 cm	40	20	40
	Max. load for glass shelf (in kg)	Max. load of universal media mount (in kg)	
Width 50 cm	–	5	
Width 61 – 100 cm	10	5	

\* Does include the load of universal media mount.

# 5.4 Floor QX colours & surfaces

## Glass colours



KG Clear

BG Black



# Classics



Hifi Racks  
Speaker stands  
Cockpit  
TV mounts



# 1.1 Cockpit CP models

**Cockpit CP30** including subwoofer opening in the bottom, a shelf and a fabric-covered swing door with push mechanism.  
**Cockpit CP31** is optimized for the Sonos SUB. With removable fabric covers front and rear.



Both models have a cable opening in the bottom plate as standard and come with the side glasses fitted.

Options and accessories at a glance		
	CP30	CP31
Smart Charge	•	•

a = Internal dimension  
b = max. dimension Subwoofer

Image	Article			Int. dimension (cm)		
External dimensions (cm) incl. side panels and top plate						
	Width	Height	Depth			
	45,0	47,7	45,0	CP30	a	40,9 40,6 39,5
					b	37,5 40,0 39,0
	47,0	47,7	40,1	CP31	a	42,9 40,9 32,1
					b	40,5 39,0 31,5

# 1.2 Options and accessories







Image	Article	Function
	ZU1933	<b>Smart charge kit</b> The Smart Charge wireless charging technology uses the common Qi standard of the Wireless Power Consortium, to which all major mobile device manufacturers adhere to.
		<b>Spectral spray</b> A gentle foam cleaner for LED, LCD, plasma and computer screens. Also suitable for glass, metal and painted surfaces. With an anti-static microfiber cloth for swift, streak-free cleaning. Contains 300 ml.

# 1.3 Cockpit CP load







	Max. total load (in kg)	Max. load on top plate (in kg)	Max. load for each glass shelf (in kg)
CP30	50	50	15
CP31	50	50	–

# 1.4 Cockpit CP colours & surfaces

## Colour glass – glossy or satin

					
SNG Snow	GR Grey	PE Pebble	GN Granite	BG Black	NCS®/Sikkens 5051

## Acoustic fabric flaps






					
SF Silver	GRF Grey	GF Graphite	PF Pebble	CF Carbon	BF Black

**Note on glass surfaces:**  
Glass is a product made from natural raw materials and is subject to variations in production technology. Depending on the inherent colour of the glass, glass thickness and lighting conditions, there may be colour differences between different glass surfaces.  
Likewise, there may be deviations between glass samples in the specialized trade and the finished furniture. In the case of subsequent deliveries of glass surfaces, production- and batch-dependent colour differences are possible and do not constitute grounds for complaint.

**Note on fabrics:**  
Fabrics are subject to production variations. Therefore, there may be colour differences between different fabric-related components.  
Likewise, there may be deviations between fabric samples in the specialist trade and the finished furniture. In the case of subsequent deliveries of fabric-related components, production- and batch-dependent colour differences are possible and do not constitute grounds for complaint.

## 2.1 High-End HE models

**HE models** with 19mm thick glass shelves and 80x80mm aluminum columns.  
All models include felt glides, optional cable channel, height adjustable spikes and castors are available.

Image		Article			Dim. of footprint (cm)		
External dimensions (cm)							
		Width	Height	Depth			
	a	68,0	38,0	55,0	HE682	a	51,0 28,0 55,0
	a b	68,0	62,0	55,0	HE683	a	51,0 21,0 55,0
						b	51,0 28,0 55,0
	a b c	68,0	80,0	55,0	HE684	a	51,0 16,0 55,0
						b	51,0 21,0 55,0
						c	51,0 28,0 55,0
	a b	120,0	62,0	55,0	HE1203	a	103,0 21,0 55,0
						b	103,0 28,0 55,0
	a b c	120,0	80,0	55,0	HE1204	a	103,0 16,0 55,0
						b	103,0 21,0 55,0
						c	103,0 28,0 55,0

### Options and accessories at a glance

	High End HE
Cable duct	•
Spikes	•




## 2.2 Tailor-made options

With HE ou have options for customization.  
Tailor-made according to your ideas. Popular changes are in the table below.

Type of change	Remarks
Additional shelf	Linear calculation, e.g. HE684 with 5 instead of 4 shelves. Price divided by 4 and multiplied by 5
Distance between the shelves	Standard: 16,0 cm, 21,0 cm, 28,0 cm
Individual distance between the shelves	



## 2.3 High-End HE options and accessories

Image	Article	Function
	HEKK2	<b>Cable duct</b> for HE models with 2 glass shelves
	HEKK3	<b>Cable duct</b> for HE models with 3 glass shelves
	HEKK4	<b>Cable duct</b> for HE models with 4 glass shelves
	HESP	<b>Spikes</b> for HE models [set of four] Height adjustable, Height: 3,5 cm – 3,8 cm
		<b>Spectral spray</b> A gentle foam cleaner for LED, LCD, plasma and computer screens. Also suitable for glass, metal and painted surfaces. With an anti-static microfiber cloth for swift, streak-free cleaning. Contains 300 ml.

## 2.4 High-End HE load

	Max. load for each glass shelf (in kg)
HE models	60

## 2.5 High-End HE colours & surfaces

### Glass colours



KG Clear



BG Black

### Tube colour







Aluminium

### 3.1 High-End HSL models

HSL models with 12 mm thick glass shelves and 60 × 60 mm aluminium columns. All models include felt glides, optionally available with a cable duct, height adjustable spikes and castors.

#### Options and accessories at a glance

	High End HSL
Cable duct	•
Spikes	•
Castors	•

Image External dimensions (cm)	Article			Dim. of footprint (cm)				
	Width	Height	Depth			Width	Height	Depth
	61,0	59,7	55,0	HSL613	a	48,0	21,0	55,0
					b	48,0	28,0	55,0
	61,0	77,0	55,0	HSL614	a	48,0	16,0	55,0
					b	48,0	21,0	55,0
					c	48,0	28,0	55,0
	120,0	59,7	55,0	HSL1203	a	107,0	21,0	55,0
					b	107,0	28,0	55,0
	120,0	77,0	55,0	HSL1204	a	107,0	16,0	55,0
					b	107,0	21,0	55,0
					c	107,0	28,0	55,0





### 3.2 Tailor-made options

With HSL you have options for customization. Tailor-made according to your ideas. Popular changes are in the table below.

Type of change	Remarks
Additional shelves	Linear calculation, e.g. HSL614 with 5 instead of 4 shelves. Price divided by 4 and multiplied by 5
Distance between the shelves	Standard: 16,0 cm, 21,0 cm, 28,0 cm
Individual distance between the shelves	



### 3.3 High-End HSL options and accessories

Image	Article	Function
	HSLKK3	Cable duct for HSL models with 3 glass shelves
	HSLKK4	Cable duct for HSL models with 3 glass shelves
	HSLSP	Spikes for HSL models [set of four] Height adjustable, Height: 3,9 cm – 4,2 cm
	ZU1588	Castors for HSL models [set of four] Height: 5,2 cm
		Spectral spray A gentle foam cleaner for LED, LCD, plasma and computer screens. Also suitable for glass, metal and painted surfaces. With an anti-static microfiber cloth for swift, streak-free cleaning. Contains 300 ml.

### 3.4 High-End HSL load

	Max. load for each glass shelf (in kg)
HSL models	40

### 3.5 High-End HSL colours & surfaces

#### Glass colours



KG Clear

BG Black





#### Tube colour




Aluminium

## 4.1 Screen S models

All models include concealed castors and integrated cable duct.  
Tubes in aluminium, shelves in clear or black glass.

Image External dimensions (cm)	Article			Dim. of footprint (cm)		
	Width	Height	Depth			
	90,0	59,0	40,0	S93	a	72,0 21,0 40,0
					b	72,0 28,0 40,0
	105,0	59,0	40,0	S103	a	87,0 21,0 40,0
					b	87,0 28,0 40,0
	120,0	59,0	40,0	S133	a	92,0 21,0 40,0
					b	92,0 28,0 40,0
	140,0	59,0	45,0	S143	a	92,0 21,0 45,0
					b	92,0 28,0 45,0

## 4.2 Screen S options and accessories

Image	Function
	<b>Spectral spray</b> A gentle foam cleaner for LED, LCD, plasma and computer screens. Also suitable for glass, metal and painted surfaces. With an anti-static microfiber cloth for swift, streak-free cleaning. Contains 300 ml.

## 4.3 Screen S load

	Max. load for each glass shelf (in kg)
S models	40

## 4.4 Screen S colours & surfaces

### Glass colours



KG Clear



BG Black






### Tube colour



Aluminium


# 5.1 Universal stands

Universal stands for satellite or compact speakers.  
Safety glass stand in clear or black glass.  
Tube made of aluminum with integrated cable management.  
Always supplied in pairs.

Image External dimensions (cm)	Article			Tube Ø (cm)	Dimensions of tray (cm)		
	Width	Height	Depth		Width	Depth	
	30,0	60,0	40,0	LS600-KG (pair) *	8,0 / 4,0	17,0	28,0
				Glass: clear Tube: alu			
	30,0	60,0	40,0	LS600-BG (pair) *	8,0 / 4,0	17,0	28,0
				Glass: black Tube: alu			
	25,0	41,0	30,0	BS40-KG (pair)	6,0	20,0	20,0
				Glass: clear Tube: alu			
	25,0	41,0	30,0	BS40-BG (pair)	6,0	20,0	20,0
				Glass: black Tube: alu			
	25,0	58,0	30,0	BS58-KG (pair)	6,0	15,0	17,0
				Glass: clear Tube: alu			
	25,0	58,0	30,0	BS58-BG (pair)	6,0	15,0	17,0
				Glass: black Tube: alu			
	25,0	70,0	30,0	BS70-KG (pair)	6,0	15,0	17,0
				Glass: clear Tube: alu			
	25,0	70,0	30,0	BS70-BG (pair)	6,0	15,0	17,0
				Glass: black Tube: alu			


\* Including height adjustable spikes

# 5.2 Tailor-made options



Type of change	Remarks
Height change on request	Max. height change: +/- 25,0 cm Max. possible total height: 100,0 cm

# 5.3 Universal stands options and accessories

Image	Function
	<b>Spectral spray</b> A gentle foam cleaner for LED, LCD, plasma and computer screens. Also suitable for glass, metal and painted surfaces. With an anti-static microfiber cloth for swift, streak-free cleaning. Contains 300 ml.

# 5.4 Universal stands load

	Max. load for each speaker stand (in kg)
LS600	20
BS40 / BS58 / BS70	10

# 5.5 Universal stands colours & surfaces

## Glass colours



KG Clear



BG Black

## Tube colour



Aluminium

# 6.1 Sonos solutions

**SWM2** is a compact wall mount specifically designed for Sonos speakers One, One SL and Play:1. Rotatable, tiltable and swiveling for optimal sound alignment.

**Speaker stand SP11** is suitable for Sonos speakers One, One SL and Play:1. Base made of safety glass. Tube made of aluminum with integrated cable management. The cables are particularly easy to access thanks to a removable silicone profile.

**Speaker stand SP50** is suitable for Sonos speakers Five and Play:5. Base made of safety glass. Tube made of aluminum with integrated cable management. Sonos Five and Play:5 can be mounted horizontally or vertically.

Always supplied as a single unit.











Image	Article			Function		
	External dimensions (cm)			Dimensions without speaker		
	Width	Height	Depth		Tilt	Swivel
	45,0	166,0	129,0	<b>SWM2-SNG (single unit)</b>	0° / -20°	+45° / -45°
				Colour: white	+180° / -180°	

Image	Article			Tube Ø (cm)		
	External dimensions (cm)			Dimensions without speaker		
	Width	Height	Depth			
	25,0	85,6	25,0	<b>SP11SV (single unit)</b>	25,0	
				Glass: silver		
				Tube: alu		
	25,0	85,6	25,0	<b>SP11BG (single unit)</b>	25,0	
				Glass: silver		
				Tube: alu		
	25,0	85,6	25,0	<b>SP11BG-BG (single unit)</b>	25,0	
				Glass: black		
				Tube: black		
	44,6	79,1	29,6	<b>SP50SV (single unit)</b>	40,0	
				Glass: silver		
				Tube: alu		
	44,6	79,1	29,6	<b>SP50BG (single unit)</b>	40,0	
				Glass: black		
				Tube: alu		
	44,6	79,1	29,6	<b>SP50BG-BG (single unit)</b>	40,0	
				Glass: black		
				Tube: black		

# 6.2 Revox stand

**Speaker stand RX1** is specially designed for Revox STUDIOART A100 / P100. Base made of safety glass. Tube made of aluminum with integrated cable management. The cables are particularly easy to access thanks to a removable silicone profile.

Always supplied as a single unit.

Image	Article			Tube Ø (cm)		
	External dimensions (cm)			Dimensions without speaker		
	Width	Height	Depth			
	25,0	85,6	25,0	<b>RX1SV (single unit)</b>	25,0	
				Glass: silver		
				Tube: alu		
	25,0	85,6	25,0	<b>RX1BG (single unit)</b>	25,0	
				Glass: black		
				Tube: alu		
	25,0	85,6	25,0	<b>RX1BG-BG (single unit)</b>	25,0	
				Glass: black		
				Tube: black		

# 6.3 colours & surfaces

## Wall mount



SWG Snow

## Speaker stands



SV Silver/Alu








BG Black/Alu



BG-BG Black/Black

# 7.1 Just.Mount small / medium

With our proven TV mounts, mounting the TV is a breeze:  
Easy to install, secure all around and also super flat on the wall.  
Whether tiltable, swiveling, rotatable or all three.

Image	Article	Function	
	JM200CV2	Function	Rotatable, tiltable, swiveling
		TV diagonal	14 – 32" [35 – 81 cm]
		Tilt	+3° / -10°
		Swivel	+90° / -90°
		Rotation	+3° / -3°
		Max. load	12 kg
		VESA	75×75 – 200×200
		Wall distance	50 – 197 mm
	JM400FV2	Function	Fix
		TV diagonal	26 – 55" [66 – 139 cm]
		Tilt	–
		Swivel	–
		Rotation	–
		Max. load	35 kg
		VESA	100×100 – 400×400
		Wall distance	28 mm
	JM400SF	Function	Fix
		TV diagonal	26 – 55" [66 – 139 cm]
		Tilt	–
		Swivel	–
		Rotation	–
		Max. load	30 kg
		VESA	75×75 – 400×400
		Wall distance	18 mm
	JM400ST	Function	Tiltable
		TV diagonal	26 – 55" [66 – 139 cm]
		Tilt	15°
		Swivel	–
		Rotation	–
		Max. load	30 kg
		VESA	75×75 – 400×400
		Wall distance	20 mm
	JM400CSV2	Function	Rotatable, tiltable, swiveling
		TV diagonal	26 – 55" [66 – 139 cm]
		Tilt	+8° / -5°
		Swivel	180°
		Rotation	+4° / -4°
		Max. load	31,8 kg
		VESA	100×100 – 400×400
		Wall distance	55 – 500 mm

# 7.2 Just.Mount large

With our proven TV mounts, mounting the TV is a breeze:  
Easy to install, secure all around and also super flat on the wall.  
Whether tiltable, swiveling, rotatable or all three.










Image	Article	Function	
	JM600SF	Function	Fix
		TV diagonal	40 – 75" [101 – 190 cm]
		Tilt	–
		Swivel	–
		Rotation	–
		Max. load	30 kg
		VESA	75×75 – 600×400
		Wall distance	18 mm
	JM600ST	Function	Tiltable
		TV diagonal	40 – 75" [101 – 190 cm]
		Tilt	15°
		Swivel	–
		Rotation	–
		Max. load	30 kg
		VESA	75×75 – 600×400
		Wall distance	24 mm
	JM600CSV2	Function	Rotatable, tiltable, swiveling
		TV diagonal	32 – 75" [81 – 190 cm]
		Tilt	+8° / -5°
		Swivel	160°
		Rotation	+4° / -4°
		Max. load	45,5 kg
		VESA	100×100 – 400×400
		Wall distance	48 – 490 mm
	JM645CS	Function	Rotatable, tiltable, swiveling
		TV diagonal	37 – 70" [94 – 177 cm]
		Tilt	+2° / -15°
		Swivel	+60° / -60°
		Rotation	+3° / -3°
		Max. load	45 kg
		VESA	200×200 – 600×400
		Wall distance	49 – 482 mm
	JM600E	Function	Rotatable, tiltable, swiveling
		TV diagonal	37 – 70" [94 – 177 cm]
		Tilt	+8° / -12°
		Swivel	180°
		Rotation	+3° / -3°
		Max. load	40 kg
		VESA	200×200 – 600×400
		Wall distance	45 – 680 mm
	JM800C	Function	Rotatable, tiltable, swiveling
		TV diagonal	43 – 100" [109 – 254 cm]
		Tilt	+2° / -15°
		Swivel	+90° / -90°
		Rotation	+3° / -3°
		Max. load	70 kg
		VESA	300×200 – 800×600
		Wall distance	70 – 800 mm

Image	Article	Function
	SPMMAXI	<b>Universal TV wall mount</b> For all TV sets with hole spacing of a maximum 750 mm and VESA 100×100 to 600×400. Wall distance 35 mm, height adjustable and loadable with max. 80 kg. Includes wall screws, dowels, screen screws and mounting instructions.
	SPMEX1	<b>Extension kit VESA 600 x 600</b> Pair of perforated rails for expansion to VESA 600x600. Suitable for Spectral Universal TV adapter [SPMMOVIE] and Spectral Universal TV wall mount [SPMMAXI]. Length of one perforated rail: 680 mm
	ZU2093	<b>Universal media mount</b> For any media components, mounting on the rear of the TV mount
	ZU1864	<b>IR link system</b> For control of audio and video equipment when furniture flap is closed
	ZU1873	<b>Interior lighting</b> LED light with motion sensor
	ZU1874	<b>USB charger</b> For interior lighting
	ZU1871	<b>Flat europlug</b> Flat europlug 1,5 m cable, Schuko connections [not available in the UK]
		<b>Spectral spray</b> A gentle foam cleaner for LED, LCD, plasma and computer screens. Also suitable for glass, metal and painted surfaces. With an anti-static microfiber cloth for swift, streak-free cleaning. Contains 300 ml.



# sound



Invisible. Not inaudible.

You like overwhelming cinema sound.  
You love high-resolution stereo sound.  
What you don't want are the unpleasant  
side effects: bulky loudspeakers and  
tangled cables.

Because we know this, we hide our  
sound systems in the furniture.  
Behind opaque fabric fronts,  
that only let one thing through:

Goosebumps.

Our furniture can accommodate many sound systems.

We recommend the products of Sonos and Spectral sound systems (Made by Canton). There is a wide range to choose from, from the compact soundbar to the full-fledged home theater or multi-room system.

**Again and again we are asked which is the optimal sound system. The question is easy to answer: The system must be easy to use and have a great sound!**


The simplicity depends primarily on the electronics provider and its software or app. Here, we clearly recommend Sonos. Easy to use and always up to date.

When it comes to sound, there is also a simple rule: the more displacement - the more fun! Here the displacement of the speaker refers to the volume. So size still plays a role. It is therefore not surprising that a large, voluminous speaker sounds better than a small soundbar.

**Our recommendation is the best of both worlds: the Spectral sound sytems BRP1 / VRP1 with the Sonos Amp amplifier. Here, high-quality speakers meet simple operation and endless music enjoyment.**


If you want a little more, the Sonos & Spectral sound systems can be expanded with the Sonos subwoofer and Sonos surround speakers.

The result is stunning home theater sound throughout your home.




[www.spectral.eu/downloads/](http://www.spectral.eu/downloads/)

**Spectral sound system BRP1 with Sonos Amp amplifier.**  
Our bestseller. Compact and powerful sound system with excellent music playback.



or


**Spectral sound system VRP1 with Sonos Amp amplifier.**  
Our top system. Two and a half meters of uncompromising performance in stereo and surround sound.




+

If you want a little more, the Sonos & Spectral sound systems can be expanded with the Sonos subwoofer and Sonos surround speakers.


**Sonos Sub subwoofer**



**Sonos OneSL surround speaker**



**Sonos One surround speaker with voice control**



Colours: Black and white

# Sonos sound systems

Sonos Beam.

Compact soundbar for a much better TV sound.




Colours: Black and white

or

Sonos Arc.

Premium soundbar for a very good TV sound and spatial sound effects.



Colours: Black and white



Sonos Sub subwoofer



Sonos OneSL surround speaker



Sonos One surround speaker with voice control



Colours: Black and white

# Active Spectral sound systems

Spectral's active sound systems are manufactured by Germany's leading speaker manufacturer Canton. The powerful systems have an integrated subwoofer as well as a digital surround receiver and deliver impressive virtual surround sound or sonorous stereo sound as desired.

Spectral sound system SCA3.

Small but mighty. The Bluetooth 4.0 interface allows wireless music streaming from almost any mobile device.




Spectral sound system BRA3.

For those who really want to bring home theater into the living room with just one box, the BRA3 is the best alternative.



Spectral sound system VRA3.

Maximum performance. Two and a half meters of uncompromising performance in stereo and surround sound.



Technical data:	SCA3	BRA3	VRA3
Optical input (digital)	•	•	•
Coaxial input (digital)	•	•	•
Coaxial input (analog)	•	•	•
3x HDMI® input		•	•
1x HDMI® with ARC output		•	•
Bluetooth® 4.0	•	•	•
IR learning function	•	•	•
Dolby® Digital	•	•	•
Dolby Atmos®		•	•
DTS-HD®		•	•
PCM 24bits / 96 kHz		•	•
2.1 virtual surround system	•	•	•
HDCP 2.2		•	•
Multiroom		•	•
Chromecast built-in for Audio		•	•
Ceramic loudspeaker chassis			•
Incl. IR remote control	•	•	•
Output	200 W	300 W	350 W



IR remote control

Spectral Audio Möbel GmbH  
Robert-Bosch-Straße 1–5  
74385 Pleidelsheim  
Germany

Tel. +49 7144 88418-80  
Fax +49 7144 88418-40  
www.spectral.eu  
info@spectral.eu

Spectral Netherlands / Belgium  
Tel. +31 341 46 22 00  
www.spectral.nl  
verkoop@spectral.nl

Spectral Swiss  
Tel. +41 44 940 4444  
schweiz@spectral.eu

Spectral Austria  
Tel. +43 7205 14446  
austria@spectral.eu

© 2023 Spectral Audio Möbel GmbH

Publication date: March 2023

Subject to technical changes, and error.  
Colours of printed images may not fully  
correspond to those of physical product.



All wood panel materials are from sustainable  
forestry and are safe in the  
harmless to health in the  
harmless in the living environment.



www.spectral.eu

Facebook  
@spectralfurniture

Instagram  
@spectral.germany

YouTube  
@spectralgermany

Made in Germany



The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Canton is under license. Other trademarks and trade names are those of their respective owners.



Dolby, Dolby Atmos, and the double-D symbol are registered trademarks of Dolby Laboratories Licensing Corporation.



For DTS patents, see <http://patents.dts.com>. Manufactured under license from DTS Licensing Limited. DTS, DTS-HD, and the DTS-HD logo are registered trademarks or trademarks of DTS, Inc. in the United States and other countries. © 2022 DTS, Inc. ALL RIGHTS RESERVED.



Chromecast built-in is a trademark of Google LLC.



The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.



Spotify is a registered trademark of Spotify Ltd. Connect is a trademark of Spotify AB.

B&O and B&O Beosound Stage are registered trademarks owned by Bang & Olufsen

Bose, Bose Solo 5, Soundbar 500 and Soundbar 700 are registered trademarks owned by Bose Corporation

Revox, Revox STUDIOART A100 and P100 are registered trademarks owned by Revox Holding AG

Sonos, Sonos Arc, Sonos Beam, Sonos Ray, One, One SL, Play:1, Five and Play:5 are registered trademarks owned by Sonos Inc.

Fenix® is a registered trademark of Arpa Industriale S.p.A., Dekton® is a registered trademark of Cosentino Global, S.L.U.

